

Amendment No. 1 of Oct., 2012 applicable to Check sheet of BTPGLN wagon No. WD-CS-01-BTPGLN (VARIANT-‘A’) 2011 for Bogie LPG Tank Wagon type BTPGLN

Clause No. 1 of page No. 12 of 13 i.e. **CHECK SHEET FOR MARKING, COUPLER, HAND BRAKE and AIR BRAKE** has modified and to be read as:

S.No.	ATTRIBUTES	ACCEPTANCE LIMIT	WORKS INSPN.	RDSO INSPN.
1.	Check for paint, thickness & finish	<p><u>Underframe:</u> Total min. thickness of primer and finishing paint shall be 120 micron as per G-72 (latest Rev. & amendment) i.e. min. 40 micron of primer and min. 80 micron of finishing paint.</p> <p><u>Barrel:</u> Total min. thickness of primer and finishing paint shall be 140 micron as per relevant RDSO's Spec. i.e. min. 70 micron of primer and min. 70 micron of finishing paint.</p>		

NOTE: These check sheets do not detail all the dimensions or technical requirements of respective wagon assemblies/ components. These check sheets are issued only for General Guidance & assistance of inspecting officials. Notwithstanding the above, the inspecting officials are advised to refer the relevant drawings and/ or relevant specifications to confirm conformity to the specified dimensions and technical details