

FINAL DRAFT AMENDMENT SLIP NO.1 OF JUNE 2016 TO RDSO SPECIFICATION NO. RDSO/2007/CG-09 FOR FELT SEALING RINGS FOR SPHERICAL ROLLER BEARING AXLE BOXES OF ICF TYPE COACHING STOCK. (TENTATIVE)

Read the existing clause No. 2.1.1 and 2.2.1 of RDSO Specification No. RDSO/2007/CG-09 as under:

2.1.1 Ingredient

The felt should be made from pure white sheep wool free from all foreign materials and cell wool. The content of white sheep wool and cell wool shall be 70% and 30% respectively. In case of 70:30 blend of white sheep wool and cell wool, the sheep wool content shall be 70%+3 (i.e. white sheep wool percentage shall be from 67% to 73%) and remainder shall be cell wool. Alternatively, the imported felt should be made from blended pure white sheep wool and cell wool conforming to proprietary grade "Neu-Filz 219".

2.2.1 Density:

The density of felt shall be $0.46 \pm 10\%$ gm/cm³.