

Page No. 01 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

1. Title: Quarterly Notification No. 357 Period: 01st Oct 2024 to 31st Dec 2024

(CONSTRUCTION DRGS, PART DRGS, AND SPECIFICATIONS)

S. No.	Date of Amendment	Page No.	Version	Reason for Amendment
1	Nil	NA	0	First issue

Approved by	Director/Wagon
Signature	

Page No. 02 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

2.0 Quarterly Notification No. 357 Period: 01st Oct 2024 to 31th Dec 2024
Alteration or Addition in Construction Drawings:

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. Remark
1.	WD-24028-S-01	Loading BOXN & its variants	-Note no. 8 & wedge modified. Quantity for lashing chain & isolation hook at middle changed from 5 to 6 & 10 to 12 respectively, note no. 17 added.	02	01	
	WD-24028-S-02		-Note no. 8 & wedge modified. Quantity for lashing chain & isolation hook at middle changed from 5 to 6 & 10 to 12 respectively, note no. 17 added.	02	01	
	WD-24028-S-03		-Note no. 8 modified & quantity for lashing chain & isolation hook changed from 7 to 8 & 10 to 12 respectively, note no. 18 added.	02	01	
	WD-24028-S-04		-Note no. 4.1 & 4.2 modified & 4.3 deleted. Note no. 4.4 of previous drawing become note no. 4.3., Note no. 16 added.	02	01	
2.	WD-24038-S-01	Loading BOXN & its variants.	-Note no. 8 & wedge modified. Quantity for lashing chain & isolation hook increased from 7 to 8 & 10 to 12 respectively, note no. 17 added.	01	Nil	
	WD-24038-S-02		-Note no. 8 modified & quantity for lashing chain & isolation hook changed from 7 to 8 & 10 to 12 respectively, note no. 17 added.	01	Nil	
	WD-24038-S-03		-Note no. 4.1 & 4.2 modified & 4.3 deleted. Note no. 4.4 of previous drawing become note no. 4.3, note no. 15 added.	01	Nil	
	WD-24038-S-04		-Note no. 9 & wedge modified. Note no. 17 added.	01	Nil	
	WD-24038-S-05		-Note no. 6 & wedge modified. Quantity for lashing chain & isolation hook for coil changed from 7 to 8 & 10 to 12 respectively, note no. 14 added.	01	Nil	

Page No. 03 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. Remark
3.	WD-24088-S-01	BOST Loading	Loading diagram of vertical loaded steel coils and steel bar coils on BOST wagon & its variants.	Nil	-	MW/ loading securing dt13.12.24
	WD-24088-S-02		Loading diagram for steel coils in longitudinal direction (eye to engine) and steel bar coils on BOST wagon & its variants.	Nil	-	
	WD-24088-S-03	BFNS22.9 Loading	New loading diagram for steel slab on BFNS22.9/BFNSM22.9 wagons and its variants.	Nil	-	
	WD-24088-S-04		Loading of steel plates/sheets(4m to 6.3m) on BOST wagon and its variants (on both bogie centres).	Nil	-	
	WD-24088-S-05		Loading of 8m to 12m bundle of steel plates/sheets on BOST wagon and its variants (on wagon centres).	Nil	-	
	WD-24088-S-06		Loading diagram for 12m channels/beams (height up to 300 mm) and billets (up to 125x125 mm) in BOST wagon & its variants.	Nil	-	
	WD-24088-S-07		Loading diagram for 12m angles in BOST type wagon & its variants.	Nil	-	
	WD-24088-S-08		Loading diagram for TMT bars on BFNS22.9/BFNSM22.9 wagons and its variants.	Nil	-	
	WD-24088-S-09	BRN Loading	New loading diagram for steel channels on BRN wagons and its variants.	Nil	-	
	WD-24088-S-10		New loading diagram for steel angles on BRN wagons and its variants.	Nil	-	
4	WD-15057-S-07	BOST loading	Note no.8 for steel strap and note no.10 for crimping modified.	02	01	
	WD-15057-S-08		Strap thickness is changed from 1.45 to 1.27 mm in note no. 9. One strap for middle coil eye added. Item-6 & note-11 modified.	04	03	
5	WD-15060-S-01	BRN 22.9 loading	Note no. 9 modified and note no. 14, strap & wedge ref. added in description table.	06	05	
	WD-15060-S-02		Note no. 14 modified & 15 added.	06	05	
6	WD-16042-S-01	BRN variants loading	Note no. 10 modified and note no. 14, strap & wedge ref. added in description table.	08	07	
7	WD-21039-S-01	BOXN,BOXNR, BOXNHL,BOST variants loading	-Note no.1, 4 and 8 modified.	01	Nil	
	WD-21039-S-02		-Drawing revised & redrawn.	01	Nil	
	WD-21039-S-03		-Note no.1, 4 and 9 modified.	01	Nil	
	WD-21039-S-04		-Note no.1, 4 & 9 modified & block no. 5& 6 added.	01	Nil	

Page No. 04 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. Remark
8	WD-22038-S-01	BOST variants loading	-Steel rounds and flats up to 100 mm added in drawing, accordingly drawing and note revised.	03	02	
	WD-22038-S-03		-Strap thickness changed from 1.45 to 1.27 mm in note no. 8, one strap for coil eye added. Wedge & note-10 modified.	06	05	
9	WD-23115-S-01	BOST variants loading	-Strap thickness is changed from 1.45 to 1.27 mm in note no. 8, one strap for coil eye added. Note no.-10 modified for crimping.	03	02	
	WD-23115-S-02	BRN variants loading	-Note no. 10 modified and note no. 16, strap added in description table.	03	02	
10	WD-24001-S-01	BOST variants loading	-Note no. 4.1, 4.2 and 8 modified.	02	01	
	WD-24001-S-02		-Note no. 4.1, 4.2 and 8 modified.	03	02	
	WD-24001-S-03		-Strap thickness for coil changed from 1.45 to 1.27 mm. In note no. 6. one strap for coil eye added. Note no. 8 modified.	02	01	
	WD-24001-S-04		-In note no.6, strap thickness for coil changed from 1.45 to 1.27 mm. one strap for coil eye added. Wedge and note no. 8 modified.	02	01	
11	WD-24024-S-01	BRN variants loading	-Note no. 5 modified, 20 added & title block revised.	03	02	
12	WD-24027-S-01	BOST variants loading	-Note no. 4.1 , 4.2 and 7 modified.	02	01	
	WD-24027-S-02		-Strap thickness changed from 1.45 to 1.27 mm, in note no. 8. one strap for coil eye added. Wedge and note-10 modified.	02	01	
13	WD-24036-S-01	Loading & securing arrgt.	-Item no. 5, wooden wedge & nail added.	01	Nil	
	WD-24036-S-02	BOST variants loading	Strap thickness changed from 1.45 to 1.27 mm in note no. 8. One strap for coil eye added. Wedge & note-10 modified.	01	Nil	
	WD-24036-S-03		-Note no. 4.1 4.2 and 7 modified.	01	Nil	
	WD-24036-S-04		-Drawing revised and redrawn.	01	Nil	
	WD-24036-S-05		-Strap thickness is changed from 1.45 to 1.27 mm in note no. 7. One strap for coil eye added. Note no.-9 modified.	01	Nil	
	WD-24036-S-06		-Strap thickness changed from 1.45 to 1.27 mm in note-9. Wedge and note-11 modified.	01	Nil	
14	WD-23080-S-01	BRN22.9/BRN22.9M1 loading	-Note no. 8, 15 modified and note no. 18, strap & wedge ref. added in description table.	03	02	
	WD-23080-S-02		-Note no. 8, 15 modified and note no. 18, strap & wedge ref. added in description table.	03	02	
	WD-23080-S-03		-Note no. 9 modified and note no. 19, strap & wedge ref. added in description table.	03	02	

Page No. 05 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. / Remark
Cont d.	WD-23080-S-04	BRN22.9/ BRN22.9M1 loading	-Note no. 9 modified and note no. 19, strap & wedge ref. added in description table.	03	02	--
	WD-23080-S-05		-Note no. 9 & 16 modified and 17 added.	02	01	
15	WD-94038-S-02	BRN,BRNA,BRNA HS,BRHC,BRHT	-Note no. 9 modified and note no. 14, strap & wedge ref. added in description table.	07	06	
	WD-94019-S-01		-Note no. 14 modified & note no. 15 added.	07	06	
16	WD-21112-S-01	BRN variants loading	-Steel strap specification changed from EN-13246 to EN-13247 & note no. 8.3 and 17 added.	04	03	
	WD-21112-S-02		-Steel strap specification changed from EN-13246 to EN-13247 & note no. 8.3 & 17 added and title block revised.	04	03	
	WD-21112-S-03		-Steel strap specification changed from EN-13246 to EN-13247 & note no. 18 modified.	04	03	
17	WD-21048-S-01	BRN22.9, BRN22.9M1 loading	-Note no. 1 & 11 modified.	01	Nil	
	WD-21048-S-02		-Note no. 1 & 11 modified.	01	Nil	
	WD-21048-S-03		-Note no. 1 & 12 modified.	01	Nil	
	WD-21048-S-04		-Note no. 1 & 12 modified.	01	Nil	
18	WD-98057-S-02	BFNS,BFNS22.9 , FLATCOIL3 loading	-Serial no. 4 in loading pattern modified by max. wt. 22t instead of 20t at centre and note 4 added.	16	15	
	WD-18052-S-01	BFNSM22.9 Lashing	-Note no. 1 revised & note no. 11 added.	02	01	
	WD-17047-S-01	BFNS22.9 loading	-Note no. 1 revised & note no. 12 added.	02	01	
19	WD-21095-S-01	BRN & BOST loading	-Steel strap specification changed from EN-13246 to EN-13247 & note no. 23 added.	06	05	
20	WD-22081-S-02	BOSM	-Towing hook location corrected & RFID tag bracket added.	02	01	
	WD-22081-S-03		-Towing hook location corrected & RFID tag bracket added.	02	01	
	WD-22081-S-04		-Brake cylinder bracket & reservoir support bkt. dimension corrected. RFID tag bracket details added. Item 25 no. off changed from 1 to 2. In section -AA & BB dimension 50 changed to 55.	02	01	
	WD-22081-S-05		-Yoke support plate packing 25 mm thick to be replaced with 16mm & 3mm sheet packing to be removed. item 15 & 15A Dim. corrected.	02	01	
	WD-22081-S-06		-Brake cylinder bracket dim. corrected according to 355 dia. brake cylinder, in DV bracket, hole dia. 17.5 added.	02	01	
	WD-22081-S-07		-Item 4, 5 & 6 CRF drg. reference added.	01	Nil	

Page No. 06 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. / Remark
Cont d.	WD-22081-S-08	BOSM	-In section HH, length of body side sheet 2180 mm changed to 820mm in some sections, weld symbols & dimensions shown. detail X-3 added.	02	01	
	WD-22081-S-09		-Side sheet size of item 10A, 10B, 10C & 10D corrected. Item-7 alternate ISMC added & material changed. In Item-2c changed to 15mm & splice joint added.	02	01	
	WD-22081-S-10		-Item 17 & Section MM added. Bottom hand hold & ladder pipe near foot step, Dim. 25 changed to 40 & 270 to 260 respectively.	02	01	
	WD-22081-S-11		-In item 6A, 6B & layout of end sheet view, height of end sheet 2180mm changed to 2150mm. In Item-11, height 34 mm shown.	01	Nil	
	WD-22081-S-12		-Item 1G deleted & It. 13 added. item 10 & 10a dim. 75 mm changed to 65mm & plug weld changed to fillet weld. Note added for it.- 2,3,4,5,7,8,10 10a can also be made from forging. it-9 material changed heavy SS to medium M.S.	02	01	
	WD-22081-S-16		-Anchor bkt. dim. 1194 & control rod dim. 1405 changed to 1190 to 1255 respectively. Brake cylinder bkt. dim. 814 corrected to 782. It-19, 22 & 24 brackets & their ref. dim. modified.	02	01	
	WD-22081-S-17		-Pull rod dim. corrected /modified.	02	01	
	WD-22081-S-18		-Pipe layout revised.	02	01	
	WD-22081-S-19		-Item-2 modified.	01	Nil	
	WD-22081-S-20		-Item- 9 & 17 dim. corrected.	01	Nil	
	WD-22081-S-23		-Note 12 & 15 modified. Loading arrow indicator shown.	02	01	
21	WD-19066-S-03	FMFA	-In note no. 3, STR No. 49-BD-08 with amnd. no. 01 of sept. 2016 deleted.	04	03	
	WD-19066-S-04		-Drawing revised & redrawn.	02	01	
	WD-19066-S-05		-Drawing revised & redrawn.	03	02	
	WD-19066-S-06		-Drawing revised & redrawn.	03	02	
	WD-19066-S-08		-Drawing revised & redrawn.	02	01	
	WD-19066-S-09		-Drawing revised.	02	01	
	WD-19066-S-10		- Drawing revised.	02	01	
	WD-19066-S-11		-SAB change from IRSA-600 to IRSA-750.	03	02	
	WD-19066-S-12		-Drawing revised & redrawn.	03	02	
	WD-19066-S-13		-To suit added to length of it. 3 & 4.	02	01	
	WD-19066-S-14		-Drawing revised.	01	Nil	
	WD-19066-S-15		-Drawing revised.	01	Nil	
	WD-19066-S-20		-Revised & redrawn.	01	Nil	
	WD-24008-S-01		-Drawing revised & redrawn.	01	Nil	

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. / Remark
22	WD-19067-S-03	FMPB	-In note no. 3, STR No. 49-BD-08 with amnd. no. 01 of sept. 2016 deleted.	05	04	
	WD-19067-S-04		-Drawing revised.	04	03	
	WD-19067-S-05		-Drawing revised.	04	03	
	WD-19067-S-06		-Drawing revised & redrawn.	04	03	
	WD-19067-S-08		-Drawing revised.	03	02	
	WD-19067-S-11		-SAB change from IRSA-600 to IRSA-750.	03	02	
	WD-19067-S-12		-Drawing revised.	05	04	
	WD-19067-S-14		-Drawing revised.	01	Nil	
	WD-19067-S-15		-Drawing revised.	01	Nil	
23	WD-88050-S-02	BTPN	-It.-2 & 3, dim. 2239 & 2293 respectively shown with cut to suit to maintain E-dimension.	13	12	
	WD-82056-S-69	BTAP	-Item-6& 17, dim. 745 & 572 respectively shown with cut to suit to maintain "E-Dim."	08	07	
24	SK-77544	BOBY,BOBYN, BOBYNHS	-Where ever shown alt. 14 is mentioned lock bolts.	14	13	
	WD-91071-S-54	BOBRN	-Rivets replaced by lock bolts where ever shown Alt. 09.	09	08	
	WD-89007-S-72		-Dim. of pull rod has been revised, done 'to suit'.	09	08	
	WD-94035-S-05	BOBSN	-Rivets replaced by lock bolts where ever shown Alt. 03.	03	02	
	WD-94035-S-09		-Dim. of pull rod has been revised, done 'to suit'.	02	01	
25	WD-09055-S-55	BOBYN22.9	-Where ever shown Alt. 1, is mentioned lock bolts.	01	Nil	
	WD-09065-S-54	BOBRNHSM1	-Rivets replaced by lock bolts where ever shown Alt. 02.	02	01	
	WD-15042-S-54		-Rivets replaced by lock bolts where ever shown Alt. 02.	02	01	
	WD-12027-S-05	BOBSN 'B'	-Rivets replaced by lock bolts where ever shown Alt. 02.	02	01	
	WD-16018-S-55	BOBYNHS	-Where ever shown Alt. 01, is mentioned lock bolts.	01	Nil	
26	WD-96021-S-01	BOBYN & its variants.	-Underframe Arrgt. & details to drg. WD-16018-S-54, 55 & 56 replaced by new drgs. WD-24085-S-54, 55 & 56, in dresign 'F' respectively & WD-01065-S-02 added.	09	08	
	WD-09090-S-03	BOBYNHS, BOBYNHSM1	-Note 2 for Underframe arrgt. drg. changed as WD-24085-S-54 in place of WD-16018-S-54.	03	02	
	WD-24085-S-54	BOBYNHSM1	-Underframe arrangement with conv. air brake.	NIL	-	
	WD-24085-S-55		-Underframe details (sheet I)	NIL	-	
	WD-24085-S-56		-Underframe details (sheet II)	NIL	-	
27	WD-96021-S-08	BOBYN,BOBYNHS	-Dims. of pull rod has been revised done 'to suit'.	08	07	

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. / Remark
Cont d.	WD-18076-S-09	BOBSNS	-Dims. of pull rod has been revised, done 'to suit'.	01	Nil	
28	WD-22073-S-17	ACT1	-'To suit' added to length of item 9 & 11.	02	01	
29	WD-89067-S-05	CASNUB Bogie	-Note no. 3 added & brake beam with 'k' type brake block added.	17	16	
	WD-92058-S-04	CASNUB 22HS	-Note no. 10 added for revised marking on spring plank.	12	11	
	SK-69594	CASNUB Bogie	-Note no. 12 added for revised marking on spring plank.	38	37	
30	WD-84013-S-04	BRN	-Note no. 4 added.	12	11	
	WD-92004-S-11	BRNA,BRNAHS	-Note no. 2 added.	08	07	
	WD-92004-S-02		-Bogie data for 'BRNAHS' wagon added.	09	08	
31	WD-98057-S-09	BFNS	-Note no. 3 added.	05	04	
	WD-04004-S-59	BRHNEHS	-Note no. 3 added.	02	01	
	WD-20044-S-11	BFNV	-Dim. of item 3 & 4 revised.	02	01	
32	CONTR-9405-S-11	BLC (A&B)	-Dim. 1720, 1555 of item 3 & dim. 3615,2955 of item 4 shown with 'Cut to Suit' respectively.	09	08	
	CONTR-9404-S-04	Cast steel bogie	-Note no. 10 added for revised marking on spring plank.	13	12	
	CONTR-9405-S-17	BLC (A Car)	-Dim. 17.5 & 150 corrected to 15 & 160 respectively, note 4 added, drawing updated.	06	05	
33	WD-22061-S-26	BLSS (A&B)	-Nominal dim. referred as "J" has been corrected to 128.5 in column 2,3,4 & 5.	01	Nil	
	WD-22061-S-22		-Dim. 17.5 & 150 corrected to 15 & 160 respectively, dim. 80 corrected to 130, Dim. 6& 25 corrected to 5 & 20 respectively, Note 4 added.	02	01	
34	WD-95005-S-01	Modified elastomeric pad	-Tolerance added, rubber pad width, note & title block revised.	08	07	
	WD-21109-S-01		-Bottom plate tolerance added.	02	01	
	WD-21109-S-02		-Tolerance added, bottom plate width, note & title block revised.	02	01	
	WD-24109-S-01	Elastomeric pad.	-Testing rig for elastomeric pad.	NIL	-	
	WD-24017		-Critical functionality test procedure.	NIL	-	
35	WD-13012-S-04	LWLH 25	-Note no. 14 for revised marking on spring plank added.	08	07	
36	WD-15011-S-18	BLCS (A&B)	-Dim. 17.5 & 150 corrected to 15 & 160 respectively, dim. 80, 125 & 6 corrected to 130, 100 & 5 respectively. Note 4 added. Drawing updated.	04	03	

Page No. 09 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

S. No.	Drawing No.	Wagon	Description	Alt. No.	Previous Alt. No.	Issuing letter No. & dt. / Remark
37	WD-08008-S-19 WD-05086-S-19	BOXNHL	-For items 2&3 "To Suit" added against dimension. -Against Items 2&3 "To Suit" added in dim.	09 09	08 08	
38	WD-88088-S-19	BOXNLW	-For items 2&3 "To Suit" added against dim.	08	07	
	WD-06076-S-09	BCNHL	-"To suit" added against dim. for items 2&3.	04	03	
	WD-10068-S-09		-"To suit" added against dim. for items 2&3.	01	NIL	
	WD-23089-S-09	BCFCM, BCFCM1	-"To suit" for dim. of item 6&7 added.	02	01	
	WD-14014-S-10	BOXNS	-"To suit" added in item no. 2&3.	07	06	
39	WD-00012-S-12	BOST	In item 2&3, mentioned pull rod length deleted.	06	05	
40	WD-11013-S-01	BCACBM	Drg. updated as per IR-SOD (BG) revised -2022.	03	02	

Page No. 10 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

Quarterly Notification No. 357 Period: 01st Oct. 2024 to 31th Dec. 2024

1. New -Specifications/ Maintenance Manual

S. No.	Spec./Maintenance Manual	Description
-	Nil	-

2. New Check Sheet/WPS

S. No.	Check Sheet/WPS	Description
1.	WD-WPS-BTAP-2024	Welding Procedure Specification for Bogie Alumina Tank Wagon type 'BTAP/BTAPM1'
2.	WD-CS-01-BTAP-2024	Check sheet for Bogie Alumina Tank Wagon type – 'BTAP / BTAPM1'

3. Revision/Amendment/ Corrigendum Specifications/Check Sheet/WPS/Maintenance Manual.

S. No.	Spec. /Cheek Sheet/WPS/ Maintenance Manual	Description
1.	WD-CS-01-BOBYNHSM1- 2024 (Amendment No.01)	Check Sheets for Bogie Hopper Wagon Type 'BOBYNHSM1' (with Conventional Air Brake System)
2.	WD-35-Misc-2024 (Rev.0.0) (Supersedes Specification No WD-35-MISC-2003, Amendment No 1 of October 2016)	Specification for Smart Wagon
3.	WD-20-MISC-95 (Revision - 05)	Specification of Elastomeric Pad Suitable for CASNUB – 22W, 22 W (M), 22 NL, 22 NLB, 22 HS, 22 HS (M), 22 RFT, LCCF 20 (C), IRF108HS AND LWLH25 Bogies
4.	WD-CS-01-BVCM (Design-B&C)-2016(Rev.03)	Check Sheets For Bogie Brake Van Type BVCM (Design-B&C)
5.	WD-CS-01-FMPA-2024 (Rev-02) (Supersedes WD-CS-01-RORO(A-Car)-2020)	Checksheet for Flat Multi-Purpose (Car-A) Wagon Type 'FMPA'
6.	WD-CS-01-FMPB-2024 (Rev-02) (Supersedes WD-CS-01-RORO(B-Car)-2020)	Checksheet For Flat Multi-Purpose (Car-B) Wagon Type 'FMPB'
7.	WD-13-CASNUB-22 W(M)-BOGIE-88 (Rev 1.0)	Cast Steel Bogies CASNUB-22W(M) with Friction Damping Arrangement for Broad Gauge (Including the Schedule of Technical Requirements for Manufacture of Brake Beam Hangers & Bush for CASNUB 22 W(M) Bogie)
8.	WD-CS-01-BFNSM22.9/BFNSM1-2024/UMBS-Rev.1 (with underframe mounted brake system)	Checksheet for Bogie Flat Steel Wagon Type – BFNSM22.9/ BFNSM1 with Underframe Mounted Brake System
9.	WD-01-HLS-94 (Rev.05)	Specification for Hot Coiled/Cold Coiled Helical Springs used on Mainline Coaches, EMU and Freight Stock.
10.	WD-70-BD-10 (Rev.-04)	Schedule of Technical Requirement No. WD-70-BD-10 (Rev. 4) for Upgraded High Tensile Centre Buffer Coupler for Freight Stock.

Quarterly Notification No. 357 Period: 01st Oct. 2024 to 31st Dec. 2024

Page No. 11 of 11	Issue Date 14.01.2025	DOC No. WD-M-7.5.3-5
-------------------	-----------------------	----------------------

DISTRIBUTION list- Wagon Builder

<u>Copy Holder</u>	<u>Copy No.</u>
D/QA(I&L), Kolkata	01
D/QA(I&L), Mumbai	02
D/QA(I&L), New Delhi	03
CME/Chittaranjan	04
SIO/Hyderabad	05
DD/DOC (With CD)	06
M/s Burn standard Company Limited (Howrah Works), Howrah	07
M/s Burn standard Company Limited (Burnpur Works), Burnpur, Burdhan (West Bengal)	08
M/s Braithwaite & Company Limited, , Kolkata (West Bengal)	09
M/s Bharat Wagon & Engineering Company Limited, Mokama (Bihar)	10
M/s Bharat Wagon & Engineering Company Limited, Muzzafarpur (Bihar)	11
M/s Bridge & Roof Company (India) Limited, Howrah (West Bengal)	12
M/s Texmaco Rail & Engineering Ltd., Kolkata	13
M/s Titagarh Wagon Limited, Kolkata	14
M/s HEI Limited, Mody Building, Kolkata	15
M/s Besco Limited (Wagon Division), Kolkata	16
M/s Modern Industries, Ghaziabad (Uttar Pradesh)	17
M/s Jupiter Wagons Limited Kolkata	18
M/s Cimmco Limited, "Premlata", Kolkata	19
M/s Besco Limited (Foundry Division), Kolkata	20
M/s Jindal Rail Infrastructure Ltd, District: Vadodara	21
M/s Sail Rites Bengal Wagon Industry Pvt. Ltd., Kulti, Dist. Burdwan	22
M/s. Gatx India Pvt. Ltd., 301-302 Tower-A, Signature Towers. South City- I, Gurugram-122001, Haryana, India	23
M/s. Oriental Foundry Pvt. Ltd. Shop No. 17, Rizvi Park, Co-op Society E Wing. S.V. Road , Santacruz (W) Mumbai-400054	24