

Government of India Ministry of Railways
Research Designs & Standards Organisation (RDSO) Manak Nagar, Lucknow (INDIA) – 226011
GLOBAL NOTICE

(Notification No. CT/USFD/EOI dated: 28.04.2025) for
'EXPRESSION OF INTEREST (Open ended)'

Ministry of Railways, Research Designs and Standards Organisation (RDSO), Lucknow, INDIA is inviting the proposal from the firms for the work as detailed below:

SN	Name of Work	Contact Person
1	Identifying & developing multiple OEMs/Authorized Service providers for testing of Flash Butt welding joints in Indian Railways, through outsourcing using Phased Array Ultrasonic weld Tester	Shri Santosh Director/Track-V Track Design Directorate Email- welding.usfd@gmail.com Phone no.: 0522-2450960

The EOI is only for identification & verification of eligible OEMs/Authorized Service providers willing for ultrasonic testing of Flash Butt welding joints using Phased Array Ultrasonic Weld tester (Indigenous/foreign make) on Indian Railways network, under prevailing and envisaged operating conditions, through outsourcing and not for its procurement.

Authorized Service providers implies a firm which is using a particular PAUT Weld testing system (i.e. concerned machine/hardware/software/manpower etc.) duly authorized by the concerned OEM.

The term “firm” means an OEM or its authorized service provider.

The firms, who have capabilities in the above fields, having necessary accreditation for such work and are interested in carrying out above work, are requested to see the Procedure Order (PO) & Technical Eligibility Criteria for above work attached as Annexure - C

In case of any clarification/ difficulty, the firm may contact the concerned Director of Track Design Directorate whose contact details are indicated above on any working day.

The Interested firms may submit their willingness for undertaking the above work in prescribed format attached herewith.

The firms are requested to submit the proposal and requisite details in the prescribed format to Director/Track-V, Track Design Directorate, Anusandhan Bhawan, Manak Nagar, Lucknow-226011 (INDIA) directly or on mail id- welding.usfd@gmail.com

(Director/Track-V)
RDSO, Lucknow

ANNEXURE-A

Instructions/Guidelines for the firms submitting proposals against this 'Expression of Interest' (EOI)

1. DISCLAIMER:

Indian Railways reserves the right not to proceed with the process or at a later stage to change the process as per the requirements of Indian Railways. It also reserves the right to decline/discuss the process further with any party submitting the proposal.

This EOI shall not be considered in any way a proposal for procurement of Phased Array Ultrasonic Weld tester but only for identification & verification of eligible OEMs/Authorized Service providers willing for Ultrasonic testing of Flash Butt welding joints in Indian Railways, through outsourcing using Phased Array Ultrasonic Weld tester.

The proposal submitted should satisfy the technical requirements described in Procedure Order & Technical Eligibility Criteria as given in Annexure-C.

The intending participants will furnish proposals at their own cost and no claims, whatsoever, in this reference, will be entertained by the Indian Railways.

2. PURPOSE OF INVITING EOI:

The purpose of this EOI is to enhance the capability of Ultrasonic testing of Flash Butt welding joints in Indian Railways, through outsourcing using Phased Array Ultrasonic weld tester.

With the above objective, Indian Railways seeks to establish a Phased Array technique based ultrasonic weld tester, duly meeting the prescribed technical requirements for their possible use on the Indian Railway network.

3. GENERAL INSTRUCTIONS FOR SUBMITTING PROPOSALS TO THE EOI:

3.1 Eligibility criteria:

3.1.1 Phased Array Ultrasonic Weld tester (Indigenous/foreign make) offered by the OEMs/Authorized Service providers should meet the laid down requirements of Procedure Order and Technical Eligibility Criteria as mentioned in this document (Annexure - C)

3.1.2 The proposals with Phased Array Ultrasonic Weld tester not meeting the laid down requirements of Annexure - C shall be summarily rejected without further consideration.

3.2 Technical details to be provided by the firm: Technical details, as per the Procedure Order and Technical Eligibility Criteria given in Annexure-C, shall be submitted by the firm along with their proposals. Incomplete proposals shall be summarily rejected.

3.3 The details submitted by the firm shall be scrutinized by RDSO. The deficiency, as observed in

the proposal during technical scrutiny or additional information needed as considered necessary, will be advised to the firm. The additional information should be made available by the firm within 04 weeks of intimation. Letters will be issued to the firms on the firm's e-mail as advised by them in their submitted proposal.

3.4 Submission by firms: The firm shall ensure the submission in the format given in Annexure- B.

3.5 The submission by the firms shall be made to Director/Track-V, RDSO, Track Design Directorate, Anusandhan Bhawan, Manak Nagar, Lucknow (INDIA) - 226011 in the enclosed Format for "Letter of Response at Annexure B". In the proposal submitted, the firms should mention RDSO's Notice No. CT/USFD/EOI dated 28.4.2025.

3.6 The firms must furnish the application form & details in duplicate as required in the enclosed Format for "Letter of Response" at Annexure-B and details stipulated in Annexure-C. All pages of the documents should be signed with the firm's stamp.

3.7 The firm shall legally indemnify the Ministry of Railways against any possible claims/legal/other disputes at present or which may arise in future from any other party in connection with the intellectual property rights of the design or any other documents submitted by the firm or any other patent rights.

3.8 RDSO reserves all the rights of this exercise. In case of any doubt/dispute, the decision of RDSO shall be final.

4. SELECTION CRITERIA:

The firms meeting the Procedure Order and Technical Eligibility Criteria mentioned in Annexure-C will be shortlisted by RDSO for undertaking the demonstration and further verification of their machine i.e. Phased Array Ultrasonic Weld tester on Indian Railways.

**(Director/Track-V)
RDSO, Lucknow**

FORMAT FOR LETTER OF RESPONSE

Respondents Ref No.:

Date:

Director/Track-V Room No: 12

Building: Anusandhan Bhawan,

Research Designs & Standards Organization (RDSO) Ministry of Railways, Manak Nagar

Lucknow (INDIA), Pin - 226011

Dear Sir,

Subject: RESPONSE TO EOI FOR PARTICIPATION -----

1. We, the undersigned, offer the following information in response to the 'Expression of Interest' sought by you vide your Notification No. CT/USFD/EOI dated 28.04.2025
2. We are duly authorized to represent and act on behalf of _____
(hereinafter the "respondent")
3. We have examined and have no reservations to the EOI Document including Addenda No(s) _____.
4. We are attaching with this letter, the copies of original documents defining: -
 - 4.1. The Respondent's legal status;
 - 4.2. Its principal place of business;
 - 4.3. Its place of incorporation (if respondents are corporations); or its place of registration (if respondents are cooperative institutions, partnerships or individually owned firms);
 - 4.4. Self certified financial statements of the last three years, clearly indicating the financial turnover and net worth.
 - 4.5. Copies of any market research, business studies, feasibility reports and the like sponsored by the respondent, relevant to the project under consideration
5. We shall assist the Ministry of Railways (MoR) and/or its authorized representatives to obtain further clarification from us, if needed.
 - 5.1. RDSO and/or its authorized representatives may contact the following nodal persons for further information on any aspects of the Response:

S.No.	Contact Name	Address	Mobile/ Telephone	E-Mail

6. This application is made in the full understanding that:
- 6.1. The EOI is only for identification & verification of eligible OEMs/Authorized Service providers willing for Ultrasonic testing of Flash Butt welding joints in Indian Railways, through Phased Array Ultrasonic Weld tester under prevailing and envisaged operating conditions through outsourcing and not for its procurement.
 - 6.2. RDSO reserves the right to consider or not to consider any or all applications, cancel the EOI without any obligation to inform the respondent about the grounds of the same.
 - 6.3. We confirm that we are interested in participating in development of the project
7. In response to the EOI, we hereby submit the following details annexed to this application -
- 7.1. Complete details of the Phased Array Ultrasonic Weld testers, operators as per Annexure-C of this EOI.
 - 7.2. Details of Intellectual Property Rights (IPR) held, patent filed/held and MoU/agreement signed. For all issues, relevant Indian Laws will be applicable.
 - 7.3. Details of ISO/equivalent certification, if any.
 - 7.4. Undertaking as per Annexure-D
8. The undersigned declare that the statements made, and the information provided in the duly completed application, are complete, true, and correct in every detail. We also understand that in the event of any information furnished by us being found later on to be incorrect or any material information having been suppressed, RDSO may delete our name from the list of qualified Respondents. We further understand that RDSO will give first preference to the applicants considered relevant for the purpose

Yours sincerely,
(Signature)

NAME:

In the Capacity of duly authorized to sign the response for
and on behalf of

Date:

Procedure order for testing of Flash Butt welding joints by Phased Array ultrasonic weld tester

1. Background:

A new technique of Phased Array ultrasonic testing (PAUT) is being used for weld testing by some of the World Railways. Phased Array Ultrasonic technique (PAUT) is an advanced non-destructive ultrasonic technique that permits the shaping and steering of the ultrasonic beam angles and enhanced beam coverage. The Phased Array beam sweeps like a searchlight through the object, thus more sensitive in detecting the defects compared to conventional UT. For determining the adequacy and suitability of PAUT weld tester on Indian Railways, Research Design and Standards Organisation (RDSO) has conducted field trials of one of the PAUT weld tester on NE Railway. On the basis of performance of PAUT weld tester and outcome of the field trials following advantages have been observed:

- 1.1 No need to change the probe for different angles in Phased Array ultrasonic weld tester.
- 1.2 It is capable to detect the unwanted fins at different orientation which cause the stress concentration in the weld.
- 1.3 It displays the defect in various forms i.e. A-Scan, B-Scan, C-Scan & S- Scan for better analysis.
- 1.4 It displays the defect location more accurately.
- 1.5 It has mechanized probing.
- 1.6 It displays the decoupling between probes and probing surface.
- 1.7 Phased Array ultrasonic beam sweeps like a searchlight through the object with varying angles from 36 to 76 degrees, resulting in a recordable image that reveals the defects inside a rail or weld.
- 1.8 PAUT system permits the shaping and steering of the ultrasonic beam angles and enhanced beam coverage.

2. Scope: This procedure order covers the following aspects of outsourcing agencies involved in Flash Butt weld (FBW) testing by Phased Array ultrasonic tester (PAUT) System.

- 2.1 Verification of Phased Array ultrasonic weld tester (PAUT)
- 2.2 Verification of competency of Operators for FB weld testing by PAUT weld tester
- 2.3 Approval of Quality Assurance Plan (QAP)
- 2.4 Verification of competency of Quality Control In-charge

3. Generic Specification:

- 3.1 PAUT weld tester should display detailed analysis of defect signals in 'A', 'B', 'C' and 'S' Scan which allows the operator to determine a defect shape index. PAUT weld tester should be capable to display all these scans which provide visual information about the location and co-ordinates of the defects, approx. defect size.

2006211/2023/O/o ED/TRACK-1/RDSO

- 3.2** Different types of presentation of defect signal in PAUT weld tester is given as under:
- 3.2.1 A-Scan presentation:** In A-scan presentation the horizontal axis represents depth of defect where ultrasonic beam travelled, the vertical axis represents the amplitude of any signals, measured as a percentage of the full height of the display screen. As per USFD Manual, Revised-2022 classification of defect carried out from A-Scan.
- 3.2.2 B-Scan presentation:** The B-scan presentation is a profile (cross-sectional) view of the test specimen. In the B-scan, the time-of-flight (travel time) of the sound energy is displayed along the vertical axis and the linear position of the transducer is displayed along the horizontal axis. From the B-scan, the depth of the reflector and its approximate linear dimensions in the scan direction can be determined.
- 3.2.3 C-Scan presentation:** It refers to the image produced when the data collected from an ultrasonic inspection is plotted on a plan view of the component. The image of the results of an ultrasonic examination showing a cross-section of the test object parallel to the scanning surface. The C-scan does not have to be a single cross-section but often shows a combination of measurements obtained through the whole thickness.
- 3.2.4 S-Scan presentation:** It refers to a sector or sectoral scan which is produced when a phased Array is used to electronically sweep an ultrasonic beam through a range of angles. It shows a two-dimensional view of all amplitude and time or depth data from all focal laws of a Phased Array probe, corrected for delay and refracted angle.
- 3.3** The PAUT weld tester should have mechanical scanner to ensure the installation of probes in the zone of welded joint and movement along the weld.
- 3.4** The PAUT weld tester should have multichannel continuous recording of flaw detection information for the FB welded joints in real time.
- 3.5** Angle of steering of the ultrasonic beam of PAUT through the object should be from 36^0 to 76^0 and frequency of PAUT weld tester probes should be between 2 to 5 MHz.
- 4. General Guidelines for verification of PAUT weld tester:**
- 4.1** The firm shall approach RDSO for verification of their Phased Array ultrasonic weld tester, competency of USFD operators and Quality Assurance Plan (QAP). After verification of Phased Array ultrasonic weld tester, competency of USFD operators and QAP by RDSO, firm can participate in tenders. The firm will provide following details of equipment (PAUT weld tester) to be used in ultrasonic testing of FB welds to Metallurgical & Chemical Directorate (M&C Directorate) of RDSO at the time of verification:
- 4.1.1** Make.... Model.... Serial number.... year of manufacturing.... and codal life (OEM certified)....
- 4.1.2** Details of Probe :
- i. Frequency : It should be 2 to 5 MHz
 - ii. No. of elements : As per OEM
 - iii. Angle of steering : from 36^0 to 76^0
 - iv. Number of probes : As per OEM
 - v. Couplant : Oil/grease or any other as advised by OEM
- 4.1.3** Mode of operation of system: Mechanized arrangement for probe movement.
- 4.1.4** Facility to display: must include A- Scan, B- Scan, C-Scan and S- Scan.
- 4.1.5** Details of control unit: Electronic Unit / PC tablet etc.

2006211/2023/O/o ED/TRACK-1/RDSO

- 4.1.6 Calibration procedure: Whether any standard block is required (approved by OEM) or otherwise.
- 4.1.7 Sensitivity setting procedure: To be done by any standard block (approved by OEM) or otherwise.
- 4.1.8 Details of records: In the form of defect location (H/W/F), depth of defect (from top of the Rail or any other reference point, surface distance in mm from probe to defect, amplitude in % (in case of A-Scan), approx. size of defect (in case of B-Scan).
- 4.1.9 Defect classification system: Defective / Non-defective.

5. Verification procedure of Phased Array ultrasonic Tester (PAUT) :

- 5.1 The performance of Phased Array ultrasonic weld tester shall be verified by M&C Directorate of RDSO. Sensitivity setting block offered by agency shall also be verified by M&C Directorate and duly stamped.
- 5.2 The agency shall deposit prescribed fee as per norms of RDSO for the same in advance as advised by M&C Directorate of RDSO.
- 5.3 The agency shall depute one certified USFD Operator cum Analyzer trained and certified by OEM as per clause 8 of this document for entire verification process of PAUT system at RDSO.
- 5.4 The capability of Phased Array ultrasonic weld tester will be shown to representative of M&C/RDSO by the firm at M&C Directorate, on the artificial and natural defects available at M&C Directorate of RDSO.
- 5.5 The Phased Array ultrasonic weld tester shall exhibit 60% of FSH or better signals from flaw as compared to the conventional weld tester of IR when tested on artificial defects mentioned in Manual for Ultrasonic testing of Rails and Welds , Revised 2022 and shall be capable to detect natural defects on test pieces available at M&C Directorate of RDSO.
- 5.6 The Phased Array ultrasonic weld tester under test shall exhibit equal or better coverage of weld sections in detection of flaw as compared to the conventional weld tester of IR.
- 5.7 After verification, the approval certificate with unique number indicating machine make & number, validity etc. will be issued by M&C Directorate of RDSO.
- 5.8 This approval certificate will be valid for half of the codal life of the equipment. As such, recertification will be done only once in service life of machine. Codal life of the PAUT equipment has to be declared by OEM.

6. Testing of FB welds by Phased Array ultrasonic tester (PAUT) System:

- 6.1 After calibration and sensitivity setting, complete scanning (head, web & foot) of FB weld joint shall be done by PAUT system carefully. During scanning, proper coupling must be ensured.
- 6.2 Recording of all the test data/parameters required along with A-Scan, B-Scan, C-Scan & S-Scan for analysis.

 Digitally signed by RAJEEV
PACHAURI
Date: 2023.06.20 15:59:25 +05'30'

7. Defect classification by Phased Array ultrasonic weld tester for FB welds:

Any FB welded joint when tested and observed having any flaw/moving signal during analysis shall be considered as defective. Further action is to be taken as per RDSO's Manual for Flash Butt Welding of Rails (Reprint - April 2022) along with its latest revision and updated correction slips.

8. Verification of competency of Operators for FB weld testing by PAUT weld tester:

- 8.1** The operator should fulfil the following requirements for ultrasonic testing of welding joints by Phased Array weld tester:
- 8.1.1** The operator should have valid competency certificate for welding joints testing by conventional UT method, issued by the M&C Directorate of RDSO as described in IRS-T-53.
- 8.1.2** The operator should have competency certificate issued by OEM after completing requisite training for operation and data analysis of Phased Array ultrasonic weld tester.

9. Quality Assurance Program (QAP) :

The firm will have to submit Quality Assurance Plan (QAP) for Ultrasonic Testing of FB welds by Phased Array ultrasonic weld tester (PAUT) for outsourcing and furnish the following information in the QAP, while submitting QAP to RDSO. The QAP shall necessarily have following contents:

- 9.1** Name of agency/ firm, registered address along with contact number & mailing address.
- 9.2** Registration certificate, details of GST registration, PAN number and ISO certificate.
- 9.3** Total number of Phased Array ultrasonic weld tester (PAUT) system for FB weld testing.
- 9.4** Total number of competent operators for testing of FB welds by PAUT system.
- 9.5** Quality Control In-charge.
- 9.6** Details of calibration and sensitivity setting block.
- 9.7** QAP shall be approved on the basis of verification of Phased Array ultrasonic weld tester (PAUT) system for testing of FB welding joints, competency of USFD operators & Quality Control In-charge and other information given by the firm in Quality Assurance Plan. The validity of QAP shall be 3 years. After this period QAP shall be renewed based on the machines available with firms, qualified operators, performance of operators and other relevant factors.
- 9.8 Self-assessed capacity:** The self-assessed capacity shall be calculated as per following criteria:

For total no. of FB welding joints in a year: One Phased Array ultrasonic weld tester, one operator, 25 days of working in a month and 60 welds per day at site and 80 welds per day at Flash butt welding plant.

10. Verification of competency of Quality control In-charge:

- 10.1.** In order to have a proper implementation of QAP the firm shall have a proper quality control organization headed by a Quality Control In-charge, having RDSO certification as described in IRS-T-53 for Quality Control In-charge. He shall be responsible for maintaining the operator training record and to undertake continuous monitoring of performance of all the operators, carry out the test checks of work done of all operators working under him and ensure that all operators have been imparted proper training for the duties assigned to them.

2006211/2023/O/o ED/TRACK-1/RDSO

10.2. In addition to above, the Quality control In-charge should have competency certificate issued by OEM after completing requisite training for operation and data analysis of Phased Array ultrasonic weld tester.

11. Documentation:

11.1 The firm shall determine and record all information as specified below pertaining to Recording of Data with respect to the detection of flaw:

Daily test report gives a summary of the day's testing

- Date and time of testing (should come in auto mode and non-editable)
- Model and Sl. No. of equipment (should come in auto mode and non-editable)
- Name of operator :
- Railway & Division :
- Block section :
- Weld ID No. :
- Line- Single line/UP/DN/SL/NL3L/4L
- Classification of Weld: Defective/non-defective
- Amplitude (in case A-Scan in %) :
- Approx. size of defect (in case of B-Scan in mm) :
- Location of defect (H/W/F) :
- Depth of defect from Rail Table or any other reference point (in mm) :
- Surface distance from probe to defect (in mm):
- Other relevant details (as per request of Zonal Railways) :

Note: Agency shall submit a declaration from OEM that the date, time, model & sl.no. are non-editable in machine & report.

12. Test Check:

12.1 Defective FB welding joints shall be test checked in presence of Railway officials and agency's authorized representative. During test check, testing will be carried out by the agency's operator with hand probing using phased array probe of PAUT equipment at desired angle where in the defect was detected during mechanized probe movement scanning. The percentage of test check to be carried out is as follows:

12.1.1 25% of first 100 numbers of defective FB welding joints selected randomly,

12.1.2 Subsequently, 10% of remaining defective FB welding joints selected randomly.

12.2 In addition to it, 10% of non-defective FB welding joints marked by PAUT selected randomly covering whole stretch, shall be test checked in presence of Railway officials and agency's authorized representative. During test check, testing will be carried out by the agency's operator with hand probing using phased array probe of PAUT equipment at desired angle.

Digitally signed by
RAJEEV PACHAURI
Date: 2023.06.20
16:00:24 +05'30'

13. Items to be ensured by Zonal Railways:

- 13.1** Firms can participate in tenders only after verification/certification of their Phased Array ultrasonic tester (PAUT) system for testing of FB welding joints and verification of competency of USFD operators, Quality Control In-charge and Quality Assurance Plan (QAP) by RDSO.
- 13.2** Addition/ deletion/ change of Quality Control In-charge, USFD operator for PAUT system, machine (PAUT system), QAP etc. shall be dealt as per IRS T-53.
- 13.3** The certification of machine/ system is done by RDSO initially. Regular check on test piece having artificial defects mentioned in Manual for Ultrasonic testing of Rails and Welds, Revised 2022 shall be ensured by Zonal Railways. Any deterioration in performance shall be advised to RDSO.
- 13.4** As the role of RDSO is limited to verification/certification of machine and verification of competency of USFD operator & QAP, the concerned authority finalizing the tenders shall be responsible for checking and ensuring that the firm meets the minimum technical and financial eligibility criteria. The eligibility criteria are not the part of QAP, as QAP is meant basically to regiment the Quality control system. As such, availability of RDSO approved QAP with firm shall in no way be construed that RDSO has checked and verified eligibility criteria. It is reiterated that assessing the capability of the firm, checking eligibility criteria and other relevant factors will be the sole responsibility of tendering authority. Technical eligibility criteria has been defined in Annexure-II attached herewith. This procedure order contains general technical guidelines, final tender document shall be framed by concerned Zonal Railway considering the extant policies.
- 13.5** Zonal Railways shall test check the capability of the operator and ultrasonic test system from time to time. These test checks can be carried out as per this procedure order. Before commencement of work by PAUT weld tester in all concerned Zonal Railways where Phased Array testing of FB welds has been allowed, firm shall arrange a demonstration at RDSO regarding operation and data analysis of PAUT system for officials of Zonal Railways.
- 13.6** The operator shall possess original / photocopy attested by Railway officer, of the valid competency certificate issued by RDSO as per provisions of IRS-T-53 and certificate issued by OEM for FB weld testing by PAUT weld tester while performing testing of FB welds in the field and produce the same to railway officials when demanded. Zonal Railways shall put in place a mechanism to maintain day to day records of operators employed by the contractor along with equipment used (Sr. No. of machine etc.).
- 13.7** The approval of QAP by RDSO does not certify the agency's eligibility for meeting required norms. Technical eligibility criteria has been defined in Annexure-II attached herewith. The Zonal Railways shall ensure the compliance about firm's capability, eligibility criteria and other requirements as per extant instructions.
- 13.8** On the basis of advice/ complaint raised by railway, RDSO shall critically review/ check the QAP of agency alongwith performance verification of PAUT system.
- 13.9** M&C Directorate of RDSO shall act as third party to investigate whether the defect was detectable at the time of USFD testing or not. The decision of RDSO shall be final and binding on both the parties and this decision is not arbitrable.

2006211/2023/O/o ED/TRACK-1/RDSO

- 13.10** The surface of Rail on both sides of FB weld at least 100 mm from centre of weld and around profile has to be smooth enough and free from spatter for free movement of probes along the rail profile to avoid loss of coupling.
- 13.11** FB welds should be properly ground as per Para 8 of Manual for Flash Butt Welding of Rails (Reprint - April 2022) along with its latest revision and updated correction slips to avoid the collar signals in PAUT testing of FB welds. In case, after grinding signal does not disappear in PUAT testing, then signal shall be treated as coming from a defective welding joint. However, if any ultrasonic testing is done without proper grinding and a signal is obtained, then the report should be submitted with remarks of signal obtained and based on this report, Zonal Railway / welding agency has to get the FB weld ground and re-tested.
- 13.12** In case of any obstruction (clear space not available for proper fitting of probes of PAUT, due to bolt hole in vicinity of FB welds) in Phased Array ultrasonic weld testing, then manual hand probe of Phased Array weld tester is to be used for scanning of FB weld.
- 13.13** Based on the feedback received from Zonal Railways, this procedure order will be modified in consultation with M&C Directorate of RDSO.
- 14. Safety: All personnel employed in testing by PAUT system are responsible for ensuring that they as well as their fellow employees are performing their jobs in a safe and professional manner and adhere strictly to the safety protocol established by Indian Railways.**

This Procedure order will be applicable w.e.f.June, 2023.

SANTOSH
 Digitally signed by
 SANTOSH
 Date: 2023.06.27
 15:49:19 +05'30'
(Santosh)
Director/ Track-V

Digitally signed by
 RAJEEV PACHAURI
 Date: 2023.06.20
 16:01:40 +05'30'

**RAJESH
 SRIVASTAVA**
 Digitally signed by
 RAJESH SRIVASTAVA
 Date: 2023.06.20
 15:49:22 +05'30'
(Rajesh Srivastava)
Director/ M&C

Digitally signed by Gaurav Verma
 Date: 2023.06.20 16:40:28 +05'30'

Technical Eligibility criteria for testing of FB welding joints by Phased Array ultrasonic weld tester through outsourcing

- a) Firm (OEM/Authorized Service provider) willing for Ultrasonic testing of Flash Butt welds on Indian Railways, through outsourcing using Phased Array Ultrasonic Weld tester shall submit proposal to RDSO in accordance with “Procedure order for testing of Flash Butt welding joints by Phased Array ultrasonic weld tester” and carry out the demonstration of their machine at RDSO.
- b) After successful demonstration over artificial and natural defects available at M&C Directorate of RDSO, machine will be recommended for Ist phase and 2nd phase of field trials. Verification of the machine will be done by M&C Directorate of RDSO as per approved Procedure order after successful Ist phase and 2nd phase of field trials.
- c) Performance of the machine shall be evaluated by conducting field trial on 3125 number FB welding joints in two phases. This shall be carried out by the OEM/Authorized Service provider under close monitoring of RDSO/Officials of Zonal Railways as per following criteria:
 - i. In Ist phase, field trial on 125 nos. FB welding joints shall be carried in close monitoring of RDSO. For conducting the field trial, suitable Zonal Railway(s) will be selected with the consent of concerned OEM/Authorized Service provider. After successful completion of field trial on 125 nos. FB welds, 2nd phase trial shall commence.
 - ii. In 2nd phase, extended field trial will be carried out on 3000 nos. FB welds in two Zonal Railways (i.e., 1500 nos. in each ZR). For conducting the extended field trial in 2nd phase, the firm will have to submit QAP, incorporating all details as mentioned in the Procedure order, for Ultrasonic testing of FB welding joints by Phased Array ultrasonic weld tester. The firm's Quality Assurance Plan (QAP) will be provisionally approved by RDSO (if found in order) for conducting the extended field trial.
 - iii. Zonal Railways shall be nominated by Railway Board in consultation with RDSO for conducting the extended field trial of PAUT weld tester offered by the firm. Extended trials are to be carried out under close monitoring of officials of Zonal Railways/RDSO.
 - iv. For validating the USFD testing results of FB welds during extended trial by PAUT weld tester, Test Check as prescribed in Para 12 of Procedure order shall be carried out by the concerned Zonal Railways.

- v. After satisfactory completion of the extended field trial involving 3000 nos. welds in two Zonal Railways (1500 nos. in each ZR), a certificate of successful testing of 3000 nos. welds shall be issued by the concerned Zonal Railways to the firm i.e. OEM/Authorized Service provider.
- vi. On the basis of satisfactory testing certificates issued by Zonal Railways and verification certificate issued by M&C Directorate of RDSO, final QAP of the firm will be approved by RDSO.

Note:

1. The above Technical Eligibility criteria shall be applicable for this EOI only.
2. The Technical Eligibility criteria mentioned in Procedure order as Annexure-II shall not be applicable for this EOI.

ANNEXURE-D

(To be submitted on non-judicial stamp paper of Rs 100 and duly notarised & witnessed)

UNDERTAKING

I, son of aged about Years resident of do hereby solemnly affirm as under

1. That the deponent is the Authorised signatory of (*Name of the Sole Proprietorship Concern/ Partnership Firm/ Registered Company/ Joint Venture*).

2. That the deponent declares on behalf of (*Name of the Sole Proprietorship Concern/ Partnership Firm/ Registered Company/ Joint Venture*) that:

a) In regard to matters relating to the security and integrity of the country, no charge sheet has been filed by an agency of the Government / conviction by a Court of Law for an offense committed by the -----
------(name of the entity) or by any

sister concern of the -- ------(name of the entity) would result in disqualification.

b) In regard to matters other than the security and integrity of the country,
------(name of the entity) has not been convicted by a Court of Law or indicted / passed any adverse order by a regulatory authority against it or it's any sister concern which relates to a grave offense, or would constitute disqualification. Grave offense is defined to be of such a nature that it outrages the moral sense of the community.

DEPONENT

VERIFICATION

I declare that the contents of para 1 to 2 above are true as per my knowledge and nothing has been hidden

DEPONENT