



No.: QAM/Vendor Directory/Amendment

Date : 12/08/2013

Amendment No. 1

Ref. : Vendor Directory- QM-M-7.1-1 (w.e.f 01.07.2013 to 31.12.2013), issued by QA-Mech Dte RDSO, Lucknow.

Following changes are made in the vendor Directory QM-M-7.1-1(w.e.f. 01.07.2013 to 31.12.2013), issued by QA-Mech Dte/RDSO:

(A) Changes pertaining to items controlled by QA(Mech) (गुणवत्ता आश्वासन निदेशालय):

1. The purchase inspection of 'Phosphoric Iron (Medium Phosphorus) Brakes Blocks' was transferred from RITES to QA(Mech) Directorate of RDSO. Competent authority has now approved the **Inspection of "Phosphoric Iron (Medium Phosphorus) Brakes Blocks" by M/s RITES** instead of QA(Mech) Directorate of RDSO. Therefore Phosphoric Iron(Medium Phosphorus) Brakes Blocks may be read as **Category-I** item instead of Category-II item as mentioned in at SN 54 page 8 of 205 of Index page of the current Vendor Directory QM-M-7.1-1.

2. Addition of firm's name:

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Status	Effective from	Capacity per Annum
----	----------------------------	------	------------------	--------	----------------	--------------------

3. Re-instate/(Addition) of firm's name:

SN	Ref. S.N. / Page No. Of VD	Name of the Firm	Item	Status	Effective from	Capacity per Annum
1.	55/48 of 205	Gnat Foundry Private Limited, 4/1, M.I.D.C., Shirori, Kolhapur-416122, Maharastra (India)	RDSO approved firms for Class 'A' Foundry as per IS 12117:1996(Reaffirmed 2002)	Re-instated firm's approval	18.07.2013	--
2.	55/48 of 205	Cast Profiles (P) Ltd., Industrial Estate, Kalunga-770031	RDSO approved firms for Class 'A' Foundry as per IS 12117:1996 (Reaffirmed 2002)	Re-instated firm's approval	09.07.2013	--

4. Temporary Deletion of firm's name:

SN	Ref. SN / Page No. Of VD	Name of the Firm	Item	Status	Effective from
1.	53/47 of 205	TI Metal Forming, Khasra No. 227, Village: Ganganauli, Tensil: Laksar, District: Haridwar – 247663, Uttarakhand, India	Body Side Arrangement, Body End Arrangement & Flap Door Arrangement for BOXNR wagon	Part-II	09.07.2013
2.	39/ 43 of 205	Metro Engineering Works, Katlia Jhamtala,P.O.Nibhrah, Howrah-711409.	Side Frame Key (Drg. No. SK-69594 Item 6 Alt-34)	Part-I	08.07.2013

5. Final Deletion of firm's name:Nil

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Status	Effective from
----	----------------------------	------	------------------	--------	----------------

6. Up-gradation of firm's status:

SN	Ref. S.N. / Page No. of VD	Item	Name of the Firm	Status	Effective from
1.	25(i)/32 of 205	'Coupler Body' for High tensile CBC coupler for Freight stock to Spec. No. 48-BD-2008 & Drg. No. SK-62724 Alt. 23 (Item 1) only.	Rausheena Udyog Ltd., (Engineering Divisiopn), Sikkim House, 4/1, Middleton Street, 4th floor, Kolkata-700071.	Part I	17.07.2013
2.	33(iii) / 38 of 205	Bogie Centre Pivot Top & Bottom (Bogie component)	Asansol Steel Castings Private Ltd., Sripur village road, PO- Ningha, Asansol, Distt.- Burdwan-713370	Part-I	15.07.2013
3.	25/33 of 205	Back stop to Drg. No. W/BD-699 (Bogie component)	NF Forgings Pvt. Ltd., Dhulagarh Industrial Park, N.H.-6, (Bombay Road), Dhulagarh, Sankrail, Howrah-711302, West Bengal.	Part-I	15.07.2013
4.	25(iii)& 25(ix)/ 33 of 205	Coupler yoke & Lock (coupler components)	A. D. Electro-Steel Co. Pvt. Ltd., Baltikuri (Surkimill), Kalitala, Howrah-711113	Part-I	26.06.2013

7. Other Alteration/Changes:

SN	Ref. S.N. / Page No. of VD	Item	Nature of correction	Existing	Revised
1.	1/16 of 205	Graduated release compressed air brake equipment for Freight Stock	Change of address of works	Knorr-Bremse India Pvt. Ltd. 14/6, Mathura Road, Faridabad-121003 (India)	Knorr-Bremse India Pvt. Ltd. 51/1, Km Stone, Village & PO- Baghola, Delhi-Mathura Road (NH-2), Palwal-121102, Haryana
2.	2/16 of 205	Graduated release compressed air brake equipment for coaching Stock	-do-	-do-	-do-
3.	19/30 of 205	Elastomeric Pads (Spec. No. 20-Misc.-95 Rev. 3 of March' 2003 Amend. No. 4 of May' 2006, Drg. No. WD-95005/S-1 Alt. 07)	Amendment of specification	Spec. No. 20-Misc.-95 Rev. 3 of March' 2003 Amend. No. 4 of May' 2006	Spec. No. 20-Misc.-95 Rev. 3 of March' 2003 with 5 Amendments- Last (Amendment no. 5 issued in July'2013)

8. Addition/Changes in vendor details Under Address Book of Vendors:

Ref. S.N./ Page No. of VD	Controlling Dte.	Firm's name	Address	e-mail ID	Phone No	Fax No.
55/152 of 205	QA (Mech)	Knorr-Bremse India Pvt. Ltd.	Factory : 51/1, Km Stone, Village & PO- Baghola, Delhi-Mathura Road (NH-2), Palwal-121102, Haryana	kbindia@knorr-bremse.com,	01275-298010-12	--
			Office: 14/6, Mathura Road, Faridabad-121003 (India)-do-	kbindia@knorr-bremse.com, anish.agarwal@knorr-bremse.com	0129-4191402/403/404, 9871094254 & 9810541946	0129-2275935
Addition in Mumbai zone	QA (Mech)	Gnat Foundry Private Limited	Factory : 4/1, M.I.D.C. Shirol, Kolhapur-416122, Maharashtra	gnatfoundry@gmail.com, klp_gnatcom@sanchar.net.in	0230-2468026	0230-2468448
			Office: -do-	-do-	-do-	-do-
Addition in Kolkata zone	QA (Mech)	Cast Profiles (P) Ltd.	Factory : Industrial Estate, Kalunga-770031, Rourkela, Orissa, India.	sales@castprofile.com, gad@castprofile.com, dillip.behera@castprofile.com,	06661-3294800, 09438224930	0661-2660764
			Office: -do-	-do-	-do-	-do-

(B) Changes pertaining to items controlled by Wagon Dte (माल डिब्बा निदेशालय)- Nil

(C) Changes pertaining to items controlled by Carriage Dte (सवारी डिब्बा निदेशालय):

1. Addition of firm's name:

SN	Ref. S.N. / Page No. Of VD	Name of the Firm	Item	Status	Effective from	Capacity per Annum
1.	74/56 of 205	Tayal & Co., D-85, Phase-7, SAS Nagar, Industrial Area, Mohali-160055 (Punjab)- (Vendor Product code – TC)	Silent Block for Anchor Link of BG Coaches to Spec. No. C-9406 (Rev. 2)	Part-I	14.05.2013	38,400 Nos.
2.	74/56 of 205	Industrial Laminates (I) Pvt. Ltd., Survey No. 13, Village-Aghai, Taluka-Sahpur, Distt-Thane. (Vendor Product code – ILPL)	Silent Block for Anchor Link of BG Coaches to Spec. No. C-9406 (Rev. 2)	Part-II	19.07.2013	51,500 Nos.

2. Final/Temporary Deletion of firm's name: Nil

SN	Ref. SN / Page No. Of VD	Name of the Firm	Item	Status	Effective from
----	--------------------------	------------------	------	--------	----------------

3. Upgradation of firm's status:

SN	Ref. S.N. / Page No. Of VD	Name of the Firm	Item	Status	Effective from
1.	77/ 57 of 205	Savitri Engineering Products, Village-Surajpur, P.O. Puruwala, Paonta Sahib, Distt.-Sirmour (H.P.) -173025.	Densified Thermal Bonded Polyester Blocks for use in Railway Coaches for seat & Berth (Provisional) to Spec. No. C-K607 (Rev. 1 of June-2011)	Part-I	31.07.2013
2.	77/ 57 of 205	Durable Polymers, A-2, Scooter India Ancillary Estate, Nadarganj, Amausi, Lucknow-226008 (UP).	-do-	Part-I	31.07.2013

4. Other Alteration/Changes:

SN	Ref. S.N. / Page No. of VD	Item	Nature of correction	Existing	Revised
1.	82 / Pg 59, 147 of 205	Injection Moulded Thermoplastic polyester Elastomer (Hytrel) Axle box front cover for MG & BG	Revision of Specification & Drawing	Spec. No. RDSO/2007/CG-07 (with Amendment-01 of	Spec. No. RDSO/2007/CG-07 (Rev.1) & Drawing No. CG-K7131 (Alt. 1)

		Main line & EMU Coaches to RDSO Spec. No. RDSO/2007/CG-07.		Nov'08) & Drawing No. CG-K7131(Alt. Nil)	
2.	68/ Pg 54 of 205	Vinyl Coated Upholstery Fabric -Artificial Leather to RDSO specification no. RDSO/2008/CG-07	Specification amended	Spec. No. RDSO/2008/CG-07 (Rev.0 of Aug. 08 with Amendment-01 of Nov' 08)	Specification no. RDSO/2008/CG-07 (with Amendment-01 of Nov' 08 & Amendment-02 of April'2013)
3.	67/Pg 54 of 205	Fire retardant upholstery to Spec. No. C-9901 (Rev-02 of Feb.'05 with Amendment -01 of Jan'10)	-do-	Spec. No. C-9901 (Rev-02 of Feb.'05 with Amendment -01 of Jan'10)	Spec. No. C-9901 (Rev-02 of Feb.'05 with Amendment -01 of Jan'10 & Amendment -02 of April'13)
4.	63/Pg 53 of 205	Fire retardant curtain Fabric to Spec. no. C-9911 (Rev-03 of Feb 2005 with Amendment No.1 of Jan'10)	-do-	Spec. no. C-9911 (Rev-03 of Feb 2005 with Amendment No.1 of Jan'10)	Spec. no. C-9911 (Rev-03 of Feb 2005 with Amendment No.1 of Jan'10 & Amendment No.2 of April'13)
5.	81/Pg 58 of 205	Stain proof fire retardant upholstery cloth to RDSO Spec. no. C-K 610 (Rev. 01)	-do-	RDSO Spec. no. C-K 610 (Rev. 01)	Spec. no. C-K 610 (Rev. 01) with Amendment No.1 of April'13
6.	72/Pg 56 of 205	Injection Moulded Polyacetal Protective tube for ICF type BG Main line & EMU Trailer Coaches to Spec. No. RDSO/2009/CG-03 (Rev. 0 of April'09)	-do-	Spec. No. RDSO/2009/CG-03 (Rev. 0 of April'09)	Spec. No. RDSO/2009/ CG-03 (Rev. 0 of April'09) with Amendment Slip No.1 of July 2013
7.	76/Pg 57 of 205	Double acting Hydraulic Shock Absorbers for ICF design Coaching stock for secondary suspension to Spec. No.C – 8703 Rev. 2 Feb'07	Change of address of M/s Knorr Bremse India Pvt. Ltd.	Knorr Bremse India Pvt. Ltd. 14/6, Mathura Road Faridabad-121003.	Knorr Bremse India Pvt. Ltd. 51/4 KM Stone, Village & Post Baghola, Delhi-Mathura Road(NH-2), Palwal-121102 (Haryana)
8.	98/Pg 65 of 205	Air suspension control equipments for air spring assembly system to RDSO Spec. No. C-K 407	-do-	-do-	-do-
9.	70/Pg 55 of 205	High capacity thermoplastic polyester elastomer (Hytrel) Upper & Lower Washers used in the primary suspension for B.G main line coaches to Spec. No. C-K409	Change of address of M/s Anju Techno Industries	Anju Techno Industries, Gala No. 5 & 6, Plot No. 57/1, Vill. Dunetha Bhaslor, Kunta Road, Daman-396210	Anju Techno Industries, Gala No. 5 & 6, Plot No. 57/4 , Vill. Dunetha Bhaslor, Kunta Road, Daman-396210
10.	71/Pg 55 of 205	Liner to be used below Hytrel Lower Washer in the Primary Suspension for BG Main line coaches to Spec. No. RDSO/2008/CG-10	-do-	-do-	-do-
11.	72/Pg 56 of 205	Injection Moulded Polyacetal Protective tube for ICF type BG Main line & EMU Trailer Coaches to Spec. No. RDSO/2009/ CG-03	-do-	-do-	-do-
12.	82/Pg 59 of 205	Injection Moulded Thermoplastic polyester Elastomer (Hytrel) Axle box front cover for MG & BG Main line & EMU Coaches to RDSO Spec. No. RDSO/2007/CG-07	-do-	-do-	-do-
13.	89/Pg 61 of 205	Injection Moulded High Performance Polyimide "HPPA" (Self-lubricating superior Nylon grade) Brake Gear Bushes for BG Main Line Coaches to Spec. No. RDSO/2009/ CG-17	-do-	-do-	-do-

5. Addition/Changes in vendor details Under Address Book of Vendors:

Ref. S.N./ Page No. of VD	Controlling Dte.	Firm's name	Address		e-mail ID	Phone No	Fax No.
18/167of 205	Carriage	Knorr-Bremse India Pvt. Ltd.	Factory :	51/4, KM Stone, Village & Post Bagola, Delhi-Mathura Road(NH-2), Palwal-121102, Haryana(India)	Anisg.agarwal@knorr-bremse.com	9871094254, 9810541946, 01294191402/3/4.	-----
			Office:	14/6, M athura Road, Faridabad-121003(India)	-----do---	01275-298010/11/12	0129-2275935

82/172-173 of 205	Carriage	Polyset Plastics Pvt. Ltd.,	Factory :	Plot No. 131-143, Shreenath Industrial Estate, Savroli, Tal- Talasari, Distt- Thane.	ppl@polyset.net	09371636326,886 6665225	-----
			Office:	901-906, 9th floor 'CelloTriumph', Ishwar Bhai Patel Marg, Goregaon(E), Mumbai-63	Shanta_soni@polyset.net	022-66138000	022-66138001
62/171 of 205	Carriage	Anju Techno Industries	Factory :	Gala No. 5&6, Plot No. 57/4, Vill. Dunetha Bheslore, Kunta Road, Daman-396210	anjutechno@gmail.com	0260-2260668	0260-2260668
			Office:	-- do -	--do--	-do-	--do-

(D) Changes pertaining to items controlled by Motive Power Dte (चालन शक्ति निदेशालय)

- Deletion of items from vendor directory:** Item no. 251(Axle locomotive)at Page no. 105 of 205 and Item no. 270 (Wheel for Locomotive) at Page no. 110 of 205 in vendor directory are deleted as per the a
- divise of Rly Bd's letter no. 2013/M(L)/466/5(402) dated 10.07.2013.
- Addition of firm's name:**

SN	Ref. S.N. / Page No. of VD	Item	Name of the Firm	Status	Capacity per Annum	Effective from
1.	264/ 108 of 205	Spring-Single coil for EMD locomotives. (Vendor Product code-FSK)	Frontier Springs Ltd., Factory KM 25/4, Kalpi Road, Rania, Kanpur-Dehat - 209 304	Part-II	1200 MT	01.07.2013
2.	165/82 of 205	Traction Pinions, (Case hardened) for EMD locomotives. (Vendor Product code-SGL)	Shanthi Gears Ltd, 304A, Shanthi Gears Road, Singanalur, Coimbatore-641005, Tamilnadu,	Part -II	9,00,000	10.07.2013
3.	164/81 of 205	Traction Gears, (case hardened) for EMD locomotives. (Vendor Product code-TQGL)	Trina Quebec Gears Limited, 38/4, K.M. Stone, N.H.-10, Delhi Rohtak Road, Village-Jakhoda, Bahadurgarh, Haryana-124507	Part-II	3000 Nos.	12.07.2013.
4.	264 /108 of 205	Spring-Single coil for EMD locomotives.-Provisional approval (Vendor Product code-GBD)	G.B. Springs (P) Ltd., 16, Ballupur Road, Post Box No. 213, Dehradun-248001	Part-II	240 nos. per day	22.07.2013

4. Temporary Deletion of firm's name: Nil

SN	Ref. SN / Page No. Of VD	Name of the Firm	Item	Status	Effective from
----	--------------------------	------------------	------	--------	----------------

5. Final Deletion of firm's name:

SN	Ref. SN / Page No. Of VD	Name of the Firm	Item	Status	Effective from
1.	265/108 of 205	Lord Corporation, Mechanical Products Division, 2000 West Grandview BLVD, P.O. Box 10038, Erie, PA 16514-0038, USA	Spring Assembly Rubber – A & B, WDP4 locomotives	Part-I	02.07.2013
2.	229/98 of 205	General Motors Corporation (EMD), 9301, West, 55th Street LaGrange (USA), ILLINOIS - 60525	Master Controller of EMD locomotive	Part-I	09.07.2013
3.	181 /85 of 205	Deepleela Power Industries Ltd., No. 143, Kanakpura Main Road, Bangalore- 560062.	Conductor Copper Heat Sealed Kapton covered	Part-II	dt: 30.07.2013

6. Upgradation of firm's status:

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Status	Effective from
1.	248/104 of 205	Valve, Auto drain, ALCo, EMD & Electric locomotives	Topgrip Instruments Co., Room No. 62, 2nd floor, 40, Strand Road, Kolkata-700 001	Part-I	17.06.2013
2.	123/72 of 205	Filter elements, Spin-on turbo, lube oil, for EMD Locomotives (EMD Part No. 40035123)	Clark Filter, USA, 3649 Hempland Road, Lancaster, PA 17601-1323 (Indian agent- M/s Prag Polymers, 303-B, Gopala Apartments, 50-Ram TirthMarg, Lucknow-226001)	Part-I	31.07.2013

7. Corrections/Changes in the published vendor directory:

SN	Ref. S.N. / Page No. Of VD	Item	Nature of correction	Existing	Revised	Effective from
1.	168/82 of 205	Motors Traction AC, for EMD locomotives Specification No. MP.0.2400.52(Rev.-02)July.2013	Revision of Specification	Spec. no. MP.0.2400.52 (Rev.-01), June'09)	Spec. no. MP.0.2400.52 (Rev.-02), July'13	11.07.2013

2.	254/105 of 205	Bushing Motor nose link for EMD locomotives	Change the name of local contact address of M/s Lord provisionally, from M/s Lord India Chemical Products Pvt. Ltd., to M/s Lord India Pvt. Ltd., (address remains same), subject to production of MoU by 30.09.2013 with validity.	Lord Corporation, Mechanical Products Division, 2000 West Grandview BLVD, P.O. Box 10038, Erie, PA 16514-0038, USA (Local contact address: M/s Lord India Chemical Products Pvt. Ltd., A/401-404, 215-Atrium, Chakala, Andheri-Kurla Road, Andheri East, Mumbai-400093, India)	Lord Corporation, Mechanical Products Division, 2000 West Grandview BLVD, P.O. Box 10038, Erie, PA 16514-0038, USA (Local contact address: M/s Lord India Pvt. Ltd., A/401-404, 215-Atrium, Chakala, Andheri-Kurla Road, Andheri East, Mumbai-400093, India)	02.07.2013
3.	255/106 of 205	Bushing Rubber for EMD locomotives	-do-	-do-	-do-	-do-
4.	256/106 of 205	Bushing Traction Rod for EMD locomotives	-do-	-do-	-do-	-do-
5.	267/109 of 205	Spring Rubber Assembly, WDG4 locomotives	-do-	-do-	-do-	-do-
6.	165/ 82 of 205	Traction Pinions, (Case hardened) for EMD locomotives	Correction in item description	Components - Gear-17teeth EMD Part No. 40074147 & DLW Part No. 18440010. - Gear-17 teeth EMD Part No. 10662229 & DLW Part No. 18440034	Correction as Components -Pinion - 17 teeth EMD Part No. 40074147 & DLW Part No. 18440010. -Pinion - 17 teeth EMD Part No. 10662229 & DLW Part No. 18440034	

In addition to above- Page no. 11 & 12 of Index Sl. No. 211, 212, 231 & 232 of Vendor Directory be corrected/read as below:

Sl No.	Item	Page	Category	Clarification to be sought from
a	b	c	d	e
211.	Contactors- Electro pneumatic & Electromagnetic for ALCo Locomotives	92	I	Dir/MP-EC
212.	Control System Locomotive, Microprocessor Based for ALCO Locomotives	94	I	Dir/MP-EC
231.	Relay- General Purpose	98	II I	Dir/MP-EC
232.	Sensor, Fuel Level	98	II	Dir/MP-EC

8. Addition/Changes in vendor details Under Address Book of Vendors:

Ref. S.N./ Page No. of VD	Controlling Dte.	Firm's name	Address	e-mail ID	Phone No	Fax No.
Addition of new address	Motive Power	Trina Quebec Gears Ltd.	Factory: 38/4, K.M.Stone, N.H.-10, Delhi Rohtak Road, Village-Jakhoda, Bahadurgarh, Haryana-124507 Office: 9/46, Kirti Nagar Industrial Area, New Delhi-110015.	-- info@trinaquebecgears.com	01276241603/04/05/06 011-25419687, 25927627	01276241607 ---

(E) Changes pertaining to items controlled by M&C Dte (धातु एवं रसायन निदेशालय)

(i) M&C Welding Section-

1. Addition of firm's name: Nil

SN	Ref. SN / page No. of VD	Name of Firm	Item	Status	Effective from	Capacity per Annum
----	--------------------------	--------------	------	--------	----------------	--------------------

2. Re-intatement(Addition) of firm's name:

SN	Ref. SN / page No. of VD	Name of Firm	Item	Status	Effective from
1.	288/117 of 205	Shieldarc Equipment (P) Ltd. , Vill-Raspunja, 24, Parganas (South) West Bengal- 700104 (Brand name- SL'ARC-88W)	Manual Metal Arc Welding Electrode, Class D, Type of Coating: Heavy (Spec. No. IRS: M-28/12, AWS Code 5.5)	Part-II	16.07.2013

3. Deletion of firm's name:

S.N.	Ref. SN / Page no. of VD	Name of Firm	Item	Status	Effective from
1.	281/114 of 205	Ador Welding Ltd., Survey No.-59/11/1, Silvassa-Khanvel Road Masat, Silvassa-396 230	Manual Metal Arc Welding Electrode, Class A4, Type of Coating: Heavy (Spec. No. IRS: M-28/12, Code as per IS:814-2004)	Part-I	31.07.2013
2.	283/115 of 205	Ador Welding Ltd., Survey No.-59/11/1, Silvassa-Khanvel Road Masat, Silvassa-396 230	Manual Metal Arc Welding Electrode, Class B2, Type of Coating: Heavy (Spec. No. IRS: M-28/12, Code as per IS:814-2004)	Part-I	31.07.2013
3.	294/119 of 205	Ador Welding Ltd., Survey No.-59/11/1, Silvassa-Khanvel Road Masat, Silvassa-396 230	Manual Metal Arc Welding Electrode, Class H4B, Type of Coating: Heavy (Spec. No. IRS: M-28/12, Code as per IS:7303-2003)	Part-II	31.07.2013
4.	306/124 of 205	Weld Alloy Products Limited, C-33, Sector-IV Noida 201301, Gautam Budh Nagar (UP)	Solid MIG/MAG Welding Filler Wire, Class III (Spec. No. IRS: M-46/03, Amend. No. 1 of May'2005 Grade as per AWS: A 5.28-96)	Part-II	04.07.2013
5.	307/125 of 205	Weld Alloy Products Limited, C-33, Sector-IV Noida 201301, Gautam Budh Nagar (UP).	Solid MIG/MAG Welding Filler Wire, Class VI (Spec. No. IRS: M-46/03, Amend. No. 1 of May'2005 Grade as per AWS: A 5.9-77)	Part-II	04.07.2013
6.	286/117 of 205	Weld Alloy Products Limited, C-33, Sector-IV Noida 201301, Gautam Budh Nagar (UP).	Manual Metal Arc Welding Electrode, Class C1, Type of Coating: Heavy (Spec. No. IRS: M-28/12, Code as per IS:1395-2003)	Part-II	19.07.2013
7.	298/120 of 205	Weld Alloy Products Limited, C-33, Sector-IV Noida 201301, Gautam Budh Nagar (UP)	Manual Metal Arc Welding Electrode, Class M2, Type of Coating: Heavy (Spec. No. IRS: M-28/12, Code as per IS:5206-2003)	Part-II	19.07.2013

4. Upgradation/ Downgradation: Nil

5. Changes/Corrections in vendor directory: Nil

SN	Ref. SN / Page No. of VD	Item	Nature of correction	Existing	Revised
----	--------------------------	------	----------------------	----------	---------

(ii) M&C Paint Section –

1. Addition of firm' name : Nil

2. Re-instate/(Addition) of firm's name:

SN	Ref. S.N. / Page No. Of VD	Name of the Firm	Item	Status	Effective from	Capacity per Annum
1.	324/129 of 205	Vibgyor Paints & Chemicals Pondicherry, Plot No.S-71, Sipcot Industrial Complex, Phase III, Ranipet- 632405	R/M Paint Red Oxide (ISC-446), brushing, finishing, glossy for general purpose (Specification No. M&C/PCN/122/2006)	Part-II	09.07.2013	4,730 KL
2.	325/129 of 205	Vibgyor Paints & Chemicals Pondicherry, Plot No.S-71, Sipcot Industrial Complex, Phase III, Ranipet- 632405	Interior coaching paints for (i) to (vi) components	Part-I	09.07.2013	5,400 KL

3. Temporary Deletion of firm's name: Nil

4. Final Deletion of firm's name: Nil

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Status	Effective from
----	----------------------------	------	------------------	--------	----------------

5. Up-gradation of firm's status:

SN	Ref. S.N. / Page No. of VD	Item	Name of the Firm	Status	Effective from
1.	327/130 of 205	Epoxy Cum Polyurethane Painting system (Two Pack) for the Exterior Painting of Railway Coaches, Diesel and Electric Locomotives and Other Industrial Applications as per RDSO Specification No. M&C/PCN/100/2009	Vibgyor Paints & Chemicals Pondicherry, Plot No.S-71, Sipcot Industrial Complex, Phase III, Ranipet- 632405	Part-I	09.07.2013
2.	325/129 of 205	Interior coaching paints for (i) to (vi) components	Netai engineering Works, Plot No. W-174, MIDC Industrial Area. Saravali, Tarapur, Boisar, Thane- 401506	Part-I	18.07.2013

6. Other Alteration/Changes: Nil

9. Changes in vendor details Under Address Book of Vendors:

Ref. S.N./ Page No. of VD	Controlling Dte.	Firm's name	Address		e-mail ID	Phone No	Fax No.
98/197 of 205	M&C	Vibgyor Paints & Chemicals Pondicherry	Factory :	Plot No.S-71, Sipcot Industrial Complex, Phase III, Ranipet-632405	vpcpdy@vsnl.net	04172-241478	04172-242478
			Office:	-do-	-do-	-do-	-do-

(iii) Tribology Section

1. **Amendment in Item name:** Some anomaly is observed in online vendor registration of M&C Dte. related to Lubricants for Machinery & Plant item. It was observed while selecting item name i.e. main category/Item, 'M&P lubricants' is not available and instead of this all seventeen sub items under this category are reflected. There is requirement of amendment in vendor directory of M&C controlling item for M&P Lubricants to overcome this problem. Accordingly, correction to be incorporated is given as under:

Item mentioned at S. No. 330 to 346 at Page no. 131 to 141 are replaced with an item Name – "Lubricants for Machinery & Plant" at S. No. 330 with the following:

Item No. 330 – "Lubricants for Machinery & Plant":

SN	Name of Sub items	Grades
i)	Internal Combustion Engine Crankcase Oils to IS:13656-2002 Type EPL-2 (API-SF) Automotive Petrol Engines	Gr.20W/40
ii)	Internal Combustion Engine Crankcase Oils for Diesel Engines of Rajdhani/Shatabdi Power Cars- PL No.80.01.0246 to IS:13656-2002.Type EDL-3	—
iii)	Internal Combustion Engine Crankcase Oils to IS: 13656-2002 Type EDL-2 (API-CD, with Mak T-7 Test) Diesel Engines	Gr.SAE-40
iv)	Gear Lubricant, Multipurpose (Extreme Pressure Gear oil) to IS:1118-92/Reaffirmed-2006, (API-GL4 with 4-ball rig test only)	Grades SAE-90, SAE-140
v)	Gear Lubricant to IS: 8406-93/Reaffirmed-2006, (EP Type with Demulsibility & 4 ball test and min. pass load of 12th stage in FZG Niemann Test)	Gr. VG-68, VG-220
vi)	Oil Hydraulic to IS:10522-83/ Reaffirmed 2004 (Antiwear) with Aniline point 90°C,Min. in place of seal compatibility test and min. pass load of 9th stage in FZG Niemann Test)	Gr. VG-32, VG-46, VG-68, VG-150
vii)	Antiwear Hydraulic Oil Extra Heavy Duty to IS:11656-1986/Reaffirmed 2002 (With Aniline Point 90°C, min. for all grades in place of seal compatibility test and NAS Value below 8)	Gr.VG-32, VG-68
viii)	Oil – Spindle to IS :493 – 1981/Reaffirmed 2004 (Part-II)	GR. VG-10
ix)	Oil Machinery/General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A)	Gr. VG-32, VG-46, VG-68, VG-100, VG-150, VG-220, VG-320
x)	Oil, Cylinder, Pure Mineral to IS:1589-94/Reaffirmed-2006,	Gr.VG-680 Type – I
xi)	Oil, Cutting Soluble to IS:1115-1986/Reaffirmed-2002, with Bactericide Test	—
xii)	Oil, Cutting (Neat) to IS:3065-1985/Reaffirmed-2002, Type-2, Gr.III	-
xiii)	Quenching Oil to IS: 2664-1980/Reaffirmed 2004 for Quenching Operation of Metals:	
	A. Mineral Type Grade: Medium with GM Magnetic Quenchometer Value of 28 Secs. Max.	—
	B. Compound Type with GM Magnetic Quenchometer Value of 25 seconds Max.	—
	C. Additive Type with G.M. Magnetic Quenchometer Value of 21 seconds max.	—
xiv)	Turbine Oil to IS: 1012-2002/Reaffirmed 2005 with a min. value of 400 minutes in Rotating Bomb Oxidation Test to ASTM D2272	Gr. VG-32, VG-46, Non-ISO-VG (Non ISO VG Viscosity of this grade is 76 CST ± 10% at 40° C. All other properties shall be as per VG-68 grade.)
xv)	Oil Refrigeration Machinery to IS: 4578-1997/Reaffirmed 2004	Grade VG-68
xvi)	Pneumatic Tool Oils to RDSO Specification No. M&C/Lub/101/2001 Reaffirmed 2013	Gr. VG-100, VG-220
xvii)	Machine Tool Way Oil to RDSO Specification No.M&C/Lub/102 /2001Reaffirmed 2013	Gr. VG –32, VG –68, VG –220

2. Addition (Re-instate) of firm's name: Nil

SN	Ref. SN / Page no. of VD	Name of Firm	Item	Grade	Brand Name	Status	Effective from	Capacity per Annum
----	--------------------------	--------------	------	-------	------------	--------	----------------	--------------------

3. UPGRADATION of firm's status: Nil

SN	Ref. SN. / Page No. of VD	Name of the Firm	Item	Grade	Brand Name	Status	Effective from
----	---------------------------	------------------	------	-------	------------	--------	----------------

4. Down gradation of firm's name form Part I to Part II (superseding temporary deletion form Part I):

SN	Ref. SN / Page no. of VD	Item	Name of Firm	Status in VD	Effective from
1.	348/141of 205	Graphited Grease Grade '0' (Specn. No. IS: 408-1981/ Reaffirmed-2004 for Elastic Rail Clips)	Phoenix Oil Com. (India) Pvt. Ltd., F – 6, Panki Industrial Area, Site – 3, Kanpur – 208 022	Temporary delisted	01.07.2013

5. Temporary Deletion of firm's approval:

SN	Ref. SN / Page no. of VD	Name of Firm	Item	Status	Effective from
1.	330/131of 205	Gulf Oil Corporation Ltd., Survey No. 27/12, Village Masat, Silvassa – Khanveil Road, UT of D & NH, Silvassa - 396230	Internal Combustion Engine Crankcase Oils to IS:13656-2002 Type EPL-2 (API-SF) Automotive Petrol Engines Gr.20W/40	Part-II	01.07.2013
2.	331/132 of 205	-do-	Internal Combustion Engine Crankcase Oils for Diesel Engine of Rajdhani/ Shatabdi Power Cars- PL No. 80.01.0246 to IS:13656-2002 Type EPL- 3	-do-	-do-
3.	332/132 of 205	-do-	Internal Combustion Engine Crankcase Oils to IS:13656-2002 Type EDL-2 (API-CD, with Mak T-7 Test) Diesel Engines Gr.SAE-40	-do-	-do-
4.	333/132 of 205	-do-	Gear Lubricant, Multipurpose (Extreme Pressure Gear oil) to IS:1118-92/RA-2006, (API-GL-4 with 4-ball rig test only) Gr. SAE -90 & Gr.SAE-140	-do-	-do-
5.	334/134 of 205	-do-	Gear Lubricant to IS: 8406-93/RA-2006 (EP Type with Demulsibility& 4 ball test and min. pass load of 12 th stage in FZG Niemann Test).- Gr. VG-68 & Gr. VG-220	-do-	-do-
6.	335/133, 134 of 205	-do-	Oil Hydraulic to IS:10522 1983/ Reaffirmed-2004 (Antiwear) with Aniline Point 90oC Min. in place of Seal Compatibility test and a min.pass limit of 9th stage in FZG Niemann Test. Gr. VG-32, VG-46, VG-68, VG-150	-do-	-do-
7.	336/134 of 205	-do-	Antiwear Hydraulic Oil Extra Heavy Duty to IS: 11656-1986/Reaffirmed- 2002 (This also should have Aniline Point 900C min. instead of Seal Compatibility Test and NAS Value below 8) Gr.VG-32, VG-68	-do-	-do-
8.	337/135 of 205	-do-	Oil – Spindle to IS :493 – 1981/ Reaffirmed 2004 (Part-II)- GR. VG-10	-do-	-do-
9.	338/135, 136, 137 of 205	-do-	Oil Machinery/General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A)- Gr.VG-32, VG-46, VG-68, VG-100, VG-150, VG-220, VG-320	-do-	-do-
10.	339/137of 205	-do-	Oil Cylinder, pure mineral to IS: 1589-1994/ Reaffirmed – 2006- Gr.VG-680 Type-1	-do-	-do-
11.	340/138 of 205	-do-	Oil Cutting Soluble to IS: 1115-1986/Reaffirmed-2002, with Bactericides Test	-do-	-do-
12.	341/138 of 205	-do-	Oil Cutting Neat to IS: 3065-1985/ Reaffirmed-2002, Type-2-Gr.III	-do-	-do-
13.	342/138, 139 of 205	-do-	Quenching Oil to IS: 2664-1980/ Reaffirmed-2004 for Quenching Operation of Metals (A) Mineral Type (Medium) (for normal quenching operation) with G.M. Magnetic Quenchometer Value of 28 Secs (B) Compound Type with G.M. Magnetic Quenchometer Value of 25 Secs. Max. (C) Additive Type with G.M. Magnetic Quenchometer Value of 21 Secs. Max	-do-	-do-

14.	343/139 of 205	-do-	Turbine Oil to IS: 1012-2002/ Reaffirmed – 2005 with a min. value of 400 mts. in Rotating Bomb Oxidation Test ASTM D-2272 Gr. VG-32, VG-46, VG-76- Non-ISO-VG	-do-	-do-
15.	345/140 of 205	-do-	Pneumatic Tool Oil to RDSO Specn. No. M&C/Lub/101/-2001/Reaffirmed–2006, Gr. VG-100, VG-220	-do-	-do-
16.	346/141 of 205	-do-	Machine Tool Way Oil to RDSO Specn. No. M&C/Lub/102/-2001/Reaffirmed–2006 Gr. VG –32, VG –68, VG –220	-do-	-do-

6. Final Deletion of firm's name:

SN	Ref. SN / Page no. of VD	Name of Firm	Item	Status	Effective from
1.	347/141 of 205	Hindustan Petroleum Corpn. Ltd., HPCL Lube Plants, Mazgaon Haybunder complex, Haybunder Road, Mumbai-400033	General Purpose Grease for M&P Application	Part-I	25.07.2013

7. Addition/Changes in vendor details (M&C) Under Address Book of Vendors: Nil

Sd/-
निदेशक / क्यू.ए.(यांत्रिक)