



No.: QAM/Vendor Directory/Amendment

Date : 13/02/2014

Amendment No. 2

Ref. : Vendor Directory- QM-M-7.1-1 (w.e.f 01.01.2014 to 30.06.2014), issued by QA-Mech Dte RDSO, Lucknow.

Following changes are made in the vendor Directory QM-M-7.1-1(w.e.f. 01.01.2014 to 30.06.2014), issued by QA(Mech) Dte/RDSO:

(A) Changes pertaining to items controlled by QA(Mech) (गुणवत्ता आश्वासन निदेशालय):

1. Addition of firm's name: Nil

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Status	Effective from	Capacity per Annum
----	----------------------------	------	------------------	--------	----------------	--------------------

2. Re-instate/(Addition) of firm's name:

SN	Ref. SN / Page No. Of VD	Item	Name of the Firm	Status	Effective from
1.	29/36 of 216	Knuckle pin with washer (Spec. No. 48-BD-2008, 56-BD-07 with Amend. No. 1 of Sep'10 & 24-BD-79 with 03 Amendments- Amend. No. 3 issued on Aug'91, Drg. No. SK-62724 Alt. 23-Item 4, SK-79556 Alt.6-Item 7)	Eastern Engineering Industries, 40 'E' Road, Belgachia, P.O. Dasnagar, Howrah-711005	Part I	31.12.2013
2.	30/37 of 216	Yoke pin (Spec. No. 48-BD-2008, 56-BD-07 Amend. No. 1 of Sep' 2010 & 24-BD-79 with 03 Amendments-(Amend. No. 3 issued on Aug'91); Drg. No. SK-62724 Item 12, Alt.-23, SK-79556 Alt.6 Item 15)	-do-	Part I	31.12.2013
3.	37/41 of 216	Brake beam for freight stock (Spec. No. WD-21-CASNUB-22NLB Bogie-93 Rev. 2 July' 02 with 4 Amendments- Amend. No. 4 issued on Feb' 2010, Drg. No. WD-89033-S-1 Alt. 20 & WD-17-CASNUB-22HS Bogie-22 Rev. 3 with 4 Amendments-Amend. No. 4 issued on Feb' 2010, Drg. No. WD-07052-S-1 Alt. Nil)	-do-	Part II	31.12.2013

3. Temporary Deletion of firm's name:

SN	Ref.SN / Page No. of VD	Item	Name of the Firm	Status	Effective from
1.	23/32 of 216	Acetal Guide Bush & Guide ring (Spec. C- 8215 Rev.2, Amd 1, SK-84102 Alt - 05, SK-84092Alt-1)	Calcutta Springs Limited, Village-Alampur, P.O.- New Kolorah, NH-6, Howrah- 711 302	Part-II	04.02.2014
2.	24/32 of 216	Nylon-66 brake gear bushes (Spec WD-04-nylon bush-02, Drg. SK-81039 Alt -11)	-do-	Part-I	04.02.2014

4. Final Deletion of firm's name: Nil

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Status	Effective from
----	----------------------------	------	------------------	--------	----------------

5. Up-gradation of firm's status:

SN	Ref. S.N. / Page No. of VD	Item	Name of the Firm	Status	Effective from
1.	51/46 of 216	CRF sections for wagons (as per RDSO Spec. No. WD-01-CRF-12)	Jain Vinimay Private Limited, Vill & P.O. - Islampur, Ranihati, Amta Road, J.B. Pur, Howrah-711401	Part-I	07.02.2014

6. Other correction/Changes in vendor directory: Nil

SN	Ref. SN / Page No. of VD	Item	Nature of correction	Existing	Revised
----	--------------------------	------	----------------------	----------	---------

7. Addition/Changes in vendor details Under Address Book of Vendors:

Ref. S.N./ Page No. of VD	Controlling Dte.	Firm's name	Address	e-mail ID	Phone No	Fax No.
New Addition- QAMech (Kolkata zone)	QA (Mech)	Eastern Engineering Industries	Factory : 40 'E' Road, Belgachia, P.O. Dasnagar, Howrah-711005 Office: -do-	033-2651-5051 -do-	033-2243-3114 -do-	eei@hotmail.com -do-

(B) Changes pertaining to items controlled by Wagon Dte (माल डिब्बा निदेशालय)- Nil**(C) Changes pertaining to items controlled by Carriage Dte (सवारी डिब्बा निदेशालय)****1. Up-gradation of firm's status:**

SN	Ref. S.N. / Page No. of VD	Item	Name of the Firm	Status	Effective from
1.	64/53 of 216	Decorative Thermosetting Synthetic resin Bonded Laminated Sheet for use in Coaching Stock to Specification No. C-K514.	Shri Dhaniram Laminates Pvt. Limited, Urkura Road, Rawabhata, Raipur- 492001.	Part-I	02.01.2014
2.	79/58 of 216	UIC type elastomer Flange connection for inter communication between Passenger coaches to Specification No.RDSO/2007/CG-05.	Escorts Limited (Railway Equipment Division), Plot No. 115, Sector-24, Faridabad- 121005 (Haryana)	Part-I	27.01.2014
3.	80/58 of 216	Injection Moulded Silent Block for Centre Pivot to Specification No. RDSO/2007/CG-06.	Associated Engineering Stores, 15, 21, Chattulal Misir Road, Ghosuri, Howrah-711107 & 130/1, Madhusudan Paulchaudhari Lane, Howrah-711101.	Part-I	27.01.2014

2. Other correction/Changes in vendor directory:

SN	Ref. SN / Page No. of VD	Item	Nature of correction	Existing	Revised
1.	76/ Page 57 of 216	Double acting Hydraulic Shock Absorber for ICF Design Coaching Stock for Secondary Suspension to RDSO Specification No. C-8703(Rev.2).	Works Address amended of M/s Escorts Ltd.	i) 18/4, Mathura Road, Faridabad-121007. ii) Plot No. 9, Sector-1, IIE, Pant Nagar, Rudrapur (Uttarakhand)	i) 18/4, Mathura Road, Faridabad- 121007. ii) Railway Equipment Division, Plot No.115, Sector-24, Faridabad- 121005

(D) Changes pertaining to items controlled by Motive Power Dte (चालन शक्ति निदेशालय)**1. Addition of firm's name: Nil**

SN	Ref. SN / Page No. Of VD	Item	Name of the Firm	Status	Effective from	Capacity per annum
----	--------------------------	------	------------------	--------	----------------	--------------------

2. Re-instate/(Addition) of firm's name: Nil

SN	Ref. SN / Page No. Of VD	Item	Name of the Firm	Status	Effective from	Capacity per annum
----	--------------------------	------	------------------	--------	----------------	--------------------

3. Temporary/ Final Deletion of firm's name: Nil

SN	Ref. SN / Page No. Of VD	Item	Name of the Firm	Status	Effective from
----	--------------------------	------	------------------	--------	----------------

4. Up-gradation of firm's status: Nil

SN	Ref. S.N. / Page No. of VD	Item	Name of the Firm	Status	Effective from
----	----------------------------	------	------------------	--------	----------------

5. Other correction/Changes in vendor directory:

SN	Ref. SN / Page No. of VD	Item	Nature of correction	Existing	Revised
1	194/89 of 216	Resin, Varnishes & Putty	Addition of Amendment in MPMI 153/92, Rev.-03	As per MPMI 153/92 Rev.-03 of June 2008, Corrigendum dated 19.12.2008, Amendment dated 23.07.2009 & Corrigendum dated 12.08.2010, Amendment dated 25.03.2011, Amendment dated 04.10.2011, Amendment dated 27.12.2013 issued separately	As per MPMI 153/92 Rev.-03 of June 2008, Corrigendum dated 19.12.2008, Amendment dated 23.07.2009 & Corrigendum dated 12.08.2010, dated 25.03.2011, Amendment dated 04.10.2011, Amendment dated 27.12.2013 issued separately
2	179/86 of 216	Cable, Fluoro elastomeric	Change in Name	Hitachi Cable Ltd., Hitaka Works, 1-1, Hidaka-cho 5-chome, Hitachi, Ibaraki 319-1414, Japan.	Hitachi Metals Ltd., 5-1-1, Hitaka-cho, Hitachi-shi, Ibaraki-ken, 319-1414, Japan
3	269/13 of 216	Coupler Assembly, H type Tight lock for ALCo / Electric locomotives	Correction in item description in Index	Coupler Assembly, H type Tight lock for ALCo / Electric locomotives	Coupler Assembly, H type Tight lock for ALCo / Electric / HHP Passenger Locomotives
4	269/112 of 216	Coupler Assembly, H type Tight lock for ALCo / Electric locomotives	Correction in Item description	Coupler Assembly, H type Tight lock for ALCo / Electric locomotives -Specification no. MP-0.41.00.05(Rev.00)	Coupler Assembly, H type Tight lock for ALCo / Electric / HHP Passenger Locomotives -Specification no. MP-

					0.41.00.05(Rev.00)
5	108/68 of 216	Cooler, lube oil, Plate type, for ALCo locomotives	Correction in works address of M/s GEA Ecoflex India Pvt. Ltd.	GEA Ecoflex India Pvt. Ltd., C-28, Chakan MIDC, Village-Mahalunge, Tal. Khed, Dist. - Pune	GEA Ecoflex India Pvt. Ltd., Plot No. A-31/32, MIDC, Phase IV, Village-Nighoje, Chakan, Tal Khed, Dis. Pune - 410501
6	185/87 of 216	Insulating material kit, Class 200	Correction in works address of M/s 3A, Associates Incorporated	3A, Associates Incorporated, 306, Advent Atria Chincholi, Bunder Road, Malad West, Mumbai-400064	3A, Associates Incorporated, 102, Govt. Ind. Estate, Masat, Silvassa(DNH) -396 230

6. Addition/Changes in vendor details Under Address Book of Vendors:

Ref. SN/ Page No. of VD	Controlling Dte.	Firm's name	Address		e-mail ID	Phone No	Fax No.
146/193 of 216	Motive Power	GEA Ecoflex India Pvt. Ltd.	Factory	Plot No. A-31/32, MIDC, Phase IV, Village-Nighoje, Chakan, Tal Khed, Dis. Pune - 410501	arun.pahwa@gea.com	02135-619500 02135-619510 02135-619520	02135-619566
			Office	R-493, TTC Industrial Area, Rabale, MIDC, Navi Mumbai-400 701	Virendra.jhamb@geagroup.com	022-27642025 – 28	022-27693821, 27693797
115/191 of 216	Motive Power	3A ASSOCIATES INCORPORATED	Factory	102, Govt. Ind. Estate, Masat, Silvassa(DNH) -396 230	sales@3aassociates.com	07666897333	022-28896596
			Office	306, Advent Atria, Chincholi Bunder Road, Malad (West), Mumbai-400064.	sales@3aassociates.com	022-28896596	022-28896596
23/183 of 216	Motive Power	Hitachi Metals Ltd.	Factory	5-1-1, Hitaka-cho, Hitachi-shi, Ibaraki-ken, 319-1414, Japan	---	---	---
			Office	2-1, Shibaura 1-Chome, Minato-ku, Tokyo, Japan	yushi.matsunaga.wy@hitachi-metals.com	+81-3-6381--0030	+81-3-3863-2468

(E) Changes pertaining to items controlled by M&C Dte (धातु एवं रसायन निदेशालय)

(i) M&C Welding Section-

1. Addition of firm's name:

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Brand Name	Status	Effective from	Capacity per Annum
1.	307/128 of 216	MIG-MAG flux cored wire (with shielding gas), Class III	Ador Welding Ltd., Malakkottayur, Via Vandalur, Chennai- 600 048.	Automig FC 18M (SPL)	Part.-II	30.01.2014	500 MT
2.	314/129 of 216	SAW Agglomerated Flux, Class F1	Esab India Limited, Plot No.13, 3 rd Main Road, Industrial Estate, Ambattur Chennai-600058	Ok Flux 10.71L	Part.-II	28.01.2014	2000 MT
3.	315/129 of 216	SAW Agglomerated Flux, Class F2	-Do-	Ok Flux 10.71L	Part.-II	28.01.2014	-Do-
4.	316/130 of 216	SAW Agglomerated Flux, Class F4	-Do-	Ok Flux 10.71L	Part.-II	28.01.2014	-Do-
5.	309/128 of 216	MIG-MAG Flux cored with shield gas, Class VI	Dwekam Electrodes Pvt Ltd, Talawali Chanda, A.B. Road, Mangalia, Indore – 453771	Corefil 308L	Part.-II	28.01.2014	810 MT

2. Re-instate/(Addition) of firm's name:

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Brand Name	Status	Effective from
1.	294/121 of 216	MMAW Electrode Class M1	Ador Welding Ltd., Malakkottayur, Via Vandalur, Chennai- 600 048.	Superinox-1A	Part.-II	30.01.2014
2.	296/122 of 216	MMAW Electrode Class M3	-do-	Superinox-2A	Part.-II	30.01.2014

3.	303/126of 216	MIG-MAG solid wire Class III	Weld Alloy Products limited, C-33, Sector-IV, Noida, Distt.-Gautam Budh Nagar(U.P) Pin-201301	MWA 90S-G	Part.-II	30.01.2014
4.	304/127of 216	MIG-MAG solid wire Class VI	-do-	MWA 308L	Part.-II	30.01.2014

3. Temporary / Final Deletion of firm's name: Nil

4. Up-gradation of firm's status:

SN	Ref. S.N. / Page No. of VD	Item	Name of the Firm	Status	Effective from
1.	303/126 of 216	MIG-MAG solid wire , Class III	Maruthi Electrode(P) Ltd., No. 12 Doddenkkundi, Industrial Area, IInd Phase, Bangalore -560 048	Pt-I	28.01.2014

5. Other Alteration/Changes:

SN	Ref. SN / Page No. of VD	Item	Nature of correction	Existing	Revised
1.	10/pg 144 of 216	Annual Production Capacity Of Firms Approved for Welding Consumables	Firm's name to deleted	Classic Electrodes (India) Ltd., 46/26, 27, 28, 29, Dashrath Ghosh Lane (Near Tikiapara Rly. Stn), Howrah	-(To be deleted)

6. Addition/Changes in vendor details Under Address Book of Vendors:

Ref. SN/ Page No. of VD	Controlling Dte.	Firm's name	Address	e-mail ID	Phone No	Fax No.
2.	M&C	Esab India Limited	Factory Plot No.13, 3 rd Main Road Industrial Estate, Ambattur Chennai-600058 Office -do-	-	044-42281100	0422-42281150
26/202 of 216	M&C	Classic Electrodes (I) Ltd. (Unit-I deleted)	Factory: Mauja- Bhagwatipur, P.S. - Sankrail Industrial Park, Howrah-711302. Office: 1A, Bonafield lane, Kolkata-700001	rmittal.classic@gmail.com Classic electrodes@yahoo.co.in	033-2242- 9581/ 2213/ 0660, 09330160974 033-22429581	033-22426081 033-22426081

(ii) M&C Paint Section –

1. Addition of firm's name:

SN	Ref. S.N. / Page No. Of VD	Item	Name of the Firm	Status	Effective from	Capacity per Annum
1.	326/Page134 of 216	High Performance Anticorrosion Epoxy Coating (Two Pack) to RDSO Specification No. M&C/PCN/ 123/2012	Deb paints Pvt. Ltd., Methopara, P.O. - Ganganagar, Kolkata 700 132, (W. B.)	Part-II	31.01.2014	144 KL

(iii) Tribology Section

1. Addition of firm' name :

SN	Ref. SN / page No. of VD	Item	Name of Firm	Status	Effective from	Capacity per Annum
1.	327(VIII)/ Pg 137 of 216	Oil – Spindle to IS : 493 – 1981/ Reaffirmed 2004 (Pt-II) VG-10	Prabhat Chemical Industries, Opposite Rastogi Cold Storage, Pilli Pokhar, Hatras Road, Agra – 283 206	Part-II	29.01.2014	450 MT per annum
2.	327(IX)/Pg 138 of 216	Oil Machinery/ General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A) VG-32	-Do-	Part-II	29.01.2014	
3.	327(IX)/ Pg 138 of 216	Oil Machinery/ General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A) VG-46	-Do-	Part-II	29.01.2014	
4.	327(IX)/ Pg 139 of 216	Oil Machinery/ General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A) VG-68	-Do-	Part-II	29.01.2014	

5.	327(IX)/ Pg 139 of 216	Oil Machinery/ General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A) VG-100	-Do-	Part-II	29.01.2014	
6.	327(IX)/ Pg 139 of 216	Oil Machinery/ General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A) VG-150	-Do-	Part-II	29.01.2014	
7.	327(XI)/ Pg 140 of 216	Oil, Cutting Soluble to IS:1115-1986/ Reaffirmed-2002, with Bactericide Test	-Do-	Part-II	29.01.2014	
8.	327(XIII)(A)/ Pg 141 of 216	Quenching Oil to IS: 2664-1980/ Reaffirmed 2004 for Quenching Operation of Metals (A) Mineral Type Grade : Medium with GM Quenchometer value of 28 sec Max	-Do-	Part-II	29.01.2014	
9.	327(XIII)(B)/ Pg 141 of 216	Quenching Oil to IS: 2664-1980/ Reaffirmed 2004 for Quenching Operation of Metals (B) Compound Type with G.M. Quenchometer value of 25sec Max	-Do-	Part-II	29.01.2014	
10.	327(XIII)(C)/ Pg 141 of 216	Quenching Oil to IS: 2664-1980/ Reaffirmed 2004 for Quenching Operation of Metals (C) Additive Type with G.M. Quenchometer value 21 sec Max	-Do-	Part-II	29.01.2014	
11.	327(XV)/ Pg 142 of 216	Oil Refrigeration Machinery to IS: 4578-1979/Reaffirmed 2004 Gr. VG - 68	-Do-	Part-II	29.01.2014	

2. Re-instate/(Addition) of firm's name: Nil

SN	Ref. S.N. / Page No. Of VD	Name of the Firm	Item	Status	Effective from	Capacity per Annum
----	----------------------------	------------------	------	--------	----------------	--------------------

3. Temporary / Final Deletion of firm's name: Nil

S.N.	Ref. SN / Page no. of VD	Item	Name of Firm	Status	Effective from
------	--------------------------	------	--------------	--------	----------------

4. Final Deletion of firm's name:

S.N.	Ref. SN / page No. of VD	Ref. SN / Page no. of VD	Item	Status	Effective from
1.	327 (i)/ 135 of 216	Gulf Oil Corporation Ltd., Survey No. 27/12, Village Masat, Silvassa– Khanveil Road, UT of D & NH, Silvassa - 396230	Internal Combustion Engine Crankcase Oils to IS:13656-2002 Type EPL-2 (API-SF) Automotive Petrol Engines Gr.20W/40	Part -II	01.01.2014
2.	327 (ii)/ 135 of 216	-do-	Internal Combustion Engine Crankcase Oils for Diesel Engine of Rajdhani/ Shatabdi Power Cars- PL No. 80.01.0246 to IS:13656-2002 Type EPL- 3	Part -II	01.01.2014
3.	327 (iii)/ 135 of 216	-do-	Internal Combustion Engine Crankcase Oils to IS:13656-2002 Type EDL-2 (API-CD, with Mak T-7 Test) Diesel Engines Gr.SAE-40	Part -II	01.01.2014
4.	327 (iv)/ 135 of 216	-do-	Gear Lubricant, Multipurpose (Extreme Pressure Gear oil) to IS:1118-92/RA-2006, (API-GL-4 with 4-ball rig test only) Gr. SAE -90 & Gr.SAE-140	Part -II	01.01.2014
5.	327 (v)/ 136 of 216	-do-	Gear Lubricant to IS: 8406-93/RA-2006 (EP Type with Demulsibility& 4 ball test and min. pass load of 12th stage in FZG Niemann Test). Gr. VG-68 & Gr. VG-220	Part -II	01.01.2014
6.	327 (vi)/ 136 of 216	-do-	Oil Hydraulic to IS:10522 1983/Reaffirmed-2004 (Antiwear)with Aniline Point 90°C Min. in place of Seal	Part -II	01.01.2014

			Compatibility test and a min.pass limit of 9 th stage in FZG Niemann Test. Gr. VG-32, VG-46, VG-68, VG-150		
7.	327 (vii)/ 137 of 216	-do-	Antiwear Hydraulic Oil Extra Heavy Duty to IS: 11656-1986/Reaffirmed-2002 (This also should have Aniline Point 90°C min. instead of Seal Compatibility Test and NAS Value below 8) Gr.VG-32, VG-68	Part -II	01.01.2014
8.	327 (viii)/ 137 of 216	-do-	Oil – Spindle to IS :493 – 1981/ Reaffirmed 2004 (Part-II) Gr. VG-10	Part -II	01.01.2014
9.	327 (ix)/ 138,139 of 216	-do-	Oil Machinery/General Purpose Machinery Oil to IS:493-81 (Part I) /Reaffirmed2004 (With Rust Preventive characteristics test, as per IS:1448-P-96, Method A) Gr.VG-32, VG-46, VG-68, VG-100, VG-150, VG-220, VG-320	Part -II	01.01.2014
10.	327 (x)/ 140 of 216	-do-	Oil Cylinder, pure mineral to IS: 1589-1994/ Reaffirmed – 2006. Gr.VG-680 Type-1	Part -II	01.01.2014
11.	327 (xi)/ 140 of 216	-do-	Oil Cutting Soluble to IS: 1115-1986/Reaffirmed-2002, with Bactericides Test	Part -II	01.01.2014
12.	327 (xii)/ 140 of 216	-do-	Oil Cutting Neat to IS: 3065-1985/Reaffirmed-2002, Type-2-Gr.III	Part -II	01.01.2014
13.	327 (xiii)/ 141 of 216	-do-	Quenching Oil to IS: 2664-1980/Reaffirmed-2004 for Quenching Operation of Metals (A) Mineral Type (Medium) (for normal quenching operation) with G.M. Magnetic Quenchometer Value of 28 Secs (B) Compound Type with G.M. Magnetic Quenchometer Value of 25 Secs. Max. (C) Additive Type with G.M. Magnetic Quenchometer Value of 21 Secs. Max	Part -II	01.01.2014
14.	327 (xiv)/ 141 of 216	-do-	Turbine Oil to IS: 1012-2002/ Reaffirmed – 2005 with a min. value of 400 mts. in Rotating Bomb Oxidation Test ASTM D-2272 Gr. VG-32, VG-46, VG-76- Non-ISO-VG	Part -II	01.01.2014
15.	327 (xvi)/ 142 of 216	-do-	Pneumatic Tool Oil to RDSO Specn. No. M&C/Lub/101/-2001/Reaffirmed–2006, Gr. VG-100, VG-220	Part -II	01.01.2014
16.	327 (xvii)/ 143 of 216	-do-	Machine Tool Way Oil to RDSO Specn. No. M&C/Lub/102/-2001/Reaffirmed–2006 Gr. VG –32, VG –68, VG –220	Part -II	01.01.2014

5. Up-gradation of firm's status: Nil

6. Addition/Changes in vendor details Under Address Book of Vendors:

Ref. SN/ Page No. of VD	Controlling Dte.	Firm's name	Address		e-mail ID	Phone No	Fax No.
New addition	M&C Dte	Prabhat Chemical Industries,	Factory	Opposite Rastogi Cold Storage, Pilli Pokhar, Hatras Road, Agra – 283 206	pciagra@yahoo.com		
			Office	Bagh Muzaffar Khan, Agra - 282002	-Do-	0562-2855110	0562-2855110

निदेशक / क्यू.ए.(यांत्रिक)