

List of Drawings

Year - 2006

CG-K6001	-	Layout of AC-I cum AC 3-Tier sleeper.	A3
CG-K6003	-	Infringement of Ramp Platen Wagon to Indian Railway Schedule of Dimension (BG) Revised 2004.	A3
CG-K6004	-	Layout of Driving Power car (1600 hp)	A3
CG-K6005	-	Layout of 5- car unit rake formation (1600 hp)	A3
CG-K6007	b	Top plate for prim. Rubber spring	A4
CG-K6010	2	Cattle Guard assembly with snow cutter features for J&K DMU/DPC.	A2
CG-K6011	-	Layout of Tool & Equipment Van (For A- Class ART).	A3
CG-K6012	-	Layout of depot Tool & Equipment Van (For B&C- Class ART).	A3
CG-K6013	-	Proposed Layout of AC Double Decker chair car required height 4600 mm against 4265 mm permitted Maximum moving dimension.	A3
CG-K6014	.	Layout of underframe equipment for 1600 hp DEMU	A2
CG-K6015	1	16.25 t axle for direct mounted roller bearing arrangement	A2
CG-K6016	1	Wheel & Axle assembly	A2
CG-K6017	-	Layout of Non driving Motor/Trailer coach with longitudinal seats for Metro Railway.	A3
CG-K6018	-	Layout of driving Motor coach with longitudinal seats for Metro Railway.	A3
CG-K6019	-	Modified hanger for Bolster suspension (Trailer Bogie) EMU stock.	A3
CG-K6020	-	Rectification & strengthening of cracked body bolster of Trailer coach of MEMU stock.	A1
CG-K 6021	-	Strengthening of body bolster of existing trailer coach of MEMU stock	A1
CG-K6022	-	Strengthening of body bolster of new trailer coach of MEMU stock new	A1
CG-K6023	-	Rectification & strengthening of cracked body bolster of Motor coach of MEMU stock.	A1
CG-K6024	-	Strengthening of body bolster of existing Motor coach of MEMU stock	A1
CG-K6025	-	Strengthening of body bolster of new Motor coach of MEMU stock	A1
CG-K6026	-	Stainless Steel Panel for Modular Toilet	A3
CG-K6027	-	Wall Protector for Modular Toilet	A3
CG-K6028	-	Stainless Steel Commode for Modular Toilet	A3
CG-K6029	-	Modified Foot Step Arrangement	A3
CG-K6030	-	Longitudinal Luggage Rack	A3
CG-K6031	-	Schematic Bogie General Arrangement For D H R Narrow Gauge	A4
CG-K6032	-	Proposed Layout of AC-3 Tier sleeper Garib Rath (E O G)	A3
CG-K6033	-	Proposed Layout of Power Car for Garib Rath with disabled compartment	A3
CG-K6034	1	Layout of AC day coach for Garib Rath	A3
CG-K6035	-	Proposed layout of power car for Garib Rath with disabled compartment	A3
CG-K6036	-	Locking screw for uncoupling device	A4
CG-K6037	-	Proposed layout of Garib Rath 81-berth, 3-tier in longitudinal side	A3
CG-K6038	-	Location of strain gauges on coach body of GSCN coach with pressed section underframe for Squeeze test	A3
CG-K6039	-	Complete assembly of composite under slung water tank	A1
CG-K6040	-	Filament wound composite under slung water tank	A2
CG-K6041	-	Nozzle for composite under slung water tank	A3
CG-K6042	-	Protective shield for composite under slung water tank	A3
CG-K6043	-	Deflection location of sole bar and trough floor GSCN with pressed section underframe for squeeze test	A3
CG-K6044	-	Centre pivot pin	A3
CG-K6045	-	Housing for centre pivot and bogie bolster	A3
CG-K6046	-	Sleeve complete with silent block for centre pivot	A3
CG-K6047	-	Sleeve complete for centre pivot	A3
CG-K6048	-	Sleeve for centre pivot	A3
CG-K6049	2	Silent block for centre pivot	A3
CG-K6050	-	Anchor link	A3
CG-K6051	-	Colour scheme of refrigerated van	A3
CG-K6052	-	Additional securing arrangement of movable hood JDCC in closed position	A3
CG-K6053	-	Anchor link bracket on bogie frame	A3

CG-K6054	-	Side plate for anchor link bracket	A3
CG-K6055	-	Channel for anchor link bracket	A3
CG-K6056	-	Bearing for anchor link bracket	A3
CG-K6057	-	Body bolster complete	A3
CG-K6058	-	Channel complete for body bolster	A3
CG-K6059	-	Channel for body bolster	A3
CG-K6060	-	Central tube on body bolster	A3
CG-K6061	-	Centre pivot arrangement	A3
CG-K6062	3	Bogie support frame	A3
CG-K6063	1	Bracket for bogie support frame	A3
CG-K6064	-	Locking plate for centre pivot	A3
CG-K6065	-	Proposed layout of ACDD chair car required ht. 4600mm against 4265mm permitted MMD	AL
CG-K6066	-	Proposed layout of IInd class with PWD cum Guard's compartment	AI
CG-K6067	-	Layout of IInd class-cum-AC and non-AC disabled compartment and brake van	AL
CG-K6068	-	Layout of Self generating AC-3tier sleeper with under slung inverter	AL
CG-K6069	-	Layout of Self generating AC-2tier sleeper with under slung inverter	AL
CG-K6070	-	Hatch for Tap of modular toilet	A3
CG-K6071	1	Bracket for bogie support Frame cum alternator	A3
CG-K6072	1	Arrangements of bracket for bogie support frame and alternator	A3
CG-K6073	-	Proposed Layout of Second Class cum luggage & Brake Van with AC compartment for Disabled Passenger	AL
CG-K6074	-	Exterior colour scheme for Garib Rath Coach	AL
CG-K6076	-	Proposed layout of SLR with AC compartment for PWD	AL
CG-K6077	-	Notice inside the first bay of GS coach	A3
CG-K6078	2	Arrangement of bracket for bogie support frame cum 18/25 kw alternator	A3
CG-K6080	1	Bracket for bogie support frame cum 18/25 kw alternator	A3
CG-K6081 Sheet-1 Sheet -2	-	Secondary energy absorber	A3
CG-K6082	-	Proposed layout of second class cum luggage and brake Van with AC compartment for person with disability	A3
CG-K6083	-	Locations of strain gauge on pressed section underframe for squeeze test of GSCN coach (BEML)	A3
CG-K6084	1	SS lavatory Pan	A2
CG-K6085	1	SS wall protector	A2
CG-K6086	-	Layout of Integrated communication coach (ICC)	AL
CG-K6098	-	Proposed layout of AC DD chair car height 4381 mm permitted MMD of Garib Rath	A2
CG-K6099	-	Solid forged wheel rough turned for MG coach	A2
CG-6100	-	Body bolster complete for SLR coach	A3
CG-K6101	1	Layout of rail bounded maintenance vehicle	A3
CG-K6103	1	Self lubricating guide bush for Capsule Type Shock Absorber	A3
CG-K6104	-	Proposed layout of luggage, guard, disabled and AC 3tier with one end vestibule	AL
CG-K6106	1	Axle finish turned for 700 HP DMU with roller suspension bearing	A1
CG-K6110	-	Proposed layout of AC-1st-cum-AC-3tier coach in Garib Rath Profile with enhanced seating capacity (Proposal-I)	AL
CG-K6111	-	Proposed layout of AC-3tier sleeper (4381 mm high) for Garib Rath (EOG)	AL
CG-K6112	-	Proposed layout of high capacity SCN coach.	AL
CG-K6113	-	Proposed layout of high capacity FAC coach	AL
CG-K6115	-	Bracket for bogie support frame for AC coaches	A3
CG-K6117	-	Support complete for sliding door in luggage compartment of SLR coach	A3
CG-K6118	-	Proposed layout of AC-3 tier-cum-AC-2 tier coach in Garib Rath Profile	AL
CG-K6124	3	Injection module silent block for Anchor Link	A4
CG-K6125	-	Door Frame complete for luggage compartment in SLR Coaches	A1
CG-K6126	-	Top support angle complete for sliding door of SLR coaches	A3
CG-K6127	-	Luggage door profiles for SLR coaches	A3
CG-K6128	-	Fixing arrangement of door frame and support complete for sliding door in SLR coaches	A1
		Year - 2007	
CG-K7001	-	Proposed layout of enhanced capacity Ist AC coach (Three coupe, four berther) (EOG)	AL

CG-K7002	-	Proposed layout of enhanced capacity Ist AC coach (Three coupe, four berther) (Self Generation)	AL
CG-K7003	-	Proposed layout of enhanced capacity AC 3-Tier with mini pantry (4381 mm height) (EOG)	AL
CG-K7004	-	Proposed layout of enhanced capacity AC 3-Tier (4381 mm height) (SG)	AL
CG-K7005	-	Proposed layout of enhanced capacity AC 2-Tier sleeper coach (Self Generation)	AL
CG-K7006	-	Proposed layout of enhanced capacity AC 3-Tier cum AC 2-Tier sleeper coach (4381 mm height) (EOG)	AL
CG-K7007	-	Proposed layout of AC DD chair car (4530 mm height)	AL
CG-K7008	-	Proposed layout of enhanced capacity AC 3-Tier Cum 2-Tier Coach (SG)	AL
CG-K7022	-	Proposed layout of enhanced capacity AC 3-Tier Cum 2-Tier coach (SG) ICF/RCF	A2
CG-K7025	-	Proposed layout of enhanced capacity AC 3-Tier Cum Luggage & Brake Van with Accommodation for PWD's (Self Generation)	AL
CG-K7030	-	Proposed layout of AC Double Decker with fixed chairs arrangement (4530 mm height)	AL
CG-K7031	-	Proposed layout of AC Double Decker with Push Back Rest chair arrangement (4530 mm height)	AL
CG-K7033	-	Proposed layout of enhanced capacity Sleeper Coach (4025mm Height)	AL
CG-K7034	-	Layout of Sleeper Coach with Retrofitted Longitudinal Middle Berths	AL
CG-K7035	-	Layout of enhanced capacity EOG AC 3-Tier Sleeper Coach (4250 mm height)	AL
CG-K7036	-	Layout of enhanced capacity SG AC 3-Tier Sleeper Coach (4250 mm Height)	AL
CG-K7037	-	Layout of EOG AC 3-Tier Sleeper coach with Retrofitted Longitudinal Middle Berths	AL
CG-K7038	-	Layout of Enhanced Capacity EOG AC 3-Tier with Mini Pantry (4250mm Height)	AL
CG-K7039	-	Layout of SG AC 3-Tier Sleeper coach with Retrofitted Longitudinal Berths	AL
CG-K7040	1	Strap Assembly for Longitudinal Middle Berth	A3
CG-K7041	3	Seats & Berths Arrangement on Longitudinal Side for AC 3-Tier coach (With 3 Berths on Longitudinal side)	A1
CG-K7042	-	Longitudinal Middle Berth with Sheet Metal Base Frame and Integral Cushion with Rexine	A1
CG-K7043	-	Longitudinal Middle Berth with Sheet Metal Best Frame for ACCN	A1
CG-K7044	1	Cushion Arrangement for Retrofitment on Single for GS Coaches	A2
CG-K7045	-	Stopper	A3
CG-K7046	-	Hinge Bracket Arm (Common for ACCN & SCN)	A2
CG-K7047	2	Suspension Bracket for Longitudinal Upper Berth	A1
CG-K7048	-	Backrest Cum Berth(long) for ACCN coach ICF/RCF	A1
CG-K7049	-	Backrest Cum Berth(Short) for ACCN coach ICF/RCF	A1
CG-K7050	-	Composite Hinge Bracket Arm for longitudinal middle & upper berth	A2
CG-K7051	-	Longitudinal Upper Berth with sheet metal base frame and integral foam with rexine for SCN coach	A1
CG-K7052	-	Longitudinal Middle Berth for SCN Coach (Sheet metal type)	A1
CG-K7053	-	Safety Strap for SCN Coach	A2
CG-K7054	-	Longitudinal Upper Berth complete	A1
CG-K7055	-	Frame for Longitudinal Upper Berth complete	A1
CG-K7056	2	Longitudinal Middle Berth for SCN Coach	A1
CG-K7057	-	Frame for Longitudinal Middle Berth for SCN Coach	A1
CG-K7058	-	Hook assembly	A4
CG-K7059	-	Longitudinal Middle Berth for ACCN Coach with Sq. Tube Frame	A1
CG-K7060	-	Frame for Longitudinal Middle Berth for ACCN Coach	A1
CG-K7061	-	Cushioned seat for GS	A3
CG-K7062	-	Cushioned Back Rest for 4 Seater in GS coaches	A3
CG-K7063	-	Cushioned single seat for GS coach (with existing frame)	A3
CG-K7064	-	Bracket for Upper berth Mounting for SCN Coaches (Longitudinal Side Three Berther)	A2
CG-K7065	2	Seat and Berth arrangement for Retro-fitment of Longitudinal berth in SCN coach	A1
CG-K7066	1	Stopper for middle berth on longitudinal side for SCN coach	A3
CG-K7067	1	Layout of EOG AC track recording staff car (LHB Type)	A3
CG-K7068	1	Layout of track recording car (LHB Type)	A3
CG-K7069	-	Proposed Layout of Brake Luggage & Generator Car with high capacity DG set with modified Radiator Arrangement	A1
CG-K7070	-	Seat and Berth Arrangement on Longitudinal Side for SCN Coach (with 3 Berth on Longitudinal side)	A1
CG-K7072	-	Longitudinal Middle Berth for ACCN	A1
CG-K7073	-	Longitudinal Middle Berth for SCN	A1
CG-K7074	1	Cushioned Back Rest for GS coach	A2
CG-K7075	1	Cushion Transverse seat for GS Coach (Retro-fitment of Existing arrangement)	A1
CG-K7076	1	Cushioned backrest for GS coach (Single side) Retrofitted with existing arrangement)	A2

CG-K7077	-	Cushioned seat (4 Seater) for GS	A1
CG-K7078	-	Frame for Cushioned seat (4 Seater) of GS coach	A1
CG-K7079	-	Frame for Cushioned seat (4 Seater) of GS coach	A3
CG-K7080	-	Cushioned backrest (4 seater) for GS coach	A1
CG-K7081	-	Frame for cushioned backrest (4 seater) for GS coach	A1
CG-K7082	-	Cushioned seat (4 Seater) for GS	A1
CG-K7083	-	Backrest frame (for 4 seater for GS coach)	A1
CG-K7084	-	PU foam for backrest (4 Seater)	A3
CG-K7085	-	Proposed layout of enhanced capacity SG AC-I cum AC 3-Tier Sleeper	A1
CG-K7086	-	Cushioned backrest (Single seat) for GS coach	A1
CG-K7087	-	Cushioned single set for GS coach	A1
CG-K7088	-	Single seat frame for GS coach	A1
CG-K7089	-	Backrest(Single Seat) frame for GS Coach	A1
CG-K7090	-	Proposed layout of enhanced capacity EOG AC 3-Tier with mini pantry (4250 mm height)	AL
CG-K7091	-	Proposed layout of high capacity parcel van without collapsible door & luggage racks	AL
CG-K7092	-	Proposed layout of enhanced capacity SG AC-3tier –cum-AC 2-tier sleeper (Proposal-I)	AL
CG-K7093	-	Proposed layout of enhanced capacity SG AC-3tier –cum-AC 2-tier sleeper (Proposal-II)	AL
CG-K7094	-	Proposed layout of enhanced capacity AC-3tier –cum-luggage & brake van with accommodation for PWD's passenger	AL
CG-K7095	3	Handles for Hook	A4
CG-K7096	-	Proposed layout of Second Class cum Luggage & Brake Van with Accomodation for PWD's	AL
CG-K7099	-	Proposed layout of enhanced capacity Sleeper Coaches	AL
CG-K7100	2	Numbering of Seats & Berths in Retrofitted Longitudinal Middle Berths AC 3-Tier & Sleeper coaches	A1
CG-K7101	-	Proposed Layout of II AC Double Descker Chair Car	A1
CG-K7102	-	Layout of Stainless steel modular toilet	A1
CG-K7103	-	Layout of Stainless steel modular toilet assembly with Pan and outside wash basin	A1
CG-K7104	-	Stainless steel modular toilet assembly with commode (Elect cubicle side)	A1
CG-K7105	-	Stainless steel modular toilet assembly with Pan (Elect cubicle side)	A1
CG-K7106	-	Arrangement of opaque Poly Ccorbonate and Polycarbonate Mirror of coupe sliding door for Ist AC Coaches	A3
CG-K7109	-	Enlarged View of Mounting Angle, Base Plate & Stopper for SCN Coach as shown in Drg CG-K7005	A3
CG-K7110	-	Enlatged Vie of Base Plate Mounting and Stopper for AC 3-Tier Coach as shown in Drg. CG-K7041 alt.3	A3
CG-K7111	-	Proposed layout of Enhanced Capacity SG AC 3-Tier with Mini Pantry (with underslung inverter) 4250 mm Height)	AL
CG-K7112	2	Longitudina Middle Berth for ACCN Coach with Sq. Tube Frame	A1
CG-K7113	-	Transverse Upper/Middle Berth and Longitudinal Upper Berth for ACCN Coach	A1
CG-K7114	-	Hinge Arm Bracket	A1
CG-K7115	-	Bracket for Upper Berth	A3
CG-K7116	1	Seat & Berth Arrangement on Long Side for AC 3-Tier Coach (for Retrofitment on Existing Coaches)	A1
CG-K7117	-	Location for Back Piece for ACCN Coach with Longitudinal Middle Berth	A3
CG-K7118	1	Tank Assembly for Environment Friendly Toilet System	A1
CG-K7119	-	Racks & Stocing Arrangement of Equipments	A4
CG-K7120	1	Frame for Longitudinal Middle Berth for ACCN Coach	A1
CG-K7121	-	Injection Moulded Silent Block	A3
CG-K7122	-	Location og Back Piece for SCN with Longitudinal Middle Berth	A3
CG-K7123	-	Repair of Solebar at Body bolster (700 HP DMU Stock)	A3
CG-K7124	-	Repair of Solebar at Doorways (700 HP DMU Stock)	A3
CG-K7125	-	Camber measuring Arrangement (700 HP DMU Stock)	A4
CG-K7126	-	Recambering Procedure (700 HP DMU Stock)	A4
CG-K7127	-	Roof Lifting Arrangement (700 HP DMU Stock)	A4
CG-K7128	-	Camber for Measuring Locations (700 HP DMU Stock)	A4
CG-K7129	-	Heat Treatment Process (700 HP DMU Stock)	A4
CG-K7130	-	Fitments Details of Flap for Longitudinal Middle Berth for SCN ACCN Coach	A3
CG-K7131	1	Injection moulded thermoplastic polyester elastomer axle box cover	A1
CG-K7132	1	Cushioned Seat (4-Seater) for GS Coach	A1
CG-K7133	1	Cushioned Seat Frame (4-Seater) for GS Coach	A1
CG-K7134	-	Cushion Cushioned Seat (4-Seater) for GS Coach	A3
CG-K7135	1	Cushioned Backrest (4 Seater) for GS Coach	A1

CG-K7136	-	Backrests Frame (4 Seater) for GS Coach	A1
CG-K7137	-	Cushion for Backrest (4 Seater) of GS Coach	A3
CG-K7138	2	Cushioned Single Seat for GS Coach	A1
CG-K7139	2	Single Seat Frame for GS Coach	A1
CG-K7140	-	Cushioned Backrest (Single Seat) for GS Coach	A1
CG-K7141	-	Backrests Frame (Single Seat) for GS Coach	A1
CG-K7143	-	Welding sequence. (700 HP DMU Stock)	A4
CG-K7148	1	Layout of 1st class chair car (with aisle and vestibule).	AL
CG-K7149	1	Layout of 1st class chair car (without aisle and vestibule).	AL
CG-K7150	1	Layout of 2nd class coach (with aisle and vestibule)	AL
CG-K7151	1	Layout of 2nd class coach (without aisle and vestibule)	AL
CG-K7152	1	Layout of 2nd class-cum-guard (with vestibule)	AL
CG-K7153	1	Layout of 2nd class-cum-guard (without aisle and vestibule)	AL
CG-K7154	1	Layout of lounge/dining car (with vestibule)	AL
CG-K7155	1	Layout of saloon with balcony	AL
CG-K7158	-	Seat and berth arrangement	A1
CG-K7159	-	Longitudinal middle berth	A1
CG-K7160	-	Frame for longitudinal middle berth	A1
CG-K7161	-	Suspension strap	A2
CG-K7162	-	Chain assembly	A2
CG-K7163	-	Hinged armed bracket (LH)	A2
CG-K7164	1	Hinged armed bracket (RH)	A2
CG-K7165	-	Bearing bracket	A2
CG-K7167	-	Evacuation system for EFT (Environment Friendly Toilet) system.	A1
CG-K7168	1	Location for fixing/mounting of LED display destination board for IR coaches.	A3
CG-K7169	1	Tank Stainless Steel.	A1
CG-K7170	-	Filter Box.	A2
CG-K7171	-	Flapper Valve manual operating.	A2
CG-K7172	1	Solid liquid separator.	A2
CG-K7173	-	Trap arrangement.	A2
CG-K7174	-	Memberane Filter.	A2
CG-K7175	-	Rubber packing.	A2
CG-K7176	-	Sealing rubber	A3
CG-K7177	-	Wire mesh for filter box environment friendly toilet system	A2
CG-K7178	-	Sealing rubber for top cover	A2
CG-K7179	-	Layout of High Capacity motor cum parcel van (with 16.25t axle bogie)	A3
CG-K7180	-	Proposed layout of IInd class cum luggage & braka Van with AC & Non AC compartment for PWD's	A3
CG-K7181	-	Bracket for main compressor mounting (EMU stock)	A3
CG-K7184	-	Roof mounted air conditioning package unit (RMPU) for trailer coach C for ac EMU stock	A1
CG-K7185	-	Roof mounted air conditioning package unit (RMPU) for trailer coach D for ac EMU stock	A1
CG-K7186	-	Roof mounted air conditioning package unit (RMPU) for motor coach B for ac EMU stock	A1
CG-K7187	-	Frame for transverse upper/middle and longitudinal upper berth	A1
CG-K7188	1	Transverse upper/middle and longitudinal berth for ACCN coach	A1
CG-K7189	-	Proposed layout of air conditioned tourist car with dining arrangement	A1
CG-K7190	-	Proposed layout of air conditioned sleeper tourist car	A1
CG-K7191	-	Proposed layout of non-air conditioned sleeper tourist car	A1
		YEAR - 2008	
CG-K8001	-	Strap assembly with housing for longitudinal middle berth	A3
CG-K8002	-	Housing complete	A3
CG-K8003	-	Frame for transverse upper/middle and longitudinal upper berth for SCN coach	A1
CG-K8004	1	Transverse upper/middle and longitudinal upper berth for SCN coach	A1
CG-K8005	-	Environment Friendly Toilet waste collection tank	A1
CG-K8006	-	Coach profile and maximum moving dimension for BEML coaches	A4
CG-K8007	-	Layout of Power Car with Pantry Car & Linen Compartment (for Garib Rath)	A3

CG-K8008		Layout of II Class 3-tier Sleeper cum Pantry Coach	A1
CG-K8009	-	Frame of longitudinal middle berth for ACCN Coach	A1
CG-K8010	-	Longitudinal middle berth with tube frame	A1
CG-K8011		Frame for longitudinal middle berth for SCN coach	A1
CG-K8012		Longitudinal middle berth for SCN coach	A1
CG-K8013	-	Frame complete for lower seat (with 15 kg. modular berth) of ACCN coach.	A2
CG-K8014	-	Lower seat/ berth arrangement on transverse side for AC3 tier coach.	A1
CG-K8015	-	Sliding Seat arrangement for ac 3-tier coach (option-1)	A3
CG-K8016	-	Sliding Seat carrier for ACCN coach	A3
CG-K8017	-	Channel Assembly	A3
CG-K8018	-	Sliding Seat arrangement for ac 3-tier coach (option-2)	A1
CG-K8019	-	Channel Assembly	A3
CG-K8020	-	Layout of Second Class Cum Luggage & Brake Van with Accommodation for PWD's Passengers (ICF/RCF Coaches)	A3
CG-K8021	-	Catch arrangement for backrest for sliding seat	A3
CG-K8025	-	Body Bolster Assembly for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8026	-	Channel Complete for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8027	-	Centre tube for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8028	-	Channel for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8029	-	Rib for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8030	-	Rib for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8031	-	Bottom plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8032	-	Door Cut out assembly for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8033	-	Collar for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8034	-	Collar top plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8035	-	Collar Bottom plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8036	1	Center sill LH for Crashworthy LHB Coaches with ICF Bogie	A2
CG-K8037	1	Center sill RH for Crashworthy LHB Coaches with ICF Bogie	A2
CG-K8038	1	Center sill Bottom plate for Crashworthy LHB Coaches with ICF Bogie	A2
CG-K8039	1	Center sill top plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8040	1	Center sill cover plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8041	1	Plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8042	-	Reinforcement plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8043	1	Longitudinal Member (LH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8044	1	Longitudinal Member (RH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8045	1	Bottom plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8046	1	Bottom plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8047	2	Longitudinal Member (LH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8048	2	Longitudinal Member (RH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8049	1	Bottom flange for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8050	1	Cross Member (LH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8051	1	Cross Member (RH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8052	2	Cross Member (LH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8053	2	Cross Member (RH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8054	1	Cross Member (LH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8055	1	Cross Member (RH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8056	2	Cross Member (LH) for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8057	2	Cross Member RH for crashworthy LHB coaches with ICF bogie.	A3
CG-K8058	-	Cross Member LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8059	-	Cross member RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8060	2	Cross member LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8061	2	Cross member RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8062	1	Cross member LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8063	1	Cross member RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8064	1	Cross member LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8065	1	Cross member RH for Crashworthy LHB Coaches with ICF Bogie.	A3

CG-K8066	1	Cross member LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8067	-	Cross member RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8068	1	Longitudinal Member for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8069	1	Plate for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8070	-	Plate for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8071	-	Plate for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8072	-	End Plate LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8073	-	End Plate RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8074	2	Top Plate LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8075	2	Top Plate RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8076	1	Top Plate LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8077	1	Top Plate RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8078	2	Top Plate for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8079	1	Top Plate for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8080	-	Top Plate for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8081	-	Top Plate LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8082	-	Top Plate RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8083	2	Top Plate LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8084	2	Top Plate RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8085	-	Top Plate LH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8086	-	Top Plate LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8087	-	Top Plate RH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8088	2	Middle Plate LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8089	2	Centre Sill Arrangement for crashworthy LHB Coaches with ICF Bogie.	A2
CG-K8090	1	Middle Plate for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8091	1	Middle Plate LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8092	1	Middle Plate RH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8093	2	Bottom Plate LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8094	2	Bottom Plate RH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8095	1	Bottom Plate for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8096	-	Bottom Plate LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8097	2	Undeform end structure assembly for crashworthy LHB Coaches with ICF Bogie (2 Sheets)	A3
CG-K8098	-	Bottom Plate LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8099	-	Bottom Plate RH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8100	1	Bottom Plate LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8101	1	Bottom Plate RH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8102	1	Longitudinal Member complete LH for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8103	1	Longitudinal Member complete RH for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8104	2	Longitudinal Member complete LH for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8105	2	Longitudinal Member complete RH for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8106	1	Longitudinal Member complete LH for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8107	1	Centre Sill Complete RH for crashworthy LHB Coaches with ICF Bogie.	A2
CG-K8108	2	Undeform end assembly for crashworthy LHB Coaches with ICF Bogie (2 Sheets)	A1
CG-K8111	-	Storage Tank for environment friendly toilet system	A1
CG-K8112	1	Layout of II ac double decker chair car with reclining chairs (Sitting capacity 92 passengers)	A1
CG-K8113	-	Proposed layout of II ac double decker chair car with fixed garib rath type chairs (Sitting capacity 114 passengers)	A2
CG-K8114	-	End solebar LH for crashworthy LHB Coaches with ICF Bogie	A3
CG-K8115	-	End solebar RH for crashworthy LHB Coaches with ICF Bogie	A3
CG-K8116	-	Covering sheet for crashworthy LHB Coaches with ICF Bogie	A3
CG-K8117	-	End sole bar Complet LH for crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8118	-	End sol bar Complete RH for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8119	2	Angle for Crashworthy LHB Coaches With ICF bogie.	A2
CG-K8120	-	Top plate LH for Crashworthy LHB Coaches with icf bogie	A2
CG-K8121	1	Cross member for crashworthy LHB Coaches ICF bogie.	A2
CG-K8122	1	Cross member for Crashworthy LHB Coaches With ICF Bogie	A2

CG-K8123	1	Cross member for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8124	1	Cross member for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8125	1	Cross member for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8126	1	Cross member for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8127	1	Cross member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8128	1	Cross member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8129	-	Top plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8130	1	Bottom plate for Crashworthy LHB Coaches with ICF Bogie	A3
CG-K8131	1	Member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8132	-	Member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8133	-	Member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8134	1	Member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8135	1	Member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8136	2	Underframe frame work assembly for Crashworthy LHB Coaches With ICF Bogie	A1
CG-K8137	-	Member for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8138	-	Top plate R.H. for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8139	-	Top plate L.H. for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8140	-	Top plate R.H. for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8141	1	Bottom plate for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8142	1	Bottom plate for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8143	1	Top plate for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8144	1	Top plate for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8145	1	Middle doorway stiffening arrgt. for Crashworthy LHB Coaches With ICF Bogie	A1
CG-K8146	-	Web for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8147	-	Connection sheet for Crashworthy LHB Coaches With ICF Bogie	A3
CG-K8148	1	Member for Crashworthy LHB Coaches With ICF Bogies	A3
CG-K8149	-	Adaptor for flapper valve of environment friendly toilet system	A2
CG-K8150	-	Biodigester with bottle catcher	A1
CG-K8151	1	Cross member for Crashworthy LHB coaches with ICF bogie	A2
CG-K8152	1	Self lubricating polyester resin composite based wearing piece for side bearer	A3
CG-K8153	-	Transverse upper/middle berth of ACCN coaches (78-Berther)	A1
CG-K8154	-	Frame for transverse upper/middle berth of ACCN Coaches (78-Berther)	A1
CG-K8155	-	Longitudinal upper berth of ACCN Coaches (78-Berther)	A1
CG-K8156	-	Frame for longitudinal upper berth of ACCN Coaches (78-Berther Coach)	A1
CG-K8157	1	Member for Crashworthy LHB Coaches with ICF Bogie.	A3
CG-K8158	-	Space envelope for existing primary suspension of main line ICF (BG) Bogie	A4
CG-K8159	-	Exterior colour scheme of AC track Recoding Car and AC track Recoding staff Car	A3
CG-K8160	1	Layout of AC 3-Tier SG Coach LHB shell on ICF bogie with air spring	A1
CG-K8161	-	Layout of AC Ist-Class SG Coach LHB shell on ICF bogie with air spring	A1
CG-K8162	1	Layout of AC 2-Tier SG Coach LHB shell on ICF bogie with air spring	A1
CG-K8163	-	Layout of GS Coach LHB shell on ICF bogie with air spring	A1
CG-K8164	-	Layout of Second class cum Luggage & Brake Van(DSLR) Coach	A1
CG-K8165	1	Layout of Second class 3-Tier SCN Coach LHB shell on ICF bogie with air spring	A1
CG-K8166	-	Layout of high Capacity parcel van	A1
CG-K8167	-	Layout of composite coach AC-2Tier AC-3Tier	A1
CG-K8168	-	Layout of composite coach FAC AC-3	A1
CG-K8169	-	Layout of composite coach FAC AC- 2TIER	A1
CG-K8170	-	Layout of second Class AC chair car LHB Shell on ICF Bogie with air spring	A1
CG-K8171	-	Layout of high capacity motor- cum Parcel Van with end doors (with LHB shell on ICF Bogie)	A1
CG-K8172	-	Roof flange LH for LHB Coaches with ICF bogie	A3
CG-K8173	-	Roof flange RH for LHB Coaches with ICF bogie	A3
CG-K8174	-	Member LH for LHB Coaches with ICF bogie	A3
CG-K8175	-	Member RH for LHB Coaches with ICF bogie	A3
CG-K8176	-	Member for LHB Coaches with ICF bogie	A3
CG-K8177	-	Member LH for LHB Coaches with ICF bogie	A3

CG-K8178	-	Member RH for LHB Coaches with ICF bogie	A3
CG-K8179	-	Member LH for LHB Coaches with ICF bogie	A3
CG-K8180	-	Member RH for LHB Coaches with ICF bogie	A1
CG-K8181	1	End side wall frame work LH for LHB Coaches	A1
CG-K8182	1	End side wall frame work RH for LHB Coaches	A1
CG-K8183	1	End side wall complete LH for LHB Coaches	A1
CG-K8184	1	End side wall complete RH for LHB Coaches	A1
CG-K8185	-	End wall sheet middle for GS Coaches with ICF bogie	A3
CG-K8186	-	End wall sheet LH for GS Coaches with ICF bogie	A3
CG-K8187	-	End wall sheet RH for GS Coaches with ICF bogie	A3
CG-K8188	-	End wall sheet top for GS Coaches with ICF bogie	A3
CG-K8189	-	Member assembly for GS Coaches with ICF bogie	A3
CG-K8190	-	Member for GS Coaches with ICF bogie	A3
CG-K8191	-	Member for GS Coaches with ICF bogie	A3
CG-K8192	2	Lay out of second Class sleeper cum Pantry coach	A1
CG-K8193	-	Layout of second class cum person with Disability Gaurds Compartment	A1
CG-K8194	-	Outer door assembly for ICF type coaches	A1
CG-K8195	-	Rectification and Strength of Cracked Body solster of motor	A1
CG-K8196	-	Proposed Maximum mouving dimensions for LHBType double coach	A3
CG-K8197	-	Strain Gauge Locations on Under Frame of prototype Ac tier c LHB Variant Coachs	A3
CG-K8198	-	Istrain Gauge Location on Coach Body and side wall strcchre of pratotyte AC twotir LHB Variant coach	A3
CG-K8199	-	Strain Gauge Location on End wall of prototype Ac two tier	A3
CG-K8200	-	Strain Gauhe Locations on Roof of pretotype AC two tier LHB	A3
CG-K8201	-	Deflection Measure ment L0cation on under frame of prototypes Ac two tier LHB Variant coach	A3
CG-K8202	-	Layout of Lavatories for AC coaches	A3
CG-K8203	-	Lavatory general arrangement with ss panel.	A1
CG-K8204	1	Lavotry genral arrangement with ss panel Indian style.s	A1
CG-K8205	1	Lavotry general Arrangement with ss Panele western Lav0try	A1
CG-K8206	-	Wastebin arrangement for ICF type coaches on end wall	A1
CG-K8207	1	Forse flow diagram of Balanced Draft gear	A4
CG-K8208	-	Wastebin arrangement on end wall for LHB type coaches	A1
CG-K8209	-	Top plate L.H. for Crashworthy LHB Coaches With ICF Bogie	A2
CG-K8210	-	Mobile lift arrangement for PWD's	
CG-K8211 Sheet1 Sheet2	-	Proposed layout of EOG twin car saloon for H.E. President of India (Car-A) Sheet 1&2	Lay
CG-K8213	1	Derlin Liner for Axle Box seating (Main Line Coaches)	
CG-K8214	-	Layout of second class cum luggage and brake van (DSLRL) LHB shell on ICF bogie	A1
CG-K8215	-	Layout of second class cum luggage and brake van (DSLRL) LHB shell on ICF bogies with air spring	A1
CG-K8216	-	Layout of second class sleeper cum AC Pantry Coach LHB shell on ICF bogies with air spring	A1
CG-K8217	-	DRDE tank with bottle catcher and separator	A1
CG-K8218	-	DRDE tank mounting arrangement	A1
CG-K8219	-	DRDE tank mounting arrangement	A1
CG-K8220	-	Member LH for GS coaches with ICF bogie	A1
CG-K8221	-	Member RH for GS coaches with ICF bogie	A1
CG-K8222	-	End wall plate LH for GS coaches with ICF bogie	A1
CG-K8223	-	End wall plate RH for GS coaches with ICF bogie	A3
CG-K8224	-	End wall pillar LH for GS coaches with ICF bogie	A1
CG-K8225	-	End wall pillar RH for GS coaches with ICF bogie	A1
CG-K8226	-	End wall pillar LH for GS coaches with ICF bogie	A3
CG-K8227	-	End wall pillar RH for GS coaches with ICF bogie	A3
CG-K8228	-	End wall pillar LH for GS coaches with ICF bogie	A3
CG-K8229	-	End wall pillar RH for GS coaches with ICF bogie	A3
CG-K8230	-	Channel for GS coaches with ICF bogie	A3

CG-K8231	-	Bottom sheet LH for GS coaches with ICF bogie	A3
CG-K8232	-	Bottom sheet RH for GS coaches with ICF bogie	A3
CG-K8233	-	End wall complete GS coaches with ICF bogie	A3
CG-K8234	-	End roof cross member for GS coaches with ICF bogie	A1
CG-K8235	-	Carline complete for side wall for GS coaches with ICF bogie	A1
CG-K8236	-		
Year 2009			
CG-K9001	-	Layout of second class cum luggage and brake van with AC and non-AC compartment for PWD's	A1
CG-K9002	-	Layout of SDC coach with LHB shell on ICF bogies with air spring	A1
CG-K9003	-	Layout of AC-3T sleeper cum AC pantry coach LHB shell ICF bogies	A1
CG-K9005	-	Underframe complete for high capacity parcel van (LHB Type)	A1
CG-K9006	-	Frame complete for high capacity parcel van (LHB Type)	A1
CG-K9013	1	DRDE tank mounting arrangement	A1
CG-K9014	3	DRDE tank with bottle catcher and separator	A1
CG-K9015	-	Rib	A3
CG-K9016	-	Profile	A3
CG-K9017	-	Angle LH for GS coaches ICF bogie	A3
CG-K9018	-	Angle RH for GS coaches ICF bogie	A3
CG-K9019	-	End roof angle LH for GS coaches with ICF bogie	A3
CG-K9020	-	End roof angle RH for GS coaches with ICF bogie	A3
CG-K9021	-	End roof angle LH for GS coaches with ICF bogie	A3
CG-K9022	-	End roof angle RH for GS coaches with ICF bogie	A3
CG-K9023	3	Space envelop for Bio-toilet tank standard & mounting arrangement	A1
CG-K9024	-	Layout of high capacity motor cum parcel van with end doors with LHB shell on Fiat bogies	A1
CG-K9025	4	Bio toilet tank for ICF and RCF type coaches	A1
CG-K9026	3	Top covering plate for bio toilet tank	A1
CG-K9027	-	Flopper valve for DRDE type biotoilet for conventional coaches	A1
CG-K9028	2	Adaptor for flopper valve of bio toilet tank	A3
CG-K9029	3	P Tap Arrangement for bio toilet	A1
CG-K9030	3	Sealing rubber for bio toilet tank	A3
CG-K9031	2	Filter mesh for biotoilet tank	A3
CG-K9032	3	Chlorine filter for bio toilet	A3
CG-K9033	-	Hytrel ring for roller bearing arrangement	A3
CG-K9034	-	Frame work complete for undrframe of high capacity parcel van with LHB shell and fiat bogie.	A1
CG-K9035	-	Member-1	A3
CG-K9036	-	Member-2	A3
CG-K9037	-	Covering Plate	A3
CG-K9038	-	Angle	A3
CG-K9039	-	Profile	A3
CG-K9040	-	Rib for coaches with ICF bogie	A3
CG-K9041	-	Sill complete for LHB coaches with ICF bogie	A1
CG-K9042	-	Final roof element compmplete LH for GS coaches with ICF bogie	A1
CG-K9043	-	Final roof fitment compmplete RH for GS coaches with ICF bogie	A1
CG-K9044	1	Angle RH for LHB type coaches with ICF bogie	A1
CG-K9045	-	Angle LH for LHB type coaches with ICF bogie	A3
CG-K9046	-	Angle RH for LHB type coaches with ICF bogie	A3
CG-K9047	1	Bottom plate for LHB type coaches with ICF type Bogie	A3
CG-K9048	-	Layout of High Capacty Motor cum Parcel Van with end doors (LHB Shell on ICF bogies)	A1
CG-K9051	-	Body side windows arrangement for second class Hybrid Coach (Size 610X760mm)	A1
CG-K9052	-	Window Guide Frame (Bottom & Top) for Body side windows (Size 610X760mm)	A2
CG-K9055	-	Emergency openable window for second class hybrid coaches (Size 610X760mm)	A1
CG-K9056	-	Window Guide Frame (Bottom & Top) for Emergency openable windows (Size 610X760mm)	A2
CG-K9057	-	Modification sketch to utilise Longitudinal middle berth as longitudinal and tranverse upper berth	A1
CG-K9058	-	Modification in long middle berth to utilise as tranverse cushioned seat for GS coaches	A1

CG-K9060	-	Space envelope for brake container for hybrid coaches	A3
CG-K9061	-	Location of equipments port on brake control panel for hybrid coaches	A1
CG-K9063	-	Layout of second class cum luggage and brake van (DSLRL) with underslung power pack	A1
CG-K9065	-	Layout of second class cum luggage and brake van with on board bulk converter and diesel engine underslung	A1
CG-K9066	-	Layout of second class cum luggage and brake van without on board bulk converter (HOG) and diesel engine underslung	A1
CG-K9067	-	Layout of second class cum luggage and brake van (SLR)	A1
CG-K9068	-	Layout of second class cum luggage and brake van (SLR) LHB shell on ICF bogies	A1
CG-K9069	-	Schematic layout of panel mounted air brake system for hybrid coaches	A2
CG-K9070	-	Layout of power car with AC 3 tier sleeper for HOG system with converter panel LHB coach	A1
CG-K9071	-	Layout of power car with AC 3 tier sleeper for HOG system without converter panel LHB coach	A1
CG-K9072	-	Layout of second class chair car (Non-AC) LHB shell on ICF bogies	A1
CG-K9079	-	Proposed Layout of second class cum luggage with PWD's compartment for HOG system without bulk converter	A1
CG-K9080	-	Layout of power car cum guard's compartment cum luggage & AC 3 tier sleeper with bulk converter for HOG system LHB coaches	A1
CG-K9082	-	Waste bin Arrangement on End wall (LHB type)	A1
CG-K9085	-	Block hanger (Modified) for bogie frame	A3
CG-K9086	2		
CG-K9087	3		
CG-K9088	1		
CG-K9089	2		
CG-K9090	3	Tank Part 5 for Bio Toilet tank	A1
CG-K9091	3	Tank Part 6 for Bio Toilet tank	A1
CG-K9092	4	Tank Part 7 for Bio Toilet tank	A1
CG-K9093	2		
CG-K9094	3	Lower Suspension Bracket for Bio toilet tank	A1
CG-K9096	-	Space envelope & standard mounting arrangement for hybrid coaches	A1
CG-K9097	-	Space envelope & standard mounting arrangement for LHB type coaches	A1
CG-K9099	-	Proposed Waste bin Arrangement on LHB type end wall (LHB shell on ICF bogies)	A1
CG-K9100	-	Detailed layout of II ac double decker chair car (EOG) with reclining chairs (Sitting capacity with 105 passengers)	A1
CG-K9102	-	Cross section of floor for upper deck & lower deck (II AC double decker chair car EOG type LHB Coaches)	A3
CG-K9103	-	Proposed layout of trailer coach with toilet (DEMU Stock)	A3
CG-K9104	-	Proposed layout of trailer coach with toilet (MEMU Stock)	A3
CG-K9105	-	End wall complete for double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9106	-	End wall roof arch complete for double decker coaches (Crashworthy LHB type coaches)	A2
CG-K9107	-	End wall Pillars for double decker coaches (Crashworthy LHB type coaches)	A2
CG-K9108	1	Proposed layout of second AC double decker chair car (EOG) with reclining chair (Sitting capacity 105 passengers)	A1
CG-K9109	-	Undeformed end assembly for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9110	-	Undeformed end structure assembly for LHB coaches with ICF bogie (Crashworthy LHB type coaches)	A1
CG-K9112	-	Centre sill Arrangement for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9113	-	Longitudinal member complete for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9114	1	Proposed layout of high capacity double decker chair car (EOG) (Sitting capacity 136 passengers)	A2
CG-K9115	-	Layout of equipment underframe for AC double decker coaches (LHB type coaches)	
CG-K9116	-	Roof complete for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9117	3	Modified brake block hanger bogie frame	A3
CG-K9118	-	Proposed layout of trailer coach with two toilets (DEMU Stock)	A3
CG-K9119	-	Proposed layout of trailer coach with two toilets (MEMU Stock)	A3
CG-K9120	-	Side wall complete Lower for double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9121	1	Side wall complete Upper for double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9122	-	Side wall complete lavatory side for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9123	-	Friction snubber arrangement in lieu of existing dashpot oil on axle box guide (ICF bogie 13t axle)	A3
CG-K9124	-	Modification on existing axle box guide arrangement to fit friction snubber assembly (ICF bogie 13t axle)	A3
CG-K9125	-	Location of radiography and die penetrant magnetic particle test in frame assembly (HCC Trailer bogie)	A4

CG-K9126	-	Proposed layout of luggage cum brake van (LHB shell on ICF bogie with Air Spring)	A1
CG-K9127	-	Plate for fire barrier for SLR coaches (Main Line Coaches)	A3
CG-K9128	1	Upper deck frame work AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9129	-	Upper deck complete for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9130	-	Proposed layout of generator cum brake van with pantry car (LHB Duronto coach)	A1
CG-K9132	2	Schematic diagram for pipe line arrangement of air suspension for main line ICF coaches fitted with air spring failure indication device (ICF bogie with air spring)	A3
CG-K9133	-	Lower deck frame work for AC double decker coaches (Crashworthy LHB type coaches)	A3
CG-K9134	-	Lower deck complete for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9135	-	Triangular underframe frame work complete for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9136	-	Triangular frame complete for AC double decker coaches (Crashworthy LHB type coaches)	A1
CG-K9137	-	Upper deck complete for AC double decker coaches (Crashworthy LHB type coaches)	A2
CG-K9138	2	Cross member Lower deck complete for AC double decker coaches (Crashworthy LHB type coaches)	A2
CG-K9140	-	Angular solebar complete for AC double decker coaches (Crashworthy LHB type coaches)	A2
CG-K9141	-	Triangular plate complete for AC double decker coaches (Crashworthy LHB type coaches)	A2
CG-K9142	-	Strain gauge locations on underframe (AC double decker coach)	A1
CG-K9143	-	Strain gauge locations on coach body and side wall (AC double decker coach)	A1
CG-K9144	-	Strain gauge locations on end wall (AC double decker coach)	A1
CG-K9145	-	Strain gauge locations on roof (AC double decker coach)	A1
CG-K9146	-	Deflection measurement location on underframe	A1
CG-K9148	-	Layout of 3-coach high speed SPART	A3
CG-K9149	-	Supervisor van (DPC-I)	A3
CG-K9150	-	Medical Van High speed SPART	A3
CG-K9151	-	Tool Van (DPC-II)	A3
CG-K9152	-	Block hanger (modified) for bogie brake (ICF type bogie)	A3
CG-K9154	-	Strain gauge locations on Fiat bogie frame (AC double decker coach)	A1
CG-K9155	-	Proposed layout of second class sleeper cum PWD's and guard compartment (LHB shell on ICF bogies with air spring)	A1
CG-K9156	-	Proposed layout of SCN coach with AC compartment for PWD's (LHB shell on ICF bogies with air spring)	A1
CG-K9157	-	Layout of AC 3-tier EOG coach (LHB Shell on Fiat bogies)	A1
CG-K9158	-	Layout of composite coach (AC-2tier + AC 3-tier) EOG (LHB Shell on Fiat bogies)	A1
CG-K9159	-	Layout of composite coach (FAC + AC 3-tier) EOG (LHB Shell on Fiat bogies)	A1
CG-K9160	-	Layout of 3-tier sleeper coach (EOG) (LHB Shell on Fiat bogies)	A1
CG-K9161	-	Layout of AC first class (EOG) coach (LHB Shell on Fiat bogies)	A1
CG-K9162	-	Layout of AC 2-tier coach (EOG) (LHB Shell on Fiat bogies)	A1
CG-K9163	-	Layout of composite coach (FAC + AC 2-tier) EOG (LHB Shell on Fiat bogies)	A1
CG-K9164	-	Layout of AC chair car (EOG) (LHB Shell on Fiat bogies)	A1
CG-K9165	-	Layout of second class cum person with disability & guards compartment (SRD) EOG	A1
CG-K9166	-	Layout of second class cum luggage and brake Van (DSLRL) EOG (LHB Shell on Fiat bogies)	A1
CG-K9167	-	Layout of AC 3-tier sleeper cum AC pantry coach (LHB Shell on Fiat bogies)	A1
CG-K9168	-	Layout of second class cum luggage and brake van (EOG) with AC & non ac compartment for PWD's (LHB Shell on Fiat bogies)	A1
CG-K9169	-	Layout of second class cum luggage and brake van (EOG) (LHB Shell on Fiat bogies)	A1
CG-K9170	-	Layout of second class non-ac (EOG) chair car) (LHB Shell on Fiat bogies)	A1
CG-K9172	-	Proposed layout of SCN coach with AC and non-ac compartment for PWD's (LHB Shell on Fiat bogies)	A1

YEAR – 2010

CG-10002	1	Underframe end frame work for LHB GS coaches	A1
CG-10003	1	Underframe end frame work for LHB GS coaches	A1
CG-10004	-	Underframe end assembly for LHB GS coaches	A1
CG-10005	1	Underframe work for LHB GS coaches	A1
CG-10006	-	Layout of SG AC 3-tier sleeper coach with PWD ac and non-ac compartment	AL
CG-10007	-	Layout of SG AC 3-tier sleeper coach with PWD non-ac compartment	AL
CG-10008	-	Layout of second class cum luggage and brake van with underslung power pack (LHB Shell on ICF bogies)	AL
CG-10009	-	Proposed layout of AC first class (SG) coach	AL
CG-10010	-	Layout of Second Class cum Luggage and Brake Van With AC & Non AC Compartment for PWD's	A1
CG-10011	-	Proposed layout of AC chair car with PWD's (LHB shell on ICF bogies)	A1

CG-10012	1	Proposed layout of second class non-ac chair car	AL
CG-10013	-	Diagram showing main dimensions and infringement of double decker coach	A2
CG-10014	2	Dynamic profile of proposed MMD (AC double decker coach)	A3
CG-10015	-	Proposed layout of ac first class LHB variant EOG coaches with fiat bogie	A1
CG-10016	1	Alternate mounting arrangement for semi permanent coupler	A3
CG-10017	-	End wall complete for LHB GS coaches	A1
CG-10018	-	Brake cylinder stroke indicator arrangement for ICF type crashworth bogie	A1
CG-10019	-	Outer profile of double decker shell and Garib Rath MMD -1D	A4
CG-10021	-	Self illuminating (LED'S) backlit type pressure gauge (100mm) for brake pipe (to be used in guard's brake van)	A3
CG-10022	-	Self illuminating (LED'S) backlit type pressure gauge (100mm) for feed pipe (to be used in guard's brake van)	A3
CG-10023	-	Marking Diagram & Exterior colour scheme for motor cum parcel van (VPU) –ICF,RCF & BEML Coaches	A3
CG-10024	-	DRDE tank marking arrangement	A1
CG-10025	-	Tank assembly for environment friendly toilet system	A1
CG-10026	-	DRDE tank complete with provision of fitment of solid liquid separator	A1
CG-10027	-	Solid liquid separator for biotoilet	A2
CG-10028	-	Grab handle for BG AC Emu coaches (Motor & Trailer)	A3
CG-10029	-	Proposed layout of second class non ac chair car with Janshatabdi pitching (Fiat Bogie)	AL
CG-10030	-	Proposed layout of second class non ac chair car with Janshatabdi pitching (LHB Shell on Fiat Bogie)	AL
CG-10031	-	Mounting of plate of FIBA device fitted with air suspension in main line coaches	A4
CG-10032	-	Layout of ac pantry car with LHB shell on ICF bogie	A1
CG-10033	-	Space envelope for fitment indicator of FIBA device	A4
CG-10034	2	Top plate for conical rubber spring in main line coaches with pneumatic suspension	A4
CG-10035	-	Layout of second class cum luggage and brake van (with under slung) Power pack)	A1
CG-1036	1	Thermoplastic Polyester Elastomer (HYTREL) Lower Washer Assembly for Primary Suspension for EMU/ DMU Stock	
CG-1037	-	Thermoplastic Polyester Elastomer (HYTREL) Lower Washer for Primary Suspension for EMU/ DMU Stock	
CG-10038 Sheet1 Sheet2	-	Seats and berth mounting arrangement for ac 3-tier (LHB type/ICF type coaches)	A3
CG-10039	-	Transverse middle berth & longitudinal upper berth for ac 3-tier (LHB type/ICF type coaches)	A3
CG-10040	-	Safety rail for common berth for transverse and longitudinal side(LHB type/ICF type coaches)	A3
CG-10041	-	Chain complete (LHB type/ICF type coaches)	A2
CG-10042	-	Transverse upper berth for accn coaches (LHB type/ICF type coaches)	A2
CG-10043 Sheet1 Sheet2	-	Seats & berths mounting arrangement for SCN (LHB type/ICF type coaches)	A2
CG-10044	-	Single seat complete (LHB type/ICF type coaches)	A2
CG-10045	-	Back rest cum berth (Long) for ac 3-tier coaches (LHB type/ICF type coaches)	A2
CG-10046	-	Back rest cum berth (Short) for ac 3-tier coaches (LHB type/ICF type coaches)	A2
CG-10047	-	Frame for transverse middle and longitudinal upper berth (LHB type/ICF type coaches)	A2
CG-10048	-	Transverse lower berth for ac 3-tier coaches (LHB type/ICF type coaches)	A2
CG-10049	-	Frame for transverse upper berth for ac 3-tier coaches (LHB type/ICF type coaches)	A2
CG-10050	-	Transverse middle berth & longitudinal upper berth for scn coaches (LHB type/ICF type coaches)	A2
CG-10051	-	Transverse upper berth for scn coaches (LHB type/ICF type coaches)	A1
CG-10052	-	Transverse lower berth for SCN type coaches (LHB type/ICF type coaches)	A2
CG-10053	-	Back rest cum berth (Long) for SCN type coaches (LHB type/ICF type coaches)	A2
CG-10054	-	Back rest cum berth (Short) for AC SCN type coaches (LHB type/ICF type coaches)	A2
CG-10055	-	Frame for transverse upper/middle & longitudinal upper berth for SCN coach (LHB type/ICF type coaches)	A2
CG-10056	-	Proposed SS panelling & fire retardant coating	A2
CG-10057	-	Frame for transverse upper berth for SCN coaches (LHB type/ICF type coaches)	A2
CG-10058	-	Layout of AC 2 Tier SG coach (with medical help bay) (LHB shell on ICF bogies with air spring)	A1
CG-10063	-	Modified restcator on CBCs for SLR & Generator Van	A3
CG-10064	-	Proposed layout of SS AC pantry car on LHB shell with Fiat bogies	A1
CG-10065	-	Proposed layout of SS AC pantry car (with AC pantry area)	A1
CG-10066	-	Proposed layout of SS panelling and Fire retardant coating in lavatory, doorway & gangway area	A1
CG-10067	-	Proposed layout of SS panelling and Fire retardant coating in lavatory	A1

CG-10068	-	Proposed layout of IInd class non-AC chair car (EOG)	A1
CG-10069		Proposed layout of IInd class cum luggage and brake va with diabled compartment	A1
CG-10070	-	Schematic diagram for testing of failure indication cum brake application (FIBA) device	A3
CG-10071	-	Layout of second class non AC chair car (EOG)	A1
CG-10072	-	Fixing arrangement of outdoor RF antenna for WCD	A3
CG-10073	-	Proposed axle box guide arrangement (for trial purpose)	A3
CG-10074	-	Location for Logo of commonwealth games (proposal-I)	A2
CG-10075	-	Location for Logo of commonwealth games (proposal-II)	A2
CG-10076	-	Vinyl wrapping on side walls for AC and Non-AC coaches	A2
CG-10077	-	Additional Rib to provide additional Anticreep mechanism in AAR "H" type tight lock coupler	A4
CG-10078	-	Shims for AAR "H" type tight lock coupler	A4
CG-10079	-	Proposed layout of luggage cum brake van with under slung power pack	A1
CG-10080	-	Proposed plan of DLT complex "creation of evacuation facilities of vacuum toilet" (Option-I)	A3
CG-10081	-	Proposed plan of DLT complex "creation of evacuation facilities of vacuum toilet" (Option-II)	A3
CG-10083	-	Corrosion repairs body side doors	A3
CG-10086	-	Side bar stiffening at end & middle door ways of 2/3 doors aside shell and middle door ways of SLR shell	A3
CG-10087	-	Sole bar stiffening at luggage compartment door ways on SLR coaches	A3
CG-10089	-	Window sealing arrangement	A3
CG-10090	-	Check list for inspection & recorded of corrosion repairs ICF 2 doors aside shell	A3
CG-10091	-	Check list for inspection & recorded of corrosion repairs ICF 3 doors aside shell	A3
CG-10092	-	Check list for inspection & recorded of corrosion repairs ICF 2 SLR shell	A3
CG-10093	-	Check list for inspection & recorded of corrosion repairs ICF 2 doors aside FC shell	A3
CG-10099	-	Bottom side wall sheet with elongated holes for coaches with sealed window(Non-AC coaches)	A3
CG-10100	-	Key for Locking Screw of Manual Uncoupling Device (ICF/RCF CBC Coaches)	A4
CG-10101	-	Corrosion repair of solebar (other than lifting pad and bolster locations)	A3
CG-10102	-	Corrosion repair of solebar at lifting pad and bolster locations	A3
CG-10103	-	Corrosion repair of side wall sheet body pillar and turn under	A3
CG-10104	-	Tubular frame below end lavatories of 2 doors and 3 doors aside shell	A3
CG-10106		Tubular frame below middle lavatories of 4 doors aside shell	A3
CG-10107	-	Tubular frame below guard's and middle lavatories of SLR coaches	A3
CG-10108	-	Corrosion repair of head stock	A3
CG-10109	-	Corrosion repair of end wall stanchions	A3
CG-10110	-	Corrosion repair of roof sheet around ventilation	A3
CG-10112	-	Proposed layout of AC Ist class LHB Variant EOG coach with Fiat Bogies	A1
CG-10113	-	Fixing arrangement of thermocol on side wall of AC double decker chair car (EOG)	A2
CG-10115	-	Layout of high capacity double decker chair car (EOG) mark-II (sitting capacity 124 passengers)	A1
YEAR – 2011			
CG-11001	-	Cross member lower deck complete for AC DD mark-II coach	A2
CG-11002	-	Lower deck frame work for AC DD mark-II coach	A1
CG-11003	-	Lower deck complete for AC DD mark-II coach	A1
CG-11004	-	Upper deck frame work for AC DD mark-II coach	A1
CG-11005	-	Upper deck complete for AC DD mark-II coach	A1
CG-11006	-	Proposed layout of Non-AC three tier sleeper coach with linen room (LHB Shell on ICF Bogies with Air Spring)	A1
CG-11009	-	Foot Step Arrangement (Option-I) For AC Double Decker Coaches	A2
CG-11010	1	Foot Step Arrangement (Option-II) For AC Double Decker Coaches	A2
CG-11012	-	Layout of Power Car Cum Person with disability & Guard's Compartment (LHB Shell on ICF Bogies with Air Spring)	A1
CG-11013	1	Proposed Layout of Second Class Cum Luggage & Brake Van with Disabled Compartment (With CBC & Crashworthy Features)	A1
CG-11014 Sheet-1 Sheet-2	-	Fixture for Testing of Silent Block for Anchor Link at Railway Workshops/Depot	A1
CG-11017	-	Side wall complete lav. Side for AC DD mark-II coach	A1
CG-11018	-	Modification in Foot Board Arrangement for AC double Decker Coaches	A2

CG-11022	-	Profile plate complete side wall side for AC DD Mark-II coach	A2
CG-11023	-	Traingular plate (middle) for AC DD Mark-II coach	
CG-11026	-	Maximum Moving Dimensions & Profile of All AC LHB Variant Coaches and AC/Non AC LHB Variant Coaches Including Generator Van	A3
CG-11028	4	Fixing Arrangement of Thermocol on side wall of AC Double Decker Chair Car (EOG)	A2
CG-11029	2	Proposed Layout of Second Class Non AC (EOG) Coach (LHB Variant Coach)	A1
CG-11030	-	Fixing arrangement of plates in triangular area of AC double decker coaches(width -3050)	A1
CG-11031	-	Diagram Showing main Dimensions and infringement of AC EOG Double Decker Coch with 3050 wdth	A3
CG-11032	-	Dynamic Coach Profile & Infringement with fixed Structure of Proposed AC EOG Double Decker Coach (Width 3050)	A3
CG-11034	2	Layout of 3Tier Sleeper (EOG) SCN Coach	A1
CG-11035	-	Diagram Showing Main Dimensions and infringement of AC EOG Double Decker Mark-II Coaches	
CG-11036	-	Dynamic Coach Profile & infringements with respect to fixed structure of proposed AC EOG Double Decker (Mark-II) Coaches	A3
CG-11037	-	Schematic Diagram for Pipe Line Arrangement of Air Suspension for Main Line ICF Coaches Fitted with spring failure indication valve	A3
CG-11038	-	Proposed Location of Emergency Openable Window for Non-AC Coaches	A1
CG-11039	-	Modification in underframe assembly for strengthening of VPH coach	A1
CG-11040	-	Loading Gauge or Kinematic envelope of AC Double Decker Coaches	A2
CG-11042	-	Proposed layout of super AC 2 tier on ICF shell with ICF shell with ICF bogie (EOG)	A1
CG-11043	-	Layout of Super AC 2 Tier Sleeper (EOG) Coaches 44 Berther	A1
CG-11044	-	Standard LHB Coach & its Variant Body Shell Dimensions	A3
CG-11045	-	End wall completefor AC DD mark-II coach	A1
CG-11046	-	End wall frame work completefor AC DD mark-II coach	A1
CG-11047	-	Roof end part (RH) for AC DD Mark-II coach	A1
CG-11048	-	Layout of Super AC 2 Tier Sleeper (EOG) Coaches 45 Berther	A1
CG-11049	-	Layout of Super AC 2 Tier Sleeper (EOG) Coaches 43 Berther	A1
CG-11050	-	Maximum moving dimensions and profile for 3-tier sleeper non AC (EOG) LHB Variant coaches	A3
CG-11051	-	Maximum moving dimensions and profile for second class non AC (EOG) LHB Variant coaches	A3
CG-11053	-	Roof complete fo AC DD mark-II coach	A1
CG-11054	-	Maximum moving dimensions and profile for 3-tier sleeper non AC (EOG) LHB Variant coaches	A3
CG-11055	-	Maximum moving dimensions and profile EOG AC Track recording staff car LHB variant coach	A3
CG-11056	-	Maximum moving dimensions and profile EOG AC oscillograph car LHB variant coach	A3
CG-11057	-	Maximum moving dimensions and profile EOG AC 2 Tier LHB variant coach	A3
CG-11058	-	Maximum moving dimensions and profile EOG AC 1st class LHB variant coach	A3
CG-11059	-	Maximum moving dimensions and profile EOG AC hot buffet car LHB variant coach	A3
CG-11060	1	Alternate Equalising Stay for L0ower Spring Beam (Forged Type) Both 16.25t & 13t Bogies	A2
CG-11061	-	Proposed Layout of Non AC Hot Buffet (EOG) Coach LHB Shell on FIAT Bogies	A1
CG-11063	1	Tank Part-9 for Bio-Toilet Tank	A3
CG-11064	1	Tank Part-10 for Bio-Toilet Tank	A3
CG-11065	-	Rubber Strip for Bi-Toilet Tank	A3
CG-11066	-	Fitment of Alternate Equalising Stay (Forged Type) in Both 16.25 t & 13t Bogies	A3
CG-11068	-	Rubber Sheet	A3
CG-11069	1	DRDE Tank (Slider Type) with Bottle Catcher & Seperator	A1
CG-11070	-	DRDE Tank Mounting Arrangement (for Slider Type Arrangement)	A1
CG-11071	1	Base Plate for Slider Arrangement	A3
CG-11072	-	Rubber Packing for Slider Arrangement	A3
CG-11073	-	Sliding Valve for Bio-Toilet	A2
CG-11074	-	Frame for Slide Valve	A3
CG-11075	-	Slider for Sliding Valve	A3
CG-11076	-	End Plate for Sliding Valve	A3
CG-11077	-	Cover Channel for Spring	A3
CG-11078	-	Channel for Slide Valve	A3
CG-11079	-	Channel for Slide Valve	A3
CG-11080	-	Channel for Slide Valve	A3
CG-11081	1	DRDE tank Mounting Arrangement (For Ball Valve type Arrangement)	A1

CG-11082	2	DRDE Tank with Bottle Catcher and Seperatoy	A3
CG-11083	1	Base Plate for P-trap (Ball Valve Type)	A3
CG-11084	-	Rubber sealing for P-trap	A3
CG-11085	3	P-trap (Interface Dia 125 mm)	A3
CG-11086	1	Pulling Rod for Ball Valve	A3
CG-11087	-	Upper Bracket Assembly	A3
CG-11088	1	Bracket for Safety Rope	A3
CG-11089	2	Ball Valve 5"	A3
CG-11093	-	Rubber Gasket for Thermoplastic Polyester Elastomer (HYTREL) Axle Box Front Cover	A3
YEAR – 2012			
CG-12001	-	Layout of 3-Tier Sleeper Non-AC (EOG) Coach	A2
CG-12007	-	Layout of 3-Tier Sleeper Non-AC (EOG) Coach	A2
CG-12008	1	Layout of Second Class Non-AC (EOG) Coach	A2
CG-12009	3	Bend Sheet for Chlorination Chamber	A3
CG-12010	3	Chlorination Chamber	A3
CG-12011	1	Top Cover with Chlorine Jacket	A3
CG-12012	3	Chlorination Completer	A3
CG-12013	1	Frame for Chlorination Chamber	A3
CG-12016	-	Proposed Layout of Non-AC Chair Car	A2
CG-12017	-	Proposed Layout of Non-AC Chair Car	A2
CG-12018	-	Proposed Layout of AC 3-Tier Coach	A2
CG-12019	-	Proposed Layout of Composite (AC Ist + AC 2-Tier) Coach	A2
CG-12024	1	Bridzing Channel	A2
CG-12025	2	Brackets on underframe for mounting of DRDE Bio Tank	A3
CG-12026	1	Scotch Block	A3
CG-12027	-	Layout of DC EMU Motor Coach for Retro-fitment of DC EMU with AC EMU Electrics Proposed by Western Railway	A3
CG-12028	-	Layout of DC EMU Motor Coach for Retro-fitment of DC EMU with AC EMU Electrics Proposed by Central Railway	A3
CG-12029	-	Layout of Second Class Non Ac Chair Car (EOG)	A2
CG-12030	-	Proposed Layout of Crashworthy LHB Power Car	A2
CG-12031	-	Lower Deck Foam Work for AC DD Mark-4 Coaches (Width 3050/3250)	A1
CG-12032	-	Lower Deck Complete for AC DD Mark-4 Coaches (Width 3050/3250)	A1
CG-12033	-	Upper Deck Foam Work for AC DD Mark-II Coaches (Width 3050/3250)	A1
CG-12034	-	Upper Deck Complete for AC DD Mark-II Coaches (Width 3050/3250)	A1
CG-12035	-	Underframe Complete for AC DD Mark-4 Coach (Width 3050/3250) (2-Sheets)	A1
CG-12036	-	Angular Sole-bar Complete for AC DD Mark-4 Coach (Width 3050/3250)	A1
CG-12037	-	Triangular frame Complete for AC DD Mark-4 Coach (Width 3050/3250)	A1
CG-12038	-	Triangular Underframe foam work Complete for AC DD Mark-4 Coach (Width 3050/3250) (3-Sheets)	A1
CG-12039	-	Lower Side Wall Complete for AC DD Mark-4 Coach (Width 3050/3250) (2-Sheets)	A1
CG-12040	-	Upper Side Wall Complete for AC DD Mark-4 Coach (Width 3050/3250) (2-Sheets)	A1
CG-12041	1	Mounting Bracket for DRDE Bio-Tank	A3
CG-12042	-	Underframe& Structure Assembly s for AC DD Mark-4 Coach (Width 3050/3250) (2-Sheets)	A1
CG-12043	-	Underframe front Pannel for AC DD Mark-4 Coach (Width 3050/3250) (2-Sheets)	A1
CG-12044	-	Layout of Power Car LHB Type Coach with Satellite Antennae and Server Rack	A1
CG-12048	-	Proposed Layout of GS Coach LHB Shell wit FIAT Bogie with Air Spring	A2
CG-12049	-	Proposed Layout of Second Class Coach	A2
CG-12050	-	Layout of Milk tank Van (50000L Capacity)	A3
CG-12051	-	Layout of II Class 3-Tier Sleeper Coach (Proposal-I)	A2
CG-12052	-	Layout of II Class 3-Tier Sleeper Coach (Proposal-II) for Fire Emergency Exit	A2
CG-12054	-	L-Bracket-1	A3
CG-12055	-	Z-Bracket-1	A3
CG-12056	-	L-Bracket-2	A3
CG-12057	-	Z-Bracket-2	A3
CG-12058	-	Z-Bracket-3	A3

CG-12059	-	Cross Rib for Z-Bracket	A3
CG-12060	-	U-Bracket	A3
CG-12061	-	U-Bracket for Wire Rope	A3
CG-12062	-	Bolted Design Bracket for IR-DRDE Bio-Toilets	A2
CG-12063	-	Proposed Layout of Officer-cum-Staff Car (LHB Type on FIT Bogies)	A2
CG-12064	-	Grab Handle for ICF coaches	A3
CG-12065	2	Proposed Layout of Staff Car for Track recording Car (With Under Slung Inverter)	A3
CG-12066	-	Layout of second Class Non AC Chair Car (EOG)	A2
CG-12067	-	Proposed Layout of Second Class Non AC (EOG) Ac Chair Car	A2
CG-12068	-	Maximum Moving Dimensions & Profile of Second Class Non AC EOG LHB Coach (LS2)	A3
CG-12069	-	Longitudinal Member for LHB GS Coach	A3
CG-12070	-	Longitudinal Member for LHB GS Coach	A3
CG-12071	-	Longitudinal Member for LHB GS Coach	A3
CG-12072	-	Cross Member for LHB GS Coach	A3
CG-12073	-	Cross Member for LHB GS Coach	A3
CG-12074	-	Cross Member for LHB GS Coach	A3
CG-12075	-	Cross Member for LHB GS Coach	A3
CG-12076	-	Connection Sheet for LHB GS Coach	A3
CG-12077	-	Underframe Complete for LHB GS Coach	A1
CG-12078	-	Layout of Inspection Saloon (RA) with Air Brake	A2
CG-12079	-	Maximum Moving Dimensions & Profile of Second Class Non AC EOG LHB Variant Coach (LS3)	A3
YEAR – 2013			
CG-13001	-	Layout of second class non AC GS (EOG) with longitudinal type luggage rack on both side	A2
CG-13002	-	Schematic of Mounting Arrangement in LHB GS Crashworthy Underframes Having CBC with Balanced Draft Gear	
CG-13004	-	Lower Suspension Bracket	A1
CG-13005	-	Lower Suspension Bracket -1	A1
CG-13006	-	Top Cover for Ball Valve	A3
CG-13007	-	Rubber Connector for Ball Valve Version Bio Toilet	A2
CG-13008	-	Rubber Sealing	A3
CG-13009	-	Layout of second class Non-AC (EOG) with longitudinal luggage rack on both sides	A2
CG-13010	-	Layout of Milk Tank Van	A3
CG-13011	-	Proposed layout of Anubhuti Coach (LHB design Executive AC Chair Car)	A2
CG-13012	-	Proposed layout of second class GS coach fitted with stiffer coil springs	A2
CG-13013	-	Channel Bracket for Safety Wire Rope	A3
CG-13014	-	Proposed layout of second class GS coach retrofitted with VPH bogies	A2
CG-13015	-	Proposed layout of camping coach for T/M staff	A3
CG-13020	-	Proposed layout for LHB AC 2 tier (SG) fitted with 30 kw p.m. alternator	A2
CG-13021	1	Layout of S.S. dust bin toilets fitted with Bio-toilets	A3
CG-13022	2	Layout for Track Recording Car ICF all coiled coach	A2
CG-13023	-	Proposed colour scheme of camping coach for Track Machine staff	A3
CG-13024	-	Layout of Anubhuti coach (LHB type with FIAT bogie)	A2
CG-13027	-	Layout for ICF type SG AC Pantry Car for Mail/Express Train	A2
CG-13028	-	Kinematic envelop Vs MMD-1 for AC EOGDD coach (width 3050)	A2
CG-13029	-	Fixing Belt Assembly	A3
CG-13030	-	SS dust bin seat	A3
CG-13031	-	Fixing arrangement of SS dust bin assembly inside the lavatory	A2
CG-13032	-	Fixing Bracket	A3
CG-13037	-	Proposed layout of LHB AC 3 Tier cum PWDS and guards compartment for Rajdhani Express	A3
CG-13038	1	Proposed layout of LHB AC EOG chair car cum PWDS and guards compartment for Shatabdi Express	A3
CG-13041	-	Longitudinal side ladder with frame	A3
CG-13042	-	Ladder front side panel	A3
CG-13043	-	Ladder tubular frame	A3
CG-13044	-	Transverse side ladder with frame	A3
CG-13045	-	Ladder back side panel	A3

CG-13046	-	Transverse side ladder tubular frame	A3
CG-13047	-	Longitudinal side ladder with frame	A3
CG-13048	-	Longitudinal side ladder panel	A3
CG-13049	-	Longitudinal side ladder tubular frame	A3
CG-13050	-	Transverse side ladder with frame	A3
CG-13051	-	Transverse side ladder panel	A3
CG-13052	-	Transverse side ladder tubular frame	A3

YEAR – 2014

CG-14001	-	Layout of LHB EOG second class cum PWD's & guard's compartment	A3
CG-14002	-	Layout of LHB EOG chair car cum PWD's & guard's compartment	A3
CG-14002	-	Layout of AC 3 Tier Garib rath cum PWD's & guard's compartment	A3
CG-14004	-	DRDE Tank Mounting Arrgt. (for Ball valve type arrgt.)for coaches fitted with screw coupling	A1
CG-14005	2	Bio-digester tank complete for IR-BG coaches fitted with screw coupling	A1
CG-14006	1	Bio-digester tank for IR-BG coaches fitted with screw coupling	A1
CG-14007	-	Tank Part-1	A1
CG-14008	-	Tank Part-2	A3
CG-14009	-	Tank Part-3	A3
CG-14010	-	Tank Part-4	A3
CG-14011	-	Tank Part-5	A3
CG-14012	-	Tank Part-6	A3
CG-14013	-	Tank Part-7	A3
CG-14014	-	Fitter Mesh	A3
CG-14015	1	Top Cover	A2
CG-14016	2	Holding Bracket for IR-DRDE tank	A1
CG-14017	-	Rubber Sealing for top cover	A3
CG-14018	-	Sealing Rubber	A3
CG-14019	-	IR DRDO Bio-Digester tank of POW along with Vacuum Toilet	A1
CG-14020	-	Tank Part-1 for POW Bio-Digester tank	A3
CG-14021	-	Tank Part-2 for POW Bio-Digester tank	A3
CG-14022	-	Tank Part-3 for POW Bio-Digester tank	A3
CG-14023	-	Partition-1 for Tank for POW Bio-Digester Tank	A3
CG-14024	-	Wire Mesh Complete for POW Bio-Digester	A3
CG-14025	-	Partition-2 for POW Bio-Digester	A3
CG-14026	-	Tank top plate for POW Bio-digester tank	A3
CG-14027	-	Flange Coupling for POW Bio-digester tank	A3
CG-14028	-	Rubber Sealing for POW Bio-digester tank	A3
CG-14029	-	IR-DRDO Bio-Digester tank (left) for the coaches of POW along with Vacuum toilet	A1
CG-14030	1	Ball Valve 4"	A3
CG-14031	2	Layout of SG AC 3Tier with provision of emergency fire exit door on longitudinal side	A2
CG-14032	2	Layout of SG AC 2Tier with provision of emergency fire exit door on longitudinal side	A2
CG-14033	1	Mounting Bracket on U/F Complete for (Ball Valve type arrgt.) for coaches fitted with screw coupling	A1
CG-14034	-	Stainless Steel Lavatory Pan for Bio-toilets	A1
CG-14035	-	P-trap complete (Interface dia 100 MM)	A3
CG-14036	-	Bend pipe complete	A3
CG-14038	-	Bend pipe for P-trap	A3
CG-14039	-	Emergency openable window for Non-AC coaches (modification in existing EOW)	A3
CG-14040	-	Layout of LHB second class cum luggage with PWDs & Guards Compartment	A3
CG-14041	-	Layout of AC 3-Tier EOG Garib Rath cum Luggage with PWDs & Guards Compartment	A3
CG-14042	-	Layout of EOG AC Chair Car cum Luggage with PWDs & Guards Compartment	A3
CG-14043	-	Layout of LHB AC EOG Chair Car cum Luggage with PWDs & Guards Compartment	A3
CG-14045	-	Proposed Layout of 2 nd Class Non AC crashworthy coaches (1KN Secondary Air Spring)	A3
CG-14046	3	Layout of High Capacity LHB Power Car with 450 KN DA Set	A3
CG-14047	2	Layout of ICF Type SCN Coach with Provision of emergency fire exit door on longitudinal side	A3
CG-14048	2	Layout of ICF typt First AC coach with Provision of emergency fire exit door on longitudinal side	A3

CG-14049	2	Layout of ICF type composite coach (AC 3 Tier+2Tier) with Provision of emergency fire exit door on longitudinal side	A3
CG-14050	2	Layout of ICF type composite coach (FAC + AC 3 Tier) with Provision of emergency fire exit door on longitudinal side	A3
CG-14051	2	Layout of ICF type composite coach (FAC + AC 2 Tier) with Provision of emergency fire exit door on longitudinal side	A3
CG-14053	2	Bolted Design IR-DRDO BioDigester tank mounting arrangement for non CBC fitted coaches	A1
CG-14054	2	Bio-digester tank complete for IR BG coaches fitted with screw coupling	A1
CG-14055	1	P-trap (Interface dia 100mm)	A3
CG-14056	1	Biodigester tank BG coaches fitted with screw coupling	A1
CG-14057	-	Tank Pat-1	A1
CG-14058	1	Top cover with Evacuation interface assembly	A2
CG-14059	-	Tank Pat-2	A3
CG-14060	-	Tank Par-3	A3
CG-14061	1	Adaptor for Ball Valve of digester tank	A3
CG-14062	-	Top Cover for Ball Valve of digester tank	A3
CG-14063	-	Holding Bracket for IR-DRDO tank	A1
CG-14064	1	Rubber sealing top cover	A3
CG-14065	-	Tank Part-7	A3
CG-14066	-	Tank Par-4	A3
CG-14067	1	Tank Par-5	A3
CG-14068	1	Tank Par-6	A3
CG-14069	1	Filter Mesh	A3
CG-14070	1	Hose connector for Bio toilets	A3
CG-14071	1	Drain ball valve opening mechanism	A2
CG-14072	2	Hydraulic operated ball Valve opening mechanism	A2
CG-14073	-	General Interface arrangement for ball valve opening mechanism	A2
CG-14074	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14075	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14076	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14077	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14078	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14079	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14080	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14081	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14082	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14083	-	Cross member for LHB SCN Coaches (Crashworthy LHB type Coach)	A3
CG-14084	-	Bracket complete for LHB SCN Coaches (Crashworthy LHB type Coach)	A2
CG-14085		Underframe work for LHB SCN Coaches (Crashworthy LHB type Coach)	A1
CG-14086	-	Underframe complete for LHB SCN Coaches (Crashworthy LHB type Coach)	A1
CG-14089	-	13mm thick split packing ring for wheel tread wear	A2
CG-14090	-	26mm thick split packing ring for wheel tread wear	A2
CG-14094	1	Hose connector for biotoilet	A3
CG-14095	1	Sealing rubber (for P-trap 100mm interface)	A3
CG-14096		Rubber Sealing 100mm Ball Valve	A3
CG-14097		Ball Valve 4" (Two Piece threaded design)	A2
CG-14098	-	Mounting Bracket on underframe complete (for Ball Valve type arrangement for coaches fitted with screw coupling)	A1
CG-14100	-	Lavatory Pan for Bio-toilet	A2
CG-14101	-	Bend pipe for evacuation of first chamber	A3
CG-14103	-	C-Channel for bio-digester tank in SLRD coaches	A2
CG-14104	-	Welding parts on Underframe for IR-DRDO bio-digester in convntional SLRD coaches	A1
CG-14105	-	Mounting of IR-DRDO bio-digester in convntional SLRD coaches	A1
CG-14106	-	Mounting arrangement of IR-DRDO bio-digester in general lavatory SLRD coaches	A1
CG-14107	-	IR-DRDO bio-digester tank for guard lavatory in SLRD coaches	A1
CG-14108	-	Bio-digester tank for guard lavatory in SLRD coaches	A1
CG-14109	-	Suspension Bracket for Bio-digester of guard lavatory in SLRD coaches	A3

CG-14110	-	Bracket for guard lavatory in SLRD coaches	A3
CG-14111	-	Tank Part-1	A3
CG-14112	-	Tank Part-2	A3
CG-14113	-	Tank Part-3	A3
CG-14114	-	Tank Part-4	A3
CG-14115	-	Top cover for bio-digester tank for General Lavatory in SLRD coaches	A2
CG-14116	-	Flanget P-trap (Interface Dia 100mm)	A3
CG-14117	-	Rubber sealing for 100mm Ball Valve	A3
CG-14118	-	Rubber sealing B/W lavatory pan and flanged P-trap	A3
CG-14119	-	Flanged lavatory pan and flanged P-trap	A2
CG-14120	-	Flanged pan with flanged P-trap	A3
YEAR – 2015			
CG-15026	2	Layout of high capacity LHB power car with 450 KW DA set	A3
CG-15027	-	Infringement of Motor Coach in tare and SDCL condition with MMD to diagram 1D of BG SOD, 2004	A3
CG-15028	-	DRDE Tank Mounting arrangement (for Ball valve type arrangement)	A1
CG-15029	-	IR-DRDO bio-digester tank for retro fitment in in-service coaches	A1
CG-15030	1	Bio-toilet tank for ICF and RCF type coaches	A1
CG-15031	1	Top cover with evacuation interface assembly	A2
CG-15032	-	Mounting brackets on outer head stock IR-DRDO biological toilet tank	A3
CG-15033	-	Mounting bracket on inner head stock for IR-DRDO biological toilet tank	A3
CG-15034	2	Securing Bracket for SS wire rope welded on inner head stock	A3
CG-15035	-	Wiring diagram for LED destination board display system with CDTS for EOG type AC coaches	A3
CG-15036	3	Bracket on undrframe for mounting of DRDE bio-toilet tank	A1
CG-15037	2	Locking Plate	A3
CG-15038	-	Wiring diagram for LED destination board display system with CDTS for LHB type AC coaches	A3
CG-15039	-	Wiring diagram for LED destination board display system with CDTS for SG type AC coaches	A3
CG-15040	-	Wiring diagram for LED destination board display system with CDTS for LHB type AC coaches	A3
CG-15041	-	IR-DRDO Biodigester tank mounting arrangement (for ball valve type arrangement) for CBC fitted conventional coaches	A3
CG-15042	-	Welding parts on underframe for IR-DRDO Biodigester in CBC fitted conventional coaches	A3
CG-15043	-	Bracket on undeframe for mounting of IR-DRDO Bio-toilet	A3
CG-15044	-	Brackets on undeframe for mounting of IR-DRDO Bio-toilet	A3
CG-15045	-	Mounting bracket on outer headstock for of IR-DRDO Bio-toilet tank	A3
CG-15046	-	S-trap	A3
CG-15047	-	Flanged lavatory pan for bio-toile	A2
CG-15049	-	Holding Bracket for irdo biodigeaster tank	A1
CG-15051	-	End wall frame work for LHB SCN Coaches (Crashworthy type)	A1
CG-15052	-	End wall complete for LHB SCN Coaches (Crashworthy type)	A1
CG-15053	-	Carline complete for side wall for LHB SCN Coaches (Crashworthy type)	A1
CG-15054	-	Side wall complete for LHB SCN Coaches (Crashworthy type)	A1
CG-15055	-	Roof complete for LHB SCN Coaches (Crashworthy type)	A1
CG-15056	-	End roof assembly for LHB SCN Coaches (Crashworthy type)	A1
CG-15057	-	Underframe end part for LHB SCN Coaches (Crashworthy type) (Sheet1 &sheet2)	A1
CG-15058	-	Underframe front part for LHB SCN Coaches (Crashworthy type) (Sheet1 &sheet2)	A1
CG-15059	-	Proposed layout of office on wheels	A2
CG-15063	-	Location of strain gauges on coach body of GSCN with VHS for squeeze test	A1
CG-15064	-	Deflection location of GSCN with VHS for squeeze test	A3
CG-15065	-	Proposed layout of LHB design First Ac Coach (Economy)	A2
CG-15067	-	Hexagonal Screw for CTRB M2 20x60 (LHB shell with FIAT bogies)	A3
CG-15069	-	High capacity washer assembly used in bogie bolster suspension	A2
CG-15070	-	Hexagonal Head Screw for earthing device of CTRB M 8x26 (LHB shell with FIAT bogies)	A3
CG-15071	-	Hexagonal Head Screw for phonic wheel of CTRB M 8x35 (LHB shell with FIAT bogies)	A3
CG-15072	-	Infringement outer profile for ICF conventional coach with new mmd-1D (ACs-14) under tare condition	A2
CG-15076	-	Mounting arrangement of solar panels on AC 3tier sleeper coach (EOG)	A3

CG-15077	-	Diagram showing infringement of AC 3 tier sleeper coach (EOG) with solar panel mounted over roof	A2
CG-15078	-	Layout of connection parts and spare envelop for FIBA device	A3
CG-15081	2	Base plate Air Spring (for LHB non AC coaches)	A3
CG-15082	-	Proposed Maximum Moving dimensions for ICF/RCF and LHB type coaches	A1
CG-15086	-	Provision of Mug in Toilets for SLRD coaches	A2
YEAR – 2016			
CG-16004	-	IR-DRDO biological toilet tank mounting arrangement (tentative)	
CG-16005	-	IR-DRDO biodigester toilet tank for retrofitment in service coaches (tentative)	
CG-16006	-	S-Trap (tentative)	
CG-16007	-	Rubber sealing between lavatory pan and Strap (tentative)	
CG-16008	-	S-Trap arrangement for bolted design IR-DRDO smaller bio digester (for non-CBC fitted coaches)	A1
CG-16009	-	S-trap for 100mm lavatory pan	A2
CG-16010	-	Rubber seal for 100mm lavatory pan	A3
CG-16011	-	Bracket for mounting of S-trap	A3
CG-16012	-	S-trap for 150mm lavatory pan	A3
CG-16013	-	Rubber seal for 150mm lavatory pan	A3
CG-16014	-	U-bracket	A3
CG-16021	-	Layout of double decker UDAY Coach with reclining chair with air spring	A3
CG-16022	-	Layout of Driving Power Car 1400 HP (with dual fuel CNG/LNG Kits) HP DMU	
CG-16023	-	Roof complete for LHB AC- 2Tier EOG type coach (Crashworthy)	A1
CG-16024	-	Sidewll Right complete for LHB AC- 2Tier EOG type coach (Crashworthy type)	A1
CG-16025	-	Sidewll Left complete for LHB AC- 2Tier EOG type coach (Crashworthy type)	A1
CG-16026	-	Carline Right complete for LHB AC- 2Tier EOG type coach (Crashworthy type)	A2
CG-16027	-	Carline Left complete for LHB AC- 2Tier EOG type coach (Crashworthy type)	A2
CG-16028		Underframe end part for LHB AC- 2Tier EOG type coach (Crashworthy type)	A1
CG-16029	-	Door cutout Left & Right Hand complete for LHB AC- 2Tier EOG type coach (Crashworthy type)	A3
CG-16030	-	Western commode with inbuilt S-trap fixing arrangement for bolted dsighn IR-DRDO smaller biodigester	A1
CG-16031	-	S-bend for 100mm outlet Western commode	A3
CG-16032	-	Pipe Clamp for 100 mm S-bend	A3
CG-16033	-	Commode Pipe for western commode toilet	A3
CG-16034	-	Fixing arrangement of plain Western Commode (Inbuilt S-trap)	A2
CG-16035	-	Sealing Rubber for Western Commode toilet smaller biodigester	A3
CG-16036	-	Hose connector for 150mm Lavatory Pan outlet	A3
CG-16037	-	Layout of LHB partial AC inspection carriage (administrative)	A2
CG-16038	-	LHB design AC inspection Carriage (administrative)	
CG-16039	-	Layout of LHB EOG AC second class (GS) coach	A2
CG-16041	-	Layout of ICF design luggage cum brake van with AC non Ac compartment for PWDs (3050mm width)	A2
CG-16042	-	Layout of ICF design luggage cum brake van and on board micro turbine DG set with AC non Ac compartment for PWDs (3050mm width)	A2
CG-16043	-	LHB layout of double decker AC 2 Tier & AC chair Car with enhanced height of 5100 mm	
CG-16044	-	Layout of LHB Double Decker AC chair Car with enhanced maximum moving dimension height of 5100 mm	A3
CG-16045	-	Layout of LHB Double Decker non AC chair Car with enhanced maximum moving dimension height of 5100 mm	A3
CG-16046	-	Layout of LHB Double Decker second class non AC coach with enhanced height of 5100 mm	A3
CG-16047	-	Layout of AC second class luggage cum brake van compartment for PWDs (with 750 KVA under slung Power pack)	A2
CG-16048	-	Layout of double decker AC chair car cum AC 2 tier (with enhanced MMD)	A2
CG-16049	-	Layout of double decker AC chair car cum FAC (with enhanced MMD)	
CG-16050	-	Layout of LHB EOG AC-2 tier sleeper coach with 3t roof profile	A2
CG-16051	-	Layout of AC 3 tier sleeper coach (EOG)	A2
CG-16053	-	Bolted desiogn IR Drdo biodigester Tank mounting arrangement for CBC fitted coaches	A1
CG-16054	-	Biodigester tank complete for IR BG Coaches fitted with CBC coupling	A1
CG-16055	-	Holding bracket for IR Biotoilet tank in CBC fitted coach	A1
CG-16056	-	Biodigester tank for IR BG coaches fitted with CBC coupling	A1
CG-16057	-	Tank Part-1	A1
CG-16058	-	Tap cover with evacuation interface assembly	A2

CG-16059	-	Rubber sealing for tap cover	A3
CG-16060	-	Provision of mounting holes and welding parts for IR DRDO Biotoilets in CBC fitted coaches	A1
CG-16061	-	TankPart-4	A3
CG-16062	-	Tank Part-5	
YEAR – 2017			
CG-17001	-	Centre sill arrangement for retrofitment of end underframe	
CG-17002	-	Retrofitment of CBC type end underframe (Head stock) with crashworthy feature (in existing ICF type coaches)	
CG-17013	-	Strain gauge location on sidewall and end wall of retrofitted CBC headstock ICF GSCN coach for squeeze test	A2
CG-17014	-	Strain gauge location on underframe with middle trough floor & retrofitted CBC headstock ICF GSCN coach for squeeze test	A2
CG-17015	-	Strain gauge location on underframe with raised trough floor & retrofitted CBC headstock ICF GSCN coach for squeeze test	A2
CG-17016	-	Deflection location on ICF GSCN coach with retrofitted CBC headstock for squeeze test	A3
CG-17022	-	Cross member for LHB AC 2tier (EOG) type coach (Crashworthy type)	A3
CG-17023	-	Cross member for LHB AC 2tier (EOG) type coach (Crashworthy type)	A3
CG-17024	-	Cross member for LHB AC 2tier (EOG) type coach (Crashworthy type)	A3
CG-17025	-	Cross member for LHB AC 2tier (EOG) type coach (Crashworthy type)	A3
CG-17026	-	Longitudinal member complete for LHB AC 2 Tier (EOG) type coach crashworthy type	A2
CG-17027	-	Longitudinal member complete for LHB AC 2 Tier (EOG) type coach crashworthy type	A2
CG-17028	-	Member for LHB AC 2 tier (EOG) type coach crashworthy type	A3
CG-17029	-	Member for LHB AC 2 tier (EOG) type coach crashworthy type	A3
CG-17030	-	Member for LHB AC 2 tier (EOG) type coach crashworthy type	A3
CG-17031	-	Member for LHB AC 2 tier (EOG) type coach crashworthy type	A3
CG-17032	-	Member for LHB AC 2 tier (EOG) type coach crashworthy type	A3
CG-17033	-	Member for LHB AC 2 tier (EOG) type coach crashworthy type	A3
CG-17034	-	Member for LHB AC 2 tier (EOG) type coach crashworthy type	A3
CG-17035	-	Mounting of IR DRDO biotoilet in SLR coaches	A1
CG-17036	-	S-trap for 150mm Lavatory pin for conventional SLR coaches	A2
CG-17037	-	C-Channel for biodigester Tank in SLR coaches	A2
CG-17038	-	Band Pipe 1	A3
CG-17039	-	Band Pipe 2	A3
CG-17040	-	Pipe bracket complete	A3
CG-17041	-	Proposed universal type head for semi permanent coupler for Tejas express	A4
CG-17043	-	Strain gauge location on underframe with middle trough floor & retrofitted CBC headstock ICF GSCN coach for squeeze test	A2
CG-17044	-	Strain gauge location on underframe with raised trough floor & retrofitted CBC headstock ICF GSCN coach for squeeze test	A2
CG-17045	-	Sketch for lavatory Pan outlet modification from 150 to 100 mm	
CG-17046	-	Mounting bracket	A3
CG-17047	-	Mounting bracket	A3
CG-17048	-	Mounting bracket	A3
CG-17049	-	Top Plate for biodigester tank	A2
CG-17050	-	Welding parts on underframe for biological tank (retrofitment)	A1
CG-17051	-	Mounting bracket RH for LHB type coach	A2
CG-17052	-	Mounting bracket LH for LHB type coach	A2
CG-17053	-	Mounting of IR DRDO Biodigester system on LHB coaches	A1
CG-17054	-	IR DRDO Biodigester for LHB coaches	A1
CG-17057	-	Painting of square pattern in ICF type SCN coaches with retro fitted crashworthy CBC headstock for crash test	A3
CG-17058	-	Location of test lug on centre buffer coupler	A4
CG-17059	-	Provision of tapered knuckle	A4
CG-17060	-	Bracket	A3
CG-17061	-	Bracket	A3
CG-17062	-	Biotoilet Tank for LHB coaches	A1
CG-17063	-	Bracket for mounting for S-trap for LHB coaches	A3
CG-17064	-	S-Trap arrangement for old design (J-bracket) bigger Bio-Digester tank	A1
CG-17065	-	S-Trap for 100mm Lavatory Pan	A2

CG-17066	-	Modified Bogie Frame Arrangement for SG-AC coaches	A3
CG-17079	-	S-Trap for 1500mm Lavatory pan	A2
YEAR – 2018			
CG-18086	-	Exterior Color Scheme for Suburban EMU	A4
CG-18088	-	Brake Panel for LHB type mainline coaches	A4
CG-18089	-	Bracket complete for inner head stock	A2
CG-18090	-	DRDE Tank Mounting arrangement (for Old BEML coaches)	A1
CG-18091	-	Mounting Bracket on outer head stock for IR-DRDO Bio-Toilet tank	A3
CG-18095	-	Welding parts on undrframe & location on underframe	A1
CG-18096	-	I-Bracket for inner head stock	A3