



QM-C-7.1/AB/ 0009
Inspection Plan(Check Sheet)

Item : **K type Non-asbestos Composition Brake Block for Freight Stock
1000 mm wheel dia.**
Specn : **WD-14-ABR-2007 (Amendment No.3 of Sept, 2016)**
Drg.No. &Alt : **SK-WD-00006-S-01 (Alt.-3)**

1. Firm's Name
2. Date (period of inspection)
3. Contract details
 - a. Contract No.& Date
 - b. Order placing authority
 - c. Specification No.
(as mentioned in Contract)
 - d. Drawing No (as mentioned in contract)
4. Date of offering for inspection
5. Consignee
6. Delivery period

Quality Control Incharge of M/s..... Inspecting Official of RDSO



SUMMARY OF RESULT

Lot size 2000 Nos.

(A) Periodical / Intermediate check

S.No.	Name of Test	Specified	Last test done	Next test due
1	Dynamometer	As per QAP approved by RDSO and WD-14-ABR-2007		

(B) Routine check:

*(routine check shall be conducted after ensuring the periodical/intermediate check is not over due)

(i) Ensure Clause 4.2.2(i),(ii), (iii) & 4.2.2.1

S.No.	Parameter	Specified value	Observation	
			Max	Min
1	Visual check	No surface cracks		
2	Dimensional check	As per drawing		
3	Physical properties			
	1. Compression Modulus	As per approved QAP		
	2. Cross breaking strength	As per approved QAP		
	3. Acetone extract	As per approved QAP		
	4. Ash content/Loss of ignition	As per approved QAP		
	5. Hardness	As per approved QAP		
	6. Density	As per approved QAP		
	7. Pull off Strength	As per approved QAP		

Quality Control Incharge of M/s..... Inspecting Official of RDSO



Govt. of India
Ministry of Railways
Research Designs & Standards Organization
Manak Nagar, Lucknow - 226 011

Item: K type Composition Brake block for freight stock(for 1000mm dia wheel)					Sample size: 1%					Inspection Date				
S. No.	Criteria specified	Nominal Dim.(mm)	Measuring device	Gauge reference	1	2	3	4	5	6	7	8	9	10
1	Brake block length	300 MIN.	Snap gauge											
2	Brake block width	80 Min. 85 Max.	Snap gauge											
3	Brake block thickness	58+2/ -0	Snap gauge											
4	Lug (middle stop) width	36+1/-2	Snap gauge											
5	Lug(middle stop) height	10±1	Snap gauge											
6	Inner distance between lugs	265+2/-0	Snap gauge											
7	Inner distance between cylindrical deep	100±1	Snap gauge											
8	Key hole width in clip	25±3	Snap gauge											
9	Key hole height in clip	22+1/-2	Snap gauge											
10	Key holder thickness	4±0.2	Snap gauge											
11	Key holder width top	38 Min.	Snap gauge											
12	Key holder width bottom	57 Max.	Snap gauge											
13	Key holder length	76±2	Snap gauge											
14	Wear limit	10	Vernier caliper											
15	Back plate radius	R 570±13	Snap gauge											

Quality Control Incharge of M/s..... Inspecting Official of RDSO



Govt. of India
Ministry of Railways
Research Designs & Standards Organization
Manak Nagar, Lucknow - 226 011

S. No.	Criteria specified	Nominal Dim. (mm)	Measuring device	Gauge reference	1	2	3	4	5	6	7	8	9	10
16	Friction material radius	505 (Min.)	Snap gauge											
17	Back plate thickness	4±0.2	Snap gauge											
18	Taper	1:20	Snap gauge											
19	Chamfer/Radius	R12 min	Snap gauge											
20	Relief (mm)	1	Snap gauge											
21	Cylindrical lug height	7+1	Snap gauge											
22	Cylindrical lug dia	12+/-0.5	Snap gauge											
23	Depth of cylindrical	7+2	Snap gauge											
24	Cylindrical deep dia	15±0.5	Snap gauge											
25	Distance between Cylindrical lugs	180±1	Snap gauge											
26	Brake block weight (kg)	As per Firm's Approved Drg/QAP	Weighing machine											
27	Marking on back plate	As per RDSO DRG. No. WD-00006-S-01	Visual											

Quality Control Incharge of M/s..... Inspecting Official of RDSO



Govt. of India
Ministry of Railways
Research Designs & Standards Organization
Manak Nagar, Lucknow - 226 011

Item- K Type Composition Brake Block for freight stock		Specification: WD-14-ABR-2007		Quantity checked						Inspections call No.			
S.No.	Test	Unit	Specified value as per QAP	Sample size									
				1	2	3	4	5	6	7	8	9	10
1.	Compression Modulus	N/mm ²											
2.	Cross breaking strength	Kg/cm ²											
3.	Acetone extract	%											
4.	Ash content	%											
5.	Hardness(Rockwell)	HRX											
6.	Density	Gm/cc											
7.	Back plate pull off strength	Ton											

Quality Control Incharge of M/s..... Inspecting Official of RDSO