

**QUALITY ASSURANCE(SIGNAL AND TELECOM)**  
**Status of Cases of Renewal as on dated 01/03/2013**

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
1	ACES Enterprise,	PHONE_CTRL_2W	30-Jun-12	Sample under type test since 16.1.12.
2	ACES Enterprise,	PHONE_DESK_DTMF_12W	30-Jun-11	Sample under type test since 25/4/12.
3	ACES Enterprise,	PHONE_ELE_MAG.	30-Jun-12	Sample under type test since 16.1.12.
4	ACES Enterprise,	PHONE_LW_PORT	30-Jun-12	Sample under type test since 25/4/12.
5	Agarwal Engineering Works ,	CLS_MULT1	30-Jun-11	Letter to firm regarding scope of item in ISO on 15/06/12.
6	Agarwal Engineering Works ,	CLS_SHUNT	30-Jun-08	MSME report awaited.
7	Agarwal Engineering Works ,	IRJ_N66	31-Dec-11	MTA extended upto 31/12/2011.Firm Advised to submit sample for Type test upto 24.07.2012.
8	Agarwal Engineering Works ,	ROLLER_N6	30-Jun-11	Sample submitted by firm in field unit.
9	Alstom Projects India Ltd.,	EPM_ROT_143	30-Jun-09	Part report received .Letter to SIG/DTE for clairication on 18.10.2011.
10	Anu Vidyut,	PHONE_CTRL_4W	30-Jun-12	Sample under type test since 21/5/12.
11	Anu Vidyut,	TTC_EQPT	30-Jun-10	Sample under type test since 12.05.10
12	Atlanta Tele Cables,	CAB_POWER	31-Dec-12	Sample Under Type Test
13	Atlanta Tele Cables,	CAB_SIG_I_M	31-Dec-12	Sample Under Type Test
14	Atlanta Tele Cables,	CAB_SIG_I_S	31-Dec-12	Sample Under Type Test
15	Atlanta Tele Cables,	CAB_SIG_US	31-Dec-12	Sample Under Type Test
16	Atlanta Tele Cables,	PHONE_DESK_MAG	30-Jun-12	Sample under Type test since 02/7/12.

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
17	Bentron Power System,	PHONE_CTRL_4W	30-Jun-11	Verification asked form DI/Field unit.
18	Bentron Power System,	PHONE_CTRL-2W/4W	30-Jun-11	Sample under type test since 31/7/12
19	Bentron Power System,	PHONE_DESK_DTMF _12W	30-Jun-12	Sample under type test since 31/07/12
20	Bentron Power System,	PHONE_ELE_MAG.	30-Jun-12	Sample under type test since 02/11/11
21	Bentron Power System,	PHONE_LW_PORT	30-Jun-12	Sample under type test since 31/07/12
22	Bentron Power System,	PHONE_UNI_DTMF	30-Dec-11	Sample under type test since 02.11.11.
23	Bentron Power System,	TTC_EQPT	30-Jun-12	Sample under type test since 31/07/12
24	Bharat Battery Manufacturing Co.Pvt.Ltd	CELL_SEC_LM_88/04	31-Dec-11	Sample under type test since 14.01.2012.
25	Bharat Battery Manufacturing Co.Pvt.Ltd	CELL_SEC_LM_88/04	30-Dec-11	Sample under type test since 14.01.2012.
26	Birla Ericsson Optical Ltd.,	CAB_OFC_24F_06	30-Jun-12	Sample under type test.NTH Report awaited.
27	Bisha lakshmi Industries,	EKT	30-Jun-11	Samle under type test since 13.06.12.
28	CabCom Cables Limited,	CAB_POWER	31-Dec-10	Defeciencies noticed during scrutiy.Letter to DI/Field Unit on 23/7/12.
29	CabCom Cables Limited,	CAB_SIG_US	31-Dec-10	Case under scrutiny.
30	CELTEK Batteries Pvt.Ltd.,	CELL_SEC_LM_88/04	31-Dec-08	Improved Sample under type test since 24/12/09.
31	CELTEK Batteries Pvt.Ltd.,	CELL_SEC_LM_88/04	31-Jan-10	Improved sample under type test since 08/05/12 at NTH kolkata.
32	Central Electronics Ltd.,	AXC_UNI	31-Dec-11	Sample Under type test Since 30/11/12
33	Central Electronics Ltd.,	SPV	30-Jun-12	Sample under type test.
34	Central Electronics Ltd.,	SPV	30-Jun-11	Letter sent to DI/Field unit for New Sample to OL Lab.

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
35	Central Electronics Ltd.,	SPV	31-Dec-11	Letter sent to DI/Field unit for New Sample to OL Lab.
36	CMI Limited,	1.4CAB_QUAD	31-Oct-12	CIPET Report awaited.
37	Conergy Energy Systems (India) Pvt. Ltd., 12V/80W)	SPV	30-Jun-11	Letter sent to DI/Field unit for new sample to be sent to OL/Lab..(12V/35W and
38	Continental Telepower Industries.Ltd,	1.4CAB_QUAD	30-Jun-12	CIPET Report awaited.
39	Cosine Comm. & Electronics (P) Ltd.,	CHARGER_SR_20A	31-Dec-11	Sample under type test since 06/7/12.
40	Cosine Comm. & Electronics (P) Ltd.,	CHARGER_SR_20A	31-Dec-11	Sample under type test since 06/7/12.
41	Crompton Greaves Ltd.,	EPM_ROT_143	31-Dec-10	Test report received.Life Test not conducted.Case forwarded to SIG/dte on 18/04/2012.
42	Crompton Greaves Ltd.,	EPM_ROT_143	31-Dec-10	Sample under type test since 09.08.11.Chemical Test report awaited.
43	Crompton Greaves Ltd.,	MOTOR_EPM	30-Jun-09	Firm applied for change of address.
44	Crompton Greaves Ltd.,	RELAY_SPL_M-C	31-Dec-12	Sample failed in type test.Inspection stopped and firm asked for submission of Improved sample on 10/09/12.
45	Darbari Industries,	FDMS	30-Jun-10	Samle under type test.
46	Dasmesh Industries,	ELB	30-Jun-11	Case forwarded to SIG/Dte on 18/4/2012.
47	Delton Cables Ltd.,	1.4CAB_QUAD	31-Dec-11	Sample not submitted by firm .Reminder on 05/11/12 and 07/01/13
48	Delton Cables Ltd.,	CAB_PIJF	31-Dec-11	Letter to CIPET and DI/NDLS for test report and Type Test report on 31/08/12 .Reminder on 23/11/12.
49	Digital Communication & Control Pvt. Ltd,	2T/3T	30-Jun-11	Sample under type test since 11/4/12
50	Digital Communication & Control Pvt. Ltd,	PHONE_LW_PORT	31-Dec-11	Sample under type test since 26.09.11.
51	Eldyne Electro-System Pvt. Ltd.,	RELAY_ECR_LAMP	31-Dec-12	Sample Under Type test since 27/8/12
52	Eldyne Electro-System Pvt. Ltd.,	RELAY_SPL_M-C	31-Dec-12	Sample Under Type test since 27/8/12

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
53	Eldyne Electro-System Pvt. Ltd.,	RELAY_TRACK	30-Jun-11	Re-assesment report received on 14.01.12 under scrutiny. Case will be finalize for approval after finalisation of show casue notice.
54	Electro Star,	BI_FILTER	31-Dec-12	Sample Under Type Test since 10/12/12.
55	Electro Star,	CHARGER_SR_20A	31-Dec-12	Sample Under Type Test since 10/12/12.
56	Electronics Industrial Corporation	CHARGER_TF	31-Dec-12	Sample Under type test Since 20/11/12
57	Elkay Telelinks Ltd. (Unit II),	CAB_QUAD	31-Dec-11	Letter sent to DI for Status of sample on 23/11/12.
58	Eonian Technologies Private Ltd., Charges.	VF_TRANSF	31-Dec-07	Sample under type test since 16.12.11.Firm requested for exemption of Type Test
59	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	2T/3T	30-Jun-11	Sample under Type Test since 25.05.11.Letter sent to DI/Field unit for re-assesment.
60	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	2T/3T	30-Jun-12	Sample under type test since 05/06/12.
61	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	AUTO_DIAL	30-Jun-10	Sample under type test since 12/06/12.
62	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	CLS_FSU	30-Jun-12	Firm advised for submission of sample16.07.12.
63	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	FST	31-Dec-11	Sample Under Type Test.
64	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	PHONE_CTRL_4W	30-Jun-11	Letter sent to DI for verification of document and compliance of clause.Reminder on 12/7/12.
65	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	PHONE_CTRL-2W/4W	30-Jun-12	Sample Under Type Test Since 05/11/12.
66	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	PHONE_DESK_DTMF _12W	31-Dec-09	Case under Process.
67	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	PHONE_ELE_MAG.	31-Dec-09	Case under scrutiny.
68	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	SOCKET_EM_6P	31-Dec-09	Samplel under type test since 05/06/12.
69	Epsilon Electronic Eqpt. & Comp. Pvt. Ltd.,	TTC_EQPT	30-Jun-12	Sample submitted in field unit on 31/7/12
70	Exide Industries Ltd.	CELL_SEC_LM_88/04	31-Oct-12	sample under type test since Oct/12.

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
71	Exide Industries Ltd.	CELL_SEC_LM_88/04	31-Oct-12	Sample under type test since Nov/12.
72	Exide Industries Ltd.	CELL_SEC_LM_88/04	31-Oct-12	Sample under type test since Oct/12.
73	Ex-Servicemen Electrical Industries , on	CHARGER_MFVR	31-Dec-11	Sample Failed.Firm advised to submit improved Sample on 23/11/12.Note to Sig/Dte 09/11/12.
74	Ex-Servicemen Electrical Industries ,	CHARGER_SR_20A	30-Jun-12	Sample Under type test Since 25/9/12
75	Ex-Servicemen Electrical Industries ,	CHARGER_SR_20A	31-Dec-10	Clarification asked from Sig/Dte.
76	Ex-Servicemen Electrical Industries ,	INVERTOR	30-Jun-12	Sample Under type test Since 25/9/12
77	Ex-Servicemen Electrical Industries ,	TRANSF_RECT	31-Dec-09	Re-assessment awaited.
78	Ex-Servicemen Electrical Industries ,	TRANSFORMER_230	31-Dec-11	Re-assesment report awaited.Reminder on 25/06/12
79	Fintech Associates,	CELL_PRI_SITEL	30-Jun-12	Sample under type test since 21/02/2012
80	G.K. Engg. Works & Stores (P) Ltd., to	CLS_MULT1	31-Dec-10	MSME report awaited.Letter send to DI/Kolkata on 01.12.11 for Re-assesment.Letter MSME for Report.
81	G.K. Engg. Works & Stores (P) Ltd.,	ESR	30-Jun-11	Sample under Type test since 28.03.12.
82	Gee Cab Industries Ltd,	CAB_POWER	30-Jun-12	Sample under process since 15/10/12.
83	Gee Cab Industries Ltd,	CAB_SIG_US	30-Jun-12	Sample under process since 15/10/12.
84	General Auto Electric Corporation,	CHARGER_SR_20A	31-Dec-13	Clarification asked from SIG/Dte.
85	General Auto Electric Corporation,	TRANSF_RECT	30-Jun-12	Sample Under Type Test Since 10/7/12
86	General Auto Electric Corporation,	TRANSFORMER_IND -SUP	30-Jun-12	firm advised to submit sample withim 03 months on 14.01.13
87	Golden Lamp Industries,	CLS_LAMP	31-Dec-10	Firm advised for submission of improved sample on 23.05.12
88	Golkonda Engineering Enterprises Limited,	CAB_PIJF	30-Jun-12	Sample submitted by the firm to DI/Field uniton 18/06/12.

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
89	Golkonda Engineering Enterprises Limited,	CAB_SIG_US	31-Dec-11	Case under Porcess.
90 26/7/12.	Hari Narayan Bihani,	IRJ_TPU	31-Dec-11	Sample failed .Firm advised to submit improved sample.Inspection stopped since
91	HBL Power System Ltd.	CHARGER_DB	30-Jun-12	Sample Under Type test at ERTL/Kolkata since 27/10/12
92	Hytronics Enterprises,	RELAY_ECR_LED	30-Jun-08	Proposal to sent the item to Sigal/Dte on 30.06.2011.
93	Hytronics Enterprises,	RELAY_SPL_M-C	30-Jun-12	Sample under type test since 29.06.12.Defeciencies letter to DI/Field unit on29.11.12.
94	Incom Cables Pvt. Ltd.,	1.4CAB_QUAD	31-Mar-12	Sample under type test since 07.11.12.
95	Incom Cables Pvt. Ltd.,	CAB_QUAD	30-Jun-11	Raw material Test report awaited.DI/Field unit asked for the status of Sample on 26/09/12.Reminder on 23.11.12.
96	Indian Batteries,	CELL_PRI_SITEL	30-Jun-12	Sample under type test since 23.01.2012.
97	Industrial Carbon India,	CELL_PRI_SITEL	30-Jun-12	Sample under type test since 21/02/2012
98 on	Industrial Instruments & Controls	EM_CTRL_EQPT	30-Jun-09	Test report received on 01.10.10.case reffred to to telecom Dte on 17.10.11.Reminder 10/03/12.
99	Industrial Instruments & Controls	PSU_TELE	30-Jun-11	sample under type test since26.9.11
100	Integra India Group Company Ltd.	RELAY_ECR_M-M	30-Jun-11	Case Sent to Legal cell for verification of Documents.
101 Documents	Integra India Group Company Ltd.	RELAY_NL_M-M	31-Dec-12	Sample under type test since 21/6/12.Case Sent to Legal cell for verification of
102	Integra India Group Company Ltd.	RELAY_SPL_M-M	30-Jun-06	Case Sent to Legal cell for verification of Documents
103	J.B. Industries,	CLS_LAMP	30-Jun-10	Sampel failed.Letter sent to firm to submit improved sample on 18/4/12
104	Kiran Infra Engineers Ltd,	EKT	30-Jun-12	Report received.Under Scrutiny.
105 latest	Konark Industria (P) Ltd.,	RELAY_Q_NL	31-Dec-11	Deficiency letter to DI on 15.10.12 about QSF 7.1-7, Clause wise compliance, bills & DSC.
106	Krishna Electronics & Radio Agencies,	TFR_D	30-Jun-12	Sample under type test since 10/7/12.

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
107	Kumar Electricals	PHONE_DESK_MAG	30-Jun-12	Sample under type test since 02/7/12.
108	Kumar Electricals	PHONE_ELE_MAG.	31-Dec-11	Sample under type test since 19.03.12.
109	Lead Acid Battery Co. (P) Ltd.,	CELL_SEC_LM_88/04	30-Apr-12	Sample sent to ERTL Kolkota on 22.06.11.
110	Lead Acid Battery Co. (P) Ltd.,	CELL_SEC_LM_88/04	30-Apr-12	Sample sent to ERTL Kolkota on 22.06.11.
111	Lead Acid Battery Co. (P) Ltd.,	CELL_SEC_LM_88/04	30-Apr-12	Sample sent to ERTL Kolkota on 22.06.11.
112	M.P.Telelinks Limited,	1.4CAB_QUAD	31-Aug-12	CIPET Report awaited.
113	Mani Electronics,	FRVR	30-Jun-12	Sample Under Type Test Since 10/9/12
114	Manoj Cables Ltd.,	CAB_QUAD	31-Dec-10	Case under Scrutiny.Letter to firm for modified QAP.Reminder on 06.11.12 and 07.1.13.
115	Manoj Cables Ltd.,	CAB_SIG_I_M	31-Dec-10	QAP Under Scrutiny.
116	Manoj Cables Ltd.,	CAB_SIG_I_S	31-Dec-10	Clarification asked from DI/field unit regarding office address of firm.
117	Mysore Thermo Electric Pvt. Limited test	CELL_SEC_LM_88/04	30-Jun-11	Sample failed in type test.Inspection stopped on 21.03.12 .Improved sample under type since 06/06/12 at CECRI/Karaikudi. Partial test report receivede on 14.11.12.
118	Nandi Electric Co,	FUSE_NDT	30-Jun-12	Sample under type test since 29/06/12.
119	National Stores Supply Agency,	CLS_SHUNT	30-Jun-11	Sample under type test.Defeciency letter to DI/Field unit on 21/05/12
120	NEO 4 -D Electronics Systems Pvt. Ltd.,	FUSE_NDT	31-Dec-12	Sample under type test since 16.07.12
121	Polycab Cables Pvt. Ltd.,	1.4CAB_QUAD	30-Nov-12	Sample under type test since 09.11.12.
122	Polycab Cables Pvt. Ltd.,	CAB_PIJF	30-Jun-11	Case under scrutiny.
123	Polycab Wires (P) Limited,	CAB_POWER	30-Jun-12	Sample under process since 17/12/12.
124	Polycab Wires (P) Limited,	CAB_SIG_US	30-Jun-12	Test Report Under scrutiny.

SR NO	NAME OF FIRM	ITEM CODE	VALIDITY	REMARK
125	Power Build Batteries Pvt. Limited	CELL_SEC_LM_88/04	30-Jun-11	Sample sent to ERTL Kolkota on 02.05.11.
126	Power Build Batteries Pvt. Limited	CELL_SEC_LM_88/04	30-Jun-11	Sample sent to ERTL Kolkota on 02.05.11.
127	Power Build Batteries Pvt. Limited	CELL_SEC_LM_88/04	30-Jun-11	Sample sent to ERTL Kolkota on 02.05.11.
128	Punjab Communications Limited	PSU_SMPS_48V	31-May-11	Sample under type test since 22.03.12.
129	R.K.Electrical Industries (India) Pvt. Ltd,	CAB_SIG_US	31-Dec-11	Letter to firm regarding Raw Material Changed on 21/09/12.
130	Rajasthan Electronics Instrumentation Ltd,	SPV	31-Dec-11	Letter sent to DI/Field unit for new sample to be sent to OL/Lab.
131	Rajsthan Transformers & Switchgears	CAB_SIG_US	30-Jun-15	Case under Process.
132	Ram Electronics,	CON_DC-DC	31-Dec-12	Sample Under Type Test Since 24/09/12
133	Ram Electronics,	FST	31-Dec-12	Sample Under Type Test Since 24/09/12
134	S&T Workshop,Mettuguda	BI_IRS	31-Dec-12	Sample under type test since 16/11/12.
135	S&T Workshop,Mettuguda	ELB	31-Dec-10	Case forwarded to SIG/Dte
136	S&T Workshop,Podanur	BI_IRS	30-Jun-12	Sample under type test since Jan-13
137	S&T Workshop,Podanur	RELAY_SPL_M-C	30-Jun-06	mproved sample is awaited upto 3.3.10. Reminder on 26.7.11. Letter to DI for status of sample submission on 14.12.11, reminder on 05.06.12. 18.9.12. 05.06.12. Reminder to DI on 18.9.12.W/S applied for revision of Spec, forwarded to sig/dte on 08/10/12.
138	S. Pal Enterprises Pvt Limited,	1.4CAB_QUAD	31-Jul-12	Letter to DI/Field unit for Raw Material Test in Firm Premises on 30.11.12.
139	Sandhu Technocrats (P) Ltd.	EPM_ROT_143	30-Jun-10	Sample under type test since 17/10/12.
140	Sanguine Engg. Works,	BI_IRS	30-Jun-12	Sample under type test since 21/06/12.
141	Sankar Engg. Works,	CLS_ROUTE	31-Dec-11	MSME report awaited.Letter to MSME on 29.02.12.



<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
142	Sankar Engg. Works,	CLS_SHUNT	30-Jun-12	Sample under type test since 3.07.09.Raw Material Test report awaited .Reminder on 16.05.11.Deficiencies letter to firm on 11/6/12.
143	Santeja Railtronics,	2T/3T	31-Dec-10	Sample under type test since 25.01.11.
144	Santeja Railtronics,	PHONE_DESK_DTMF _12W	31-Dec-10	Test report received.Letter to DI for varification of documents.
145	Saraswat Enterprises,	2T/3T	31-Dec-11	Sample under type test since 19.03.12.
146	Saraswat Enterprises,	VF_TRANSF	31-Dec-11	Sample under type test since 19.03.12.
147	Scot Innovation Wires & Cables Pvt. Limited.,	CAB_POWER	31-Dec-11	Defeciencies communicated to firm on 07/8/12.
148	Scot Innovation Wires & Cables Pvt. Limited.,	CAB_SIG_I_M	30-Jun-11	Defeciencies communicated to firm on 07/8/12
149	Scot Innovation Wires & Cables Pvt. Limited.,	CAB_SIG_I_S	30-Jun-11	Defeciencies communicated to firm on 07/8/12
150	Shankar Cable Industries,	CAB_POWER	31-Dec-12	Sample Under Type Test.
151	Shankar Cable Industries,	CAB_SIG_I_M	31-Dec-12	Sample Under Type Test.
152	Shyam Sundar Casting (P) Ltd.,	CLS_MULT1	30-Jun-10	MSME report awaited.Letter to MSME ON 29.02.12.
153	Southern Batteries Pvt Ltd,	CELL_SEC_LM_88/04	31-Aug-12	Sample under type test since 09.08.12 at CPRI/Bangalore
154	Southern Batteries Pvt Ltd,	CELL_SEC_LM_88/04	31-Aug-12	Sample under type test since 09.08.12 at CPRI/Bangalore
155	Southern Batteries Pvt Ltd,	CELL_SEC_LM_88/04	31-May-10	Sample sent to NTH 29.06.10.
156	Spark Electronics,	CELL_PRI_SITE1	30-Jun-12	Sample under type test since 23.01.2012.
157	Spark Enterprises,	PHONE_DESK_DTMF _12W	31-Dec-08	Report received.Letter to DI For verification of documents.
158	Special Cables Pvt. Limited	CAB_SIG_US	30-Jun-12	Case under scrutiny.
159	Sree Chand Elect, Industries (P) Limited,	CHARGER_SR_20A	30-Jun-12	Sample under Type Test since 08/08/12.

<b>SR NO</b>	<b>NAME OF FIRM</b>	<b>ITEM CODE</b>	<b>VALIDITY</b>	<b>REMARK</b>
160	Sree Chand Elect, Industries (P) Limited,	CHARGER_TF	31-Dec-12	Sample under Type Test.
161	Sree Chand Elect, Industries (P) Limited,	TRANSFORMER_IND -SUP	30-Jun-12	Sample under test since 14/01/13
162	Sri Ram Cables Pvt. Ltd,	1.4CAB_QUAD	31-Jul-12	Letter to DI/Field unit for Raw Material Test in Firm Premises on 23.11.12.
163	Sterlite Technologies Ltd,	CAB_OFC_24F_06	30-Jun-12	Case under scrutiny.
164	Telereach,	PHONE_DESK_MAG	30-Jun-09	Report received.Letter to DI for varification of documents.
165	Tirupati Plastomatics Pvt.Ltd.,	CAB_QUAD	30-Jun-12	CEPTE report & Reassessment report awaited. Reminder sent on 07.11.12.
166	TSS India Ltd.,	CLS_LENS_POLY	30-Jun-10	CIPET Report awaited.
167	TSS India Ltd.,	CLS_ROUTE	31-Dec-11	MSME report awaited.Letter to MSME ON 29.02.12.Defecincy letter to DI/Field unit on 10/4/12.
168	Ultra Electronics Pvt. Ltd.,	CHARGER_SR_20A	31-Dec-11	Sample Under Type Test Since 28/12/12.
169	Ultra Electronics Pvt. Ltd.,	CHARGER_SR_20A	31-Dec-11	Clarification asked from Sig/Dte.
170	United Lead Oxide Product Pvt. Limited.,	CELL_SEC_LM_88/04	31-Dec-12	Sample under type test since 10.09.12
171	United Lead Oxide Product Pvt. Limited.,	CELL_SEC_LM_88/04	30-Jun-12	Sample under type test at NTH/Kolkata since 05.12.2011.
172	V.K. Enterprises ,	TB/FB_ARA	30-Jun-12	Sample under Type test.
173	Vijay Electronics,	CELL_PRI_SITEL	30-Jun-12	Sample under type test since 21/02/2012
174	Vindhya Telelinks Limited.(OFC unit),	1.4CAB_QUAD	31-Aug-11	Sample under type test since 06.11.12.
175	Westinghouse Saxby Farmer Ltd.,	RELAY_Q_NL	31-Dec-12	Sample under type test since 19/12/12
176	Westinghouse Saxby Farmer Ltd.,	RELAY_SPL_M-C	31-Dec-12	Sample under type test since 25/7/12. Defeciencies Letter to DI/Field unit on 11/12/12.
177	Westinghouse Saxby Farmer Ltd.,	RELAY_TRACK	31-Dec-12	Sample under type test since 16/7/12